



# **TOWNSHIP OF GEORGIAN BAY**

## **ZONING BY-LAW 2014-75 November 10, 2014**

**OMB Approved: August 26, 2016**

**Consolidated with Appeal  
Decisions: August 26, 2016**

**Consolidated to June 12<sup>th</sup>, 2017**

---

---

**TABLE OF CONTENTS**

---

---

|  |           |
|--|-----------|
| <b>TABLE OF CONTENTS.....</b>                                  | <b>ii</b> |
| <b>HOW TO USE THIS BY-LAW.....</b>                             | <b>i</b>  |
| INTRODUCTION.....  | i         |
| PURPOSE OF THIS ZONING BY-LAW.....                             | i         |
| HOW TO USE THIS BY-LAW.....                                    | ii        |
| <br>   |           |
| <b>SECTION 1</b>   |           |
| <b>INTERPRETATION .....</b>                                    | <b>1</b>  |
| 1.1 TITLE.....   | 1         |
| 1.2 ADMINISTRATION.....  | 1         |
| 1.3 CONFORMITY AND COMPLIANCE WITH BY-LAW.....                 | 1         |
| 1.4 INTERPRETATION .....                                       | 1         |
| 1.5 BUILDING PERMITS AND MUNICIPAL LICENSE .....               | 1         |
| <br>   |           |
| <b>SECTION 2</b>   |           |
| <b>ADMINISTRATION.....</b>                                     | <b>2</b>  |
| 2.1 ENFORCEMENT .....  | 2         |
| 2.2 SEVERABILITY.....  | 2         |
| 2.3 EFFECTIVE DATE .....                                       | 2         |
| 2.4 REPEAL OF FORMER BY-LAWS .....                             | 2         |
| <br>   |           |
| <b>SECTION 3</b>   |           |
| <b>ESTABLISHMENT OF ZONES .....</b>                            | <b>3</b>  |
| 3.1 ZONES.....   | 3         |
| 3.2 LANDS UNDER WATER.....                                     | 5         |
| 3.3 ISLANDS .....  | 5         |
| 3.4 ZONE SYMBOLS.....  | 5         |
| 3.5 ZONE SCHEDULES .....                                       | 5         |
| 3.6 DETERMINING ZONE BOUNDARIES .....                          | 5         |
| 3.7 SITE SPECIFIC ZONES.....                                   | 6         |
| 3.8 HOLDING ZONES.....   | 6         |
| <br>   |           |
| <b>SECTION 4</b>   |           |
| <b>GENERAL PROVISIONS.....</b>                                 | <b>7</b>  |
| 4.1 ACCESSORY BUILDINGS, STRUCTURES AND USES .....             | 7         |
| 4.1.1 Permitted Uses .....                                     | 7         |
| 4.1.2 Setback and Yard Requirements.....                       | 7         |
| 4.1.3 Accessory Structures on Islands.....                     | 7         |
| 4.1.4 Accessory Structure Lot Coverage .....                   | 7         |
| 4.1.5 Accessory Building Height .....                          | 7         |
| 4.1.6 Accessory Structure Encroachments.....                   | 8         |
| 4.1.7 Accessory Buildings or Structures Yard Requirements..... | 8         |
| 4.1.8 Accessory Building Separation and Road Setback.....      | 9         |
| 4.1.9 Commercial and Industrial Uses .....                     | 9         |

|        |   |    |
|--------|---|----|
| 4.1.10 | Number of Accessory Buildings per Lot.....  | 9  |
| 4.1.11 | Maximum Floor Area of Accessory Buildings.....  | 9  |
| 4.1.12 | Shoreline Accessory Structures – Land-Based .....                                     | 10 |
| 4.1.13 | Shoreline Accessory Structures – Water-based .....                                    | 13 |
| 4.1.14 | Sleeping Cabins .....   | 18 |
| 4.1.15 | Detached Garages.....   | 19 |
| 4.1.16 | Human Habitation .....  | 20 |
| 4.1.17 | Accessory Structures, One and One Half Storeys .....                                  | 20 |
| 4.2    | ANTENNAE, TOWERS, SATELLITE DISHES .....  | 20 |
| 4.3    | CONSTRUCTION USES.....  | 20 |
| 4.4    | DWELLING UNITS PER LOT.....   | 20 |
| 4.5    | ENVIRONMENTAL PROTECTION AREA, OPEN SPACE AND<br>NATURAL STATE .....                  | 21 |
| 4.6    | FLOATING IN-WATER BOATHOUSES, BARGES & DWELLING UNITS ....                            | 21 |
| 4.7    | FRONTAGE ON A MUNICIPALLY MAINTAINED ROAD, PRIVATE<br>ROAD OR NAVIGABLE WATERWAY..... | 21 |
| 4.8    | HEIGHT EXCEPTIONS .....   | 22 |
| 4.9    | HOME INDUSTRY .....   | 22 |
| 4.10   | HOME OCCUPATION.....  | 23 |
| 4.11   | LEGAL NON-COMPLYING LOTS, BUILDINGS AND STRUCTURES .....                              | 24 |
| 4.12   | LEGAL NON-CONFORMING USES.....  | 28 |
| 4.13   | MINIMUM DISTANCE SEPARATION .....   | 30 |
| 4.14   | MINIMUM OPENING ELEVATION AND SHORELINE SETBACK .....                                 | 30 |
| 4.15   | SETBACKS FROM MUNICIPAL WATER SUPPLY AND SANITARY<br>SEWAGE DISPOSAL FACILITIES ..... | 31 |
| 4.16   | MULTIPLE USES ON ONE LOT .....  | 31 |
| 4.17   | MULTIPLE ZONES ON ONE LOT .....   | 31 |
| 4.18   | NOXIOUS USE.....  | 32 |
| 4.19   | OUTDOOR STORAGE .....   | 32 |
| 4.20   | PERMITTED YARD ENCROACHMENTS .....  | 32 |
| 4.21   | PITS AND QUARRIES AND PEAT EXTRACTION .....   | 33 |
| 4.22   | PUBLIC USES .....   | 33 |
| 4.23   | REDUCTION OF REQUIREMENTS .....   | 34 |
| 4.24   | RESTRICTIONS ON DWELLING UNITS IN NON-<br>RESIDENTIAL BUILDINGS .....                 | 35 |
| 4.25   | SECONDARY DWELLING UNITS.....   | 35 |
| 4.26   | SEPTIC SYSTEMS.....   | 36 |
| 4.27   | SERVICING REQUIRED .....  | 38 |
| 4.28   | SETBACK FROM NATURAL GAS PIPELINE.....  | 39 |
| 4.29   | SETBACK FROM RAILWAYS .....   | 39 |
| 4.30   | SHORELINE ACTIVITY AREA AND NATURAL STATE SHORELINE<br>AREA .....                     | 39 |
| 4.31   | SIGHT TRIANGLES .....   | 40 |
| 4.32   | SIGNS.....  | 40 |
| 4.33   | STORAGE CONTAINERS .....  | 41 |
| 4.34   | TEMPORARY SALES STRUCTURES AND MODEL HOMES.....                                       | 41 |
| 4.35   | TEMPORARY STRUCTURES FOR SPECIAL EVENTS .....   | 42 |
| 4.36   | THROUGH LOTS.....   | 42 |
| 4.37   | TRAILER PARK AND PRIVATE RECREATIONAL USES .....                                      | 42 |

|      |   |    |
|------|---|----|
| 4.38 | TRAVEL TRAILERS, TRUCK CAMPERS AND TENT TRAILERS .....                | 42 |
| 4.39 | TRENT SEVERN WATERWAY – SPECIAL PROVISIONS .....                      | 44 |
| 4.40 | WALKWAYS & BREEZEWAYS.....  | 44 |
| 4.41 | SETBACK FROM WATERBODIES AND WATERCOURSES .....                       | 44 |
| 4.42 | VACANT LOTS ON HIGHLY SENSITIVE LAKES OR OVER<br>THRESHOLD LAKES..... | 45 |
| 4.43 | TADENAC ECOSYSTEM SPECIAL POLICY AREA OVERLAY ZONE .....              | 45 |

## **SECTION 5**

|  |   |    |
|--|---|----|
| <b>PARKING AND LOADING STANDARDS .....</b> | <b>46</b>   |    |
| 5.1  | APPLICABILITY OF THIS SECTION .....                                   | 46 |
| 5.2  | PARKING .....   | 46 |
| 5.2.1                                      | Restriction on Use of Land, Buildings and Structures .....            | 46 |
| 5.2.2                                      | Residential Parking Requirements.....                                 | 46 |
| 5.2.3                                      | Non-Residential Parking Requirements .....                            | 47 |
| 5.2.4                                      | Calculation of Parking and Loading Requirements .....                 | 47 |
| 5.2.5                                      | More Than One Use on a Lot.....                                       | 47 |
| 5.2.6                                      | Boat Parking.....   | 48 |
| 5.2.7                                      | Parking Area Surface .....  | 48 |
| 5.2.8                                      | Barrier-Free Parking .....  | 48 |
| 5.2.9                                      | Exclusive Use of a Parking or Loading Space .....                     | 49 |
| 5.2.10                                     | Parking Area Location on Lot .....                                    | 49 |
| 5.2.11                                     | Cash-In Lieu Of Parking .....   | 49 |
| 5.2.12                                     | Location of Parking on a Lot Used For Residential Purposes .          | 49 |
| 5.2.13                                     | Size of Parking Spaces.....   | 49 |
| 5.2.14                                     | Ingress and Egress Provisions.....                                    | 50 |
| 5.2.15                                     | Width of Aisles.....  | 50 |
| 5.2.16                                     | Width of Access Ramps and Driveways .....                             | 50 |
| 5.2.17                                     | Width of Driveways Accessing Individual Residential<br>Dwellings..... | 51 |
| 5.2.18                                     | Parking Area Location on A Non-Residential Lot .....                  | 51 |
| 5.2.19                                     | Illumination.....   | 51 |
| 5.2.20                                     | Parking Area Location on a Lot.....                                   | 51 |
| 5.2.21                                     | Queuing Lanes.....  | 52 |
| 5.3  | LOADING SPACE REQUIREMENTS.....                                       | 53 |
| 5.3.1                                      | Off-Street Loading Spaces .....                                       | 53 |
| 5.3.2                                      | Size of Loading Space.....  | 53 |
| 5.3.3                                      | Location of Loading Spaces.....                                       | 53 |
| 5.3.4                                      | Access to Loading Spaces.....   | 54 |
| 5.3.5                                      | Loading Space Surface.....  | 54 |

## **SECTION 6**

|  |   |    |
|--|---|----|
| <b>SHORELINE RESIDENTIAL ZONES .....</b> | <b>55</b>   |    |
| 6.1                                      | GENERAL PROHIBITION .....   | 55 |
| 6.2                                      | PERMITTED USES .....  | 55 |
| 6.3                                      | ZONE REQUIREMENTS.....  | 56 |
| 6.4                                      | ADDITIONAL REGULATIONS FOR SHORELINE RESIDENTIAL<br>(SR) ZONES..... | 57 |
| 6.4.1                                    | Maximum Gross Floor Area for a Dwelling .....                       | 57 |

|       |  |    |
|-------|--|----|
| 6.4.2 | Maximum Width of a Dwelling .....                                | 58 |
| 6.4.3 | Minimum Undisturbed Open Space .....                             | 58 |
| 6.4.4 | Maximum Area of Decks Greater than 1.2 Metres in Height .        | 58 |
| 6.4.5 | Maximum Cumulative Area of Decks and Free-standing<br>Decks..... | 58 |
| 6.5   | SHORELINE RESIDENTIAL ZONES - EXCEPTIONS .....                   | 58 |

## **SECTION 7**

|   |  |           |
|---|--|-----------|
| <b>SHORELINE RESIDENTIAL ISLAND ZONES .....</b> |  | <b>79</b> |
| 7.1   | GENERAL PROHIBITION .....  | 79        |
| 7.2   | PERMITTED USES .....   | 79        |
| 7.3   | ZONE REQUIREMENTS.....   | 79        |
| 7.4   | ADDITIONAL REGULATIONS FOR SHORELINE RESIDENTIAL<br>ISLAND (SRI) ZONES ..... | 81        |
| 7.4.1   | Maximum Gross Floor Area for a Dwelling .....                                | 81        |
| 7.4.2   | Maximum Width of a Dwelling .....  | 81        |
| 7.4.3   | Minimum Undisturbed Open Space .....   | 81        |
| 7.4.4   | Maximum Area of Decks Greater than 1.2 Metres in Height .                    | 82        |
| 7.4.5   | Maximum Cumulative Area of Decks and Free-standing<br>Decks.....             | 82        |
| 7.5   | SHORELINE RESIDENTIAL ISLAND (SRI) ZONES – EXCEPTIONS.....                   | 83        |

## **SECTION 8**

|                               |  |            |
|-------------------------------|--|------------|
| <b>RESIDENTIAL ZONES.....</b> |  | <b>100</b> |
| 8.1                           | GENERAL PROHIBITION .....                          | 100        |
| 8.2                           | PERMITTED USES .....                               | 100        |
| 8.3                           | ZONE REQUIREMENTS.....                             | 101        |
| 8.4                           | RESIDENTIAL (R, BR & RMH) ZONES - EXCEPTIONS ..... | 102        |

## **SECTION 9**

|  |   |            |
|--|---|------------|
| <b>MULTIPLE RESIDENTIAL ZONES.....</b> |   | <b>111</b> |
| 9.1                                    | GENERAL PROHIBITION .....                         | 111        |
| 9.2                                    | PERMITTED USES .....                              | 111        |
| 9.3                                    | ZONE REQUIREMENTS.....                            | 112        |
| 9.4                                    | MULTIPLE RESIDENTIAL (RM) ZONES – EXCEPTIONS..... | 113        |

## **SECTION 10**

|                               |   |            |
|-------------------------------|---|------------|
| <b>COMMERCIAL ZONES .....</b> |   | <b>126</b> |
| 10.1                          | GENERAL PROHIBITION .....               | 126        |
| 10.2                          | PERMITTED USES .....                    | 126        |
| 10.3                          | ZONE REQUIREMENTS.....                  | 127        |
| 10.4                          | COMMERCIAL (C) ZONES – EXCEPTIONS ..... | 128        |

## **SECTION 11**

|                                      |  |            |
|--------------------------------------|--|------------|
| <b>TOURIST COMMERCIAL ZONES.....</b> |  | <b>139</b> |
| 11.1                                 | GENERAL PROHIBITION .....                        | 139        |
| 11.2                                 | PERMITTED USES .....                             | 139        |
| 11.3                                 | ZONE REQUIREMENTS.....                           | 140        |
| 11.4                                 | TOURIST COMMERCIAL (CT) ZONES – EXCEPTIONS ..... | 142        |

|  |            |
|--|------------|
| <b>SECTION 12</b>  |            |
| <b>MARINE COMMERCIAL ZONES</b> .....   | <b>145</b> |
| 12.1 GENERAL PROHIBITION .....   | 145        |
| 12.2 PERMITTED USES .....  | 145        |
| 12.3 ZONE REQUIREMENTS.....  | 146        |
| 12.4 MARINE COMMERCIAL (CM & ML) ZONES – EXCEPTIONS .....                      | 147        |
| <b>SECTION 13</b>  |            |
| <b>INDUSTRIAL ZONES</b> .....  | <b>151</b> |
| 13.1 GENERAL PROHIBITION .....   | 151        |
| 13.2 PERMITTED USES .....  | 151        |
| 13.3 ZONE REQUIREMENTS.....  | 152        |
| 13.4 INDUSTRIAL (M, MX & WD) ZONES – EXCEPTIONS.....                           | 153        |
| <b>SECTION 14</b>  |            |
| <b>INSTITUTIONAL</b> .....   | <b>156</b> |
| 14.1 GENERAL PROHIBITION .....   | 156        |
| 14.2 PERMITTED USES .....  | 156        |
| 14.3 ZONE REQUIREMENTS.....  | 157        |
| 14.4 INSTITUTIONAL (I) ZONE – EXCEPTIONS .....                                 | 158        |
| <b>SECTION 15</b>  |            |
| <b>RURAL ZONES</b> .....   | <b>160</b> |
| 15.1 GENERAL PROHIBITION .....   | 160        |
| 15.2 PERMITTED USES .....  | 160        |
| 15.3 ZONE REQUIREMENTS.....  | 161        |
| 15.4 RURAL (RU) ZONES – EXCEPTIONS .....                                       | 162        |
| <b>SECTION 16</b>  |            |
| <b>OPEN SPACE ZONES</b> .....  | <b>164</b> |
| 16.1 GENERAL PROHIBITION .....   | 164        |
| 16.2 PERMITTED USES .....  | 164        |
| 16.3 ZONE REQUIREMENTS.....  | 165        |
| 16.4 OPEN SPACE (OS, CL & LS) ZONES – EXCEPTIONS .....                         | 166        |
| <b>SECTION 17</b>  |            |
| <b>ENVIRONMENTAL PROTECTION ZONES</b> .....                                    | <b>170</b> |
| 17.1 GENERAL PROHIBITION .....   | 170        |
| 17.2 PERMITTED USES .....  | 170        |
| 17.3 ZONE REQUIREMENTS.....  | 171        |
| 17.4 ENVIRONMENTAL PROTECTION (EP, FH1, NSC & NSI)<br>ZONES - EXCEPTIONS ..... | 172        |
| <b>SECTION 18</b>  |            |
| <b>HOLD ZONES, TEMPORARY USE ZONES</b> .....                                   | <b>178</b> |
| 18.1 HOLDING PROVISIONS.....   | 178        |
| 18.1.2 List of Holding Provisions.....   | 178        |
| 18.2 TEMPORARY USE ZONES.....  | 180        |
| 18.2.1 List of Temporary Use Zones .....                                       | 181        |

|                          |            |
|--------------------------|------------|
| <b>SECTION 19</b>        |            |
| <b>DEFINITIONS .....</b> | <b>182</b> |

|                               |            |
|-------------------------------|------------|
| <b>SECTION 20</b>             |            |
| <b>ENACTMENT .....</b>        | <b>216</b> |
| 20.1 FORCE AND EFFECT .....   | 216        |
| 20.2 READINGS BY COUNCIL..... | 216        |
| 20.3 CERTIFICATION.....       | 216        |

**SCHEDULES**

- Schedule A – Key Map and Maps 1-154
- Schedule B – Full Service Areas, Maps 1 & 2
- Schedule C – Trent Severn Waterway
- Schedule D – Zoning Diagrams

| Page | Diagram  |
|------|--|
| 1.   | Lot Lines & Lot Types  |
| 2.   | Lot Lines & Lot Types – Island & Peninsula                                   |
| 3.   | Required Yards   |
| 4.   | Required Yard – Island, Peninsula & Waterfront Lot                           |
| 5.   | Lot Coverage – SR1 Zone Example  |
| 6.   | Lot Coverage – Lot Area Considerations                                       |
| 7.   | Front Yard Encroachment - Deck   |
| 8.   | Free-Standing Deck   |
| 9.   | Building Height – Wall Identification  |
| 10.  | Building Height – Average Natural Grade                                      |
| 11.  | Roof Type and Height Measurement   |
| 12.  | Boatport & In-Water Boathouse Height, Width & Length                         |
| 13.  | Sleeping Cabin Height  |
| 14.  | Gross Floor Area Calculation   |
| 15.  | Dwelling Width Measurement   |
| 16.  | Dock and Ramp Measurements   |
| 17.  | Dock and Ramp Calculations   |
| 18.  | Dock Connections   |
| 19.  | Septic Systems – Leaching Bed Setback Requirements on Georgian Bay           |
| 20.  | Septic Systems – Leaching Bed Setback Requirements Not on Georgian Bay       |
| 21.  | Septic Systems – Tertiary Treatment Setback Requirements on Georgian Bay     |
| 22.  | Septic Systems – Tertiary Treatment Setback Requirements Not on Georgian Bay |
| 23.  | Cumulative Width of Shoreline Structures – Through Lots                      |
| 24.  | Shoreline Activity Area – Natural State Shoreline Area                       |
| 25.  | Natural State Shoreline Identification                                       |

## **APPENDICIES**

Appendix A – Lands Potentially Subject to 178.9 Minimum Opening Elevation, Maps 1-4

Appendix B – High Sensitivity and Over Threshold Lakes

Appendix C – By-law 2007-88

Appendix D – By-law 2008-49

Appendix E – By-law 2009-80

Appendix F – By-law 2014-15

Appendix G – By-law 2006-74



---

---

## HOW TO USE THIS BY-LAW

---

---

### INTRODUCTION

These pages explain the purpose of this Zoning By-law and how it should be used. These pages do not form part of the Zoning By-law passed by Council and are intended only to make the Zoning By-law more understandable and easier to reference.

### PURPOSE OF THIS ZONING BY-LAW

The purpose of this Zoning By-law is to implement the policies of the Township of Georgian Bay Official Plan. The Official Plan contains general policies that affect the use of land throughout the Municipality. These policies specify where certain land uses are permitted and, in some instances, specify what regulations should apply to the development of certain lands.

The statutory authority to zone land is granted by the Ontario Planning Act. The Planning Act specifies what a By-law can regulate. A Zoning By-law can:

- prohibit the use of land or buildings for any use that is not specifically permitted by the By-law;
- prohibit the erection or siting of buildings and structures on a lot except in locations permitted by the By-law;
- regulate the type of construction and the height, bulk, location, size, floor area, spacing, and use of buildings or structures;
- regulate the minimum frontage and lot area of a parcel of land;
- regulate the proportion of a lot that any building or structure may occupy;
- regulate the minimum elevation of doors, windows or other openings in buildings or structures;
- require parking and loading facilities be provided and maintained for a purpose permitted by the By-law; and,
- prohibit the use of lands and the erection of buildings or structures on land that is:
  - subject to flooding;
  - the site of steep slopes;
  - rocky, low-lying, marshy or unstable;
  - contaminated;
  - a sensitive groundwater recharge area or head water area;
  - the location of a sensitive aquifer;
  - a significant wildlife habitat area, wetland, woodland, ravine, valley or area of natural and scientific interest;

- a significant corridor or shoreline of a lake, river or stream; or,
- the site of a significant archaeological resource.

## **HOW TO USE THIS BY-LAW**

In order to reference this By-law easily, a property owner should follow each of the steps listed below to determine what permissions apply to their particular property.

### **1. Locate the Property on a Map**

Maps in a Zoning By-law are called 'Schedules'. The first step to using this By-law is to refer to the zone schedules that are contained at the back of the By-law to determine in which zone category your property is located. The zone category will be indicated on the schedules by a symbol or abbreviation. For example, you may see a symbol such as "SR1" beside your property. This would indicate that your property is within the "Shoreline Residential One" Zone. The zone symbols or abbreviations are explained on the first page of Section 3 of the By-law.

Section 3 also provides assistance to help you identify the zone boundaries on the Schedules. For example, if your property appears close to a zone boundary and you are not sure how to determine exactly where that boundary is located, refer to Section 3.6 of the By-law.

### **2. By-law Amendments**

A Zoning By-law is not a static document; it is amended over time as demands and policies governing land use change. Before proceeding any further, you should verify that your property is not the subject of an earlier Zoning By-law amendment. While the Township strives to keep this By-law up-to-date, more recent amendments may not be included in the version of the By-law you are using. Staff in the Township's Planning Department will be able to assist you to confirm if your property has been subject to a more recent By-law amendment.

### **3. Zone Provisions**

The next step to using this By-law is to determine what uses are permitted on your property. Subsection 2 in Sections 6 to 17 of the By-law identify the permitted uses and zone requirements for each zone in the Municipality.

The definitions in Section 19 can assist you if you are not sure of the nature of a permitted use or how it has been defined for the purposes of this By-law. Uses which are not identified as permitted uses within a particular zone are not permitted in that zone.

You have now identified the zone in which your property is located and have identified what uses are permitted on your property. The next step is to determine what standards may apply to the uses on your property. Subsection 3

in Sections 6 to 17 of the By-law identifies the zone requirements for each of the zone categories in the Municipality including standards for minimum lot area, minimum frontage requirements, minimum yard requirements, maximum lot coverage for principal and accessory buildings, maximum permitted buildings height and in some cases, the minimum required landscaped open space on the lot.

#### **4. General Provisions**

Now that you are aware of the uses permitted on your property and the specific zone requirements that apply to those uses, reference should be made to Section 4 of this By-law. Section 4 contains a more general set of standards know as 'General Provisions' that apply to all properties in all zones throughout the Municipality. For example, the general provisions contain standards that regulate the location of accessory structures on a lot and height exceptions, as well as providing guidelines for the potential expansion of legal non-conforming/non-complying uses. The General Provisions apply to all properties regardless of what zone the property is located in, unless otherwise specified.

#### **5. Parking and Loading**

Section 5 provides the parking and loading requirements for all uses permitted in the Municipality. If you are considering changing the use of your property or adding a new use to your property, you should review Section 5 to ensure that you are aware of the parking requirements for the proposed use.

#### **6. Exceptions, Holding Zones and Temporary Uses**

As noted in item #2 above, By-laws are not static documents and lands may be subject to a zone exception, a holding zone, or a temporary use. If a zone symbol is followed by a dash (-) and a number, the lands are subject to a site specific exception and are subject to site specific exception provisions in addition to all provisions of the parent zone and general provisions, unless otherwise stated in the exception. These can be found in Subsection 4 or 5 of the relevant Sections. If the zone symbol is followed by an (H) or a (T), the lands are subject to holding symbol or temporary use, which can be found in Section 18.

### **What are Legal Non-Conforming and Legal Non-Complying For the Purposes of This By-law?**

A legal non-conforming use is a use of land and/or building that legally existed prior to a Zoning By-law coming into effect. To be legal, the use must have been permitted on the lands in accordance with the previous Zoning By-laws for the Township.

A legal non-complying building or structure is a building or structure that was legally constructed and in a location that was permitted in accordance with any applicable Zoning By-law at the time of construction. Alternatively, if the building or structure existed before the first By-law for the Township of Georgian Bay or the By-law for the original Township, the building or structure may be legal.

## **Description of By-law Components**

This By-law contains twenty sections which together, provide the land uses and standards applicable to all lands within the Municipality. These sections are as follows:

- Section 1 – Interpretation
- Section 2 – Administration
- Section 3 – Establishment of Zones
- Section 4 – General Provisions
- Section 5 – Parking and Loading
- Section 6 – Shoreline Residential (SR) Zones
- Section 7 – Shoreline Residential Island (SRI) Zones
- Section 8 – Residential (R, BR & RMH) Zones
- Section 9 – Multiple Residential (RM) Zones
- Section 10 – Commercial (C) Zones
- Section 11 – Tourist Commercial (CT) Zones
- Section 12 – Marine Commercial (CM & ML) Zones
- Section 13 – Industrial Zones (M, MX & WD)
- Section 14 – Institutional (I) Zones
- Section 15 – Rural (RU) Zones
- Section 16 – Open Space (OS, CL & LS) Zones
- Section 17 – Environmental Protection (EP, FH1, NSC & NSI) Zones
- Section 18 – Hold Zones and Temporary Use Zones
- Section 19 – Definitions
- Section 20 – Enactment

The purpose of each of these Sections is described below.

### **Sections 1 and 2 - Interpretation and Administration**

These Sections of the By-law specify:

- what lands are covered by the By-law;
- that every parcel of land in the area covered by the By-law is to conform and comply with the By-law; and,
- what penalties can be levied against a person or a corporation if they contravene any provision in the By-law.

### **Section 3 - Establishment of Zones**

This section establishes the Zones that apply to the lands covered by the By-law. This section also describes how to determine the location of the Zone boundaries on the schedules.

### **Section 4 - General Provisions**

This section contains a number of regulations that apply to certain types of uses, buildings or structures regardless of where in the Municipality or in what zone they are

located. For example, this section contains provisions dealing with the construction of docks in any zone, or provisions to regulate the operation of home industries.

### **Section 5 - Parking and Loading**

Parking and loading facilities are required for almost all uses within the Municipality. This section provides the requirements for these facilities including such regulations as the number of spaces required for residential and commercial uses, minimum driveway width, minimum parking space size and the location of parking facilities on a lot.

### **Sections 6 to 17 - Zone Provisions**

Sections 6 to 17 identify the uses that are permitted in each Zone category. The effect of these Zones is to only permit certain uses in various parts of the Municipality. The only uses permitted in a zone are those that are specified in the By-law. If a use is not specifically mentioned as a permitted use in a Zone then it is not permitted. Similarly, if a use is defined in Section 19 of the By-law but does not appear as a permitted use in any zone, then it is not a use permitted by the By-law.

Sections 6 to 17 also contain a number of regulations that control the placement, bulk and height of a building on a lot. This includes regulations such as minimum lot size, minimum frontage, maximum building height or the maximum coverage of buildings and structures on a lot.

### **Section 18 - Holding Zones and Temporary Use Zones**

This Section provides a consolidated list of properties that are subject to Holding Provisions and Temporary Use Zones.

### **Section 19 - Definitions**

It is necessary to define words in a Zoning By-law because it is a legal document. A By-law must be drafted so that it can be enforced in a court of law. These definitions will help provide clarity in the By-law and ensure that the By-law and its intent are applied consistently. If a word is not defined, refer to a dictionary and apply the defined term in the context of which that word is used.

### **Section 20 - Enactment**

This section contains the signatures of the Mayor and the Clerk who signed the By-law when it was passed by Council in accordance with Section 34 of the Planning Act, R.S.O. 1990 c.P. 13.

**CORPORATION OF THE TOWNSHIP OF GEORGIAN BAY**

**BY-LAW NUMBER 2014-75**

**WHEREAS** it is considered desirable to prohibit the use of land and the erection and use of buildings or structures except for certain purposes, and to regulate the type of construction and the height, bulk location, size, floor area, character and use of buildings in accordance with the provisions of Section 34 of the Planning Act, R.S.O. 1990, c.P. 13 as amended;

**NOW THEREFORE**, the Council of the Corporation of the Township of Georgian Bay enacts a Zoning By-law for the Township of Georgian Bay as follows:

---

---

**SECTION 1  
INTERPRETATION**

---

---

**1.1 TITLE**

This By-law may be referred to as the "Township of Georgian Bay Zoning By-law" and applies to all areas within the Township of Georgian Bay.

**1.2 ADMINISTRATION**

This By-law shall be administered and enforced by municipal staff as appointed by the Council of the Corporation of the Township of Georgian Bay.

**1.3 CONFORMITY AND COMPLIANCE WITH BY-LAW**

No land, building or structure may be used, erected or altered except in accordance with the provisions of this By-law.

No land, building or structure may be located or used such that the uses, buildings or structures on other lands would no longer comply with the provisions of this By-law.

**1.4 INTERPRETATION**

The provisions of this By-law are the minimum requirements except where a maximum requirement applies.

Nothing in this By-law shall serve to relieve any person from any obligation to comply with the requirements of any other By-law of the Township of Georgian Bay or any requirement of the Province of Ontario or Government of Canada that may affect the use of lands, buildings or structures in the Municipality.

**1.5 BUILDING PERMITS AND MUNICIPAL LICENSE**

The requirements of this By-law, and all applicable law, must be met before a Building Permit, Certificate of Occupancy, or approval of an application for a municipal license is issued for the use of land or the use, erection, addition to or alteration of any building or structure.

---

---

**SECTION 2  
ADMINISTRATION**

---

---

**2.1 ENFORCEMENT**

Any person who contravenes any provision of this By-law is guilty of an offense and upon conviction is liable to the fine(s) as provided for under the Planning Act, R.S.O. 1990, c.P. 13 as amended.

**2.2 SEVERABILITY**

A decision of a court that one or more of the provisions of this By-law are invalid in whole or in part does not affect the validity, effectiveness or enforceability of the other provisions or parts of the provisions of this By-law.

**2.3 EFFECTIVE DATE**

This By-law shall come into force the day it was passed if no appeals are received. If an appeal(s) is received, this By-law, or portions thereof, shall come into force upon the approval of the Ontario Municipal Board and in accordance with the provisions of the Planning Act as amended.

**2.4 REPEAL OF FORMER BY-LAWS**

By-law No. 91-19, as amended, of the Township of Georgian Bay, is hereby repealed;

**2.5 TRANSITION PROVISIONS**

2.5.1 This By-law does not apply to prevent the issuance of a Building Permit for a Development for which an Approval under the Planning Act has been granted for:

- a) A Minor Variance to a Zoning By-law or Interim Control By-law; or
- b) An Amendment to a Zoning By-law;

where the said Development occurs in strict accordance with the plans originally filed with the Township in support of the application for Development.



---

---

**SECTION 3  
ESTABLISHMENT OF ZONES**

---

---

**3.1 ZONES**

The Provisions of this By-law apply to all lands within the limits of the Township of Georgian Bay. All lands in the Township are contained within one or more of the following Zones:

**SYMBOL      ZONE**

**Shoreline Residential Zones**

|     |                                 |
|-----|---------------------------------|
| SR1 | Shoreline Residential Type One  |
| SR2 | Shoreline Residential Type Two  |
| SR3 | Go Home Bay Residential         |
| SR4 | Shoreline Residential Type Four |
| SR5 | Shoreline Residential Type Five |
| SR6 | Six Mile Lake Residential       |
| SR7 | Cognashene Residential          |

**Shoreline Residential Island Zones**

|      |  |
|------|--|
| SRI1 | Shoreline Residential Island Type One    |
| SRI2 | Shoreline Residential Island Type Two    |
| SRI3 | Go Home Bay Shoreline Residential Island |
| SRI4 | Shoreline Residential Island Type Four   |
| SRI5 | Shoreline Residential Island Type Five   |
| SRI7 | Cognashene Shoreline Residential Island  |

**Residential Zones**

|     |                         |
|-----|-------------------------|
| R1  | Residential Type One    |
| R2  | Residential Type Two    |
| R3  | Residential Type Three  |
| R4  | Residential Type Four   |
| R5  | Residential Type Five   |
| RMH | Residential Mobile Home |
| BR  | Back Lot Residential    |

**Multiple Residential Zones**

|     |                                 |
|-----|---------------------------------|
| RM1 | Residential Multiple Type One   |
| RM2 | Residential Multiple Type Two   |
| RM3 | Residential Multiple Type Three |
| RM4 | Residential Multiple Type Four  |

### **Commercial Zones**

|    |                       |
|----|-----------------------|
| C1 | General Commercial    |
| C2 | Restricted Commercial |
| C3 | Highway Commercial    |

### **Tourist Commercial Zones**

|     |                             |
|-----|-----------------------------|
| CT1 | Tourist Commercial Type One |
| CT2 | Tourist Commercial Type Two |

### **Marine Commercial Zones**

|     |                              |
|-----|------------------------------|
| CM1 | Marine Commercial Type One   |
| CM2 | Marine Commercial Type Two   |
| CM3 | Marine Commercial Type Three |
| CM4 | Marine Commercial Type Four  |
| ML  | Marine Landing               |

### **Industrial Zones**

|    |                       |
|----|-----------------------|
| M  | Industrial            |
| MX | Extractive Industrial |
| WD | Waste Disposal        |

### **Institutional Zones**

|   |               |
|---|---------------|
| I | Institutional |
|---|---------------|

### **Rural Zones**

|    |       |
|----|-------|
| RU | Rural |
|----|-------|

### **Open Space Zones**

|     |             |
|-----|-------------|
| OS1 | Open Space  |
| OS2 | Golf Course |
| CL  | Crown Land  |
| LS  | Lakeside    |

### **Environmental Protection Zones**

|        |   |
|--------|---|
| EP1    | Environmental Protection Type One                           |
| EP2    | Environmental Protection Type Two                           |
| EP-PSW | Environmental Protection - Provincially Significant Wetland |
| EP-W   | Environmental Protection - Wetland                          |
| FH1    | Fish Habitat – Type One                                     |
| NSC    | Natural State Conservation                                  |
| NSI    | Natural State Island  |

### **3.2 LANDS UNDER WATER**

All lands under water of the lakes and rivers within the Township are subject to this By-law in addition to the requirements of both federal and provincial legislation. All lands under water not otherwise zoned, shall be zoned Lakeside (LS), and may be used in accordance with the zoning of abutting and appertaining lands and the regulations of this By-law and specifically Section 4.1.13.

### **3.3 ISLANDS**

All islands not identified as being within a Zone on the Zone Schedule shall be zoned Natural State Island (NSI).

### **3.4 ZONE SYMBOLS**

The Zone symbols may be used to refer to lots, buildings and structures and to the use of lots, buildings and structures permitted by this By-law.

### **3.5 ZONE SCHEDULES**

The Zones and Zone boundaries are shown on Schedule A, Maps 1 through 154, which are attached to and form part of this By-law.

### **3.6 DETERMINING ZONE BOUNDARIES**

When determining the location of zone boundaries as shown on any Schedule forming part of this By-law, the following provisions shall apply:

- a) a boundary indicated as following a provincial highway, road, lane, railway right-of-way, utility corridor or stream shall be the edge of such provincial highway, road, lane, railway right-of-way, utility corridor or stream;
- b) a boundary indicated as following the high water mark shall follow the current water mark, and in the event of change in the current water level, the boundary shall be construed as moving with the actual current water mark;
- c) a boundary indicated as following lot lines or the municipal boundaries of the Township of Georgian Bay, or the boundary of an original Township lot shall follow such lot lines;
- d) where a boundary is indicated as running parallel to a road line and the distance from the road line is not indicated, the boundary shall be deemed to be parallel to such a road line and the distance from the road line shall be determined according to the scale shown on the Schedule;
- e) where a zone boundary follows a shore road allowance that has not been stopped up and closed, the zoning on the abutting lot shall be applied to the portion of the shore road allowance above the current water mark, as if it were part of the abutting lot, except

- where the shore road allowance is within an Environmental Protection (EP, FH1 NSC & NSI) Zone;
- f) where an original Township road allowance has not been zoned, the zoning of the adjacent lot shall apply to the road allowance or in the case of a road allowance with zoning on both sides, the zoning of the adjacent lots shall apply up to the centre of the road allowance; and
  - g) where none of the above provisions apply, the Zone boundary shall be scaled from the legally approved Schedule(s).

### **3.7 SITE SPECIFIC ZONES**

Where a Zone symbol on the attached Schedule(s) is followed by a dash, and a number, such as R1-17, the symbol refers to a site-specific exception that applies to the lands noted. Site-specific exceptions are listed in Sections 6 to 17 of this By-law. Where there is conflict between a general provision or general zone standard and the site specific exception, the regulations or uses contained in the exception shall prevail.

### **3.8 HOLDING ZONES**

Notwithstanding any other provision in this By-law, where a Zone symbol is followed by the letter (H), no person shall use the land for any use other than the use which existed on the date this By-law was passed, until the (H) is removed in accordance with the policies of the Official Plan and the provisions of this By-law and/or the requirements of any amending By-law, and the requirements of the Planning Act, as amended. Section 18 of this By-law provides a consolidated list of properties that are subject to Holding Provisions and Temporary Use Zones.

---

---

**SECTION 4  
GENERAL PROVISIONS**

---

---

**4.1 ACCESSORY BUILDINGS, STRUCTURES AND USES**

**4.1.1 Permitted Uses**

Where this By-law provides that a lot may be used and a building or structure may be erected or used for a purpose, that purpose shall include any accessory building or structure or accessory use provided that a principal building or structure is already in existence on the lot.

Accessory buildings shall not be used for any occupation for gain or profit conducted within or accessory to a dwelling unit or lot except as specifically permitted in accordance with this By-law.

**4.1.2 Setback and Yard Requirements**

Except as otherwise provided by this By-law, any accessory building or structure shall comply with the yard requirement of the zone within which it is located. This provision shall not apply to prevent the construction of land-based and water-based accessory structures in the front yard as may otherwise be permitted in this By-law.

**4.1.3 Accessory Structures on Islands**

On unsubdivided islands where there are no side yards or rear yard, permitted accessory structures may be located in the front yard provided all setback and yard requirements of the By-law are met.

**4.1.4 Accessory Structure Lot Coverage**

On properties not within a, Shoreline Residential (SR) or Shoreline Residential Island (SRI) zone, the total lot coverage of all accessory buildings and structures, excluding swimming pools, shall not exceed 5 percent of the lot area.

**4.1.5 Accessory Building Height**

- a) The maximum height of accessory buildings or structures shall be 4.5 metres unless otherwise stated in this By-law.
- b) The maximum height of accessory buildings or structures in the Cognashene Coastal Waterfront Community, Wah Wah Taysee Coastal Waterfront Community or Go Home Bay Coastal Waterfront

Community, as delineated on Schedule A of this By-law, shall be 4.0 metres unless otherwise stated in this By-law.

- c) Accessory building height shall be measured in accordance with the definition of building height, unless otherwise stated in this By-law.

#### **4.1.6 Accessory Structure Encroachments**

Notwithstanding the yard and setback provisions of this By-law to the contrary, drop awnings, clothes poles, flag poles, garden trellises, retaining walls less than 1.0 metres in height, fences 2.0 metres or less in height, signs or similar uses which comply with this By-law are permitted in any required yard or in the area between the road line and the required yard. Fences shall not be permitted in the required front yard of lots that abut a waterbody.

#### **4.1.7 Accessory Buildings or Structures Yard Requirements**

Notwithstanding the yard and setback provisions of this By-law to the contrary, an accessory building or structure may be erected and used in an interior side or rear yard, and in the front yard where specifically permitted below, provided that the following yard requirements are met:

- a) Interior Side Yard

Where such accessory building or structure is located in an interior side yard, it shall not be closer than 2.0 metres to the side lot line. On Shoreline Residential (SR) or Shoreline Residential Island (SRI) zoned lots, accessory buildings or structures shall not be located closer than 5.0 metres to a side lot line.

- b) Rear Yard

Where such accessory building or structure is located in a rear yard, it shall not be closer than 4.0 metres to the rear lot line.

- c) Front Yard

For those lots which abut a lake or river, a permitted detached accessory building or structure may be located in the front yard but shall comply with the minimum required front yard for the zone in which they are located, unless otherwise permitted by this By-law. For those lots in the Rural (RU) zone, a detached garage shall be permitted in the front yard provided the detached garage complies with the minimum required front yard of the Rural (RU) zone.

#### **4.1.8 Accessory Building Separation and Road Setback**

- a) All accessory buildings shall be setback at least 2 metres from all other buildings and at least 4 metres from a private road or the limit of a right-of-way, where a right-of-way exists.
- b) On lots in a Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone, all accessory buildings shall be setback at least 5.0 metres from all other buildings.
- c) In any Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, accessory buildings of 10 square metres or less shall be setback at least 5 metres from all other buildings.
- d) In any Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, all accessory building equal to or greater than 10 square metres shall be setback at least 10 metres from all other buildings.

#### **4.1.9 Commercial and Industrial Uses**

- a) Notwithstanding the foregoing provisions, no building or structure accessory to a Commercial or Industrial use shall be erected closer than 3 metres to an interior side lot line or rear lot line.
- b) Where a Commercial (C) or Industrial (M, MX & WD) Zone abuts a Shoreline Residential (SR), Shoreline Residential Island (SRI), Residential (R, BR & RMH) or Multiple Residential (RM) Zone, accessory buildings shall be setback a minimum of 7.5 metres from an interior side or rear lot line.

#### **4.1.10 Number of Accessory Buildings per Lot**

In the Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law, the maximum number of accessory buildings on a lot shall be two (2). This shall not include a boatport, sleeping cabins, a privy or a pumphouse.

#### **4.1.11 Maximum Floor Area of Accessory Buildings**

In Shoreline Residential (SR) and Shoreline Residential Island (SRI) zones in the Cognashene Coastal Waterfront Community as delineated on Schedule A of this By-law, the maximum floor area of an accessory building, excluding a boatport, dryland boathouse, sleeping cabins, a privy

and a pumphouse, shall be 45 square metres, unless other provisions of this By-law are more restrictive.

#### **4.1.12 Shoreline Accessory Structures – Land-Based**

Notwithstanding Sections 4.1.2 or 4.1.7, in the case of a waterfront lot, a dryland boathouse, pumphouse, gazebo, inclinator, free-standing deck, hot tub or whirlpool may be located in the front yard provided the dryland boathouse, pumphouse, gazebo, inclinator, free-standing deck, hot tub or whirlpool complies with the minimum required side yard for a principal building. The following regulations shall apply:

##### **4.1.12.1 Pumphouse**

- a) A pumphouse shall be permitted in the front yard of a Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone subject to the following provisions:
  - i) The maximum floor area of a pumphouse shall not exceed 2.5 square metres.
  - ii) In the Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law, the maximum height shall be 1.5 metres.

##### **4.1.12.2 Inclinator**

- a) Within the front yard, the maximum attached landing platform for an inclinator shall not exceed 10 square metres.

##### **4.1.12.3 Free-standing Decks**

- a) Free-standing decks shall be permitted in the front yard, subject to the following provisions:
  - i) The maximum cumulative area of free-standing decks shall be 40 square metres.
  - ii) The maximum height of a free-standing deck shall be 1.2 metre as measured from natural grade to the top of the decking on the side of the free-standing deck that is closest to the water.
  - iii) In the SR6 Zone the maximum cumulative area of free-standing decks shall be 45 square metres.
  - iv) Free-standing decks may be setback 0 metres from the high water mark and must comply with the side yard setbacks for the zone in which they are located.
  - v) Notwithstanding iv), on any lands zoned Shoreline Residential (SR) or Shoreline Residential Island (SRI) in the Cognashene Coastal Waterfront Community as delineated on



Schedule A of this By-law, free-standing decks shall be setback a minimum of 5 metres from the high water mark and any side lot line.

4.1.12.4 Dryland Boathouse

- a) A dryland boathouse shall be permitted in the front yard, or within 20 metres of the high water mark of a Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone, subject to the following provisions:

TABLE 4.1

| Minimum Lot Frontage | Dryland Boathouse Prohibited | Maximum Height (metres)(3) | Maximum Width (metres) (2) | Maximum Length – On Georgian Bay (metres) | Maximum Length – All Waterbodies other than Georgian Bay (metres) |
|----------------------|------------------------------|----------------------------|----------------------------|---|---|
| < 31 m               | √                            | -                          | -                          | -   | -   |
| ≥ 31 - 45 m          |                              | 3.5                        | 4.6                        | 9   | 9   |
| ≥45 - 60 m           |                              | 3.7                        | 7.5 (2) (4)                | 11 (5)                                    | 9   |
| ≥ 61 m               |                              | 4                          | 11 (1) (2) (4)             | 11 (5)                                    | 9   |

**Footnotes to Table 4.1**

- (1) 11m or 15% of the lot frontage, whatever is more restrictive.  
 (2) In the SR6 Zone the maximum dryland boathouse width shall be 4.7 metres.  
 (3) Height shall be measured in accordance with Section 4.1.5.  
 (4) The maximum permitted width in the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of this By-law, shall be 6 metres.  
 (5) The maximum permitted length in the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of this By-law, shall be 9 metres.

- b) Where permitted, only one of a dryland boathouse, in-water boathouse or boatport shall be permitted per lot.
- c) In the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law, one dryland boathouse and one boatport shall both be permitted, subject to the provisions of Section 4.1.12.4 a) and 4.1.13.1 b), and subject to the following provisions:
- i) The maximum floor area of a dryland boathouse shall not exceed 30 square metres.
- d) On lands within the SR1, SRI1 SR2, SRI2, SR5 and SRI5 Zones within the Palisade Bay / East Bone Island Coastal Waterfront

Community as delineated in Schedule A of this By-law, only one dryland boathouse or only one boatport located appurtenant to the lot shall be permitted, if the lot has a lot frontage of more than 120 metres.

- e) Dryland boathouses are not permitted to have a flat roof. A dryland boathouse must have a minimum roof pitch of 3/12.

#### 4.1.12.5 Gazebos, Saunas, Hot Tubs and Whirlpools

- a) One Gazebo may be permitted in the front yard of a lot in the Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone subject to the following provisions:
  - i) A gazebo shall not exceed 15 square metres of floor area.
  - ii) A gazebo shall be setback a minimum of 5 metres from the high water mark.
  - iii) The maximum gazebo height shall be 3.5 metres and the height shall be measured in accordance with Section 4.1.5.
- b) In the area outlined as the Wah Wah Taysee Coastal Waterfront Community, as delineated on Schedule A of this By-law, one gazebo may be permitted on properties in the Shoreline Residential (SR) and Shoreline Residential Island (SRI) zones subject to the following provisions:
  - i) A gazebo shall not exceed 15 square metres of floor area.
  - ii) A gazebo shall be setback a minimum of 15 metres from the high water mark.
  - iii) The maximum gazebo height shall be 3.5 metres and the height shall be measured in accordance with Section 4.1.5.
- c) A sauna shall not be permitted in the front yard of a property in the Shoreline Residential (SR), Shoreline Residential Island (SRI) or Tourist Commercial (CT) zones, but may be considered through a Minor Variance in accordance with the policies of the Official Plan. Provisions for saunas are as follows:
  - i) A sauna shall not exceed 15 square metres of floor area.
  - ii) The maximum height of a sauna shall be 3.5 metres.
  - iii) A sauna shall be setback a minimum of 15 metres from the high water mark.
- d) One hot tub or whirlpool shall be permitted on properties in the Shoreline Residential (SR), Shoreline Residential Island (SRI) or Tourist Commercial (CT) zones subject to the following provisions:
  - i) A hot tub or whirlpool, that is not located on a deck shall be setback a minimum of 10 metres from the high water mark.
  - ii) A hot tub may be permitted on any attached deck.

- e) Notwithstanding the provisions of Section 4.1.12.5 a), b) c), and d), a gazebo, sauna, hot tub or whirlpool shall not be permitted in the required front yard of a property in any Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone in the Cognashene Coastal Waterfront Community or Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of this By-law. A gazebo, sauna, hot tub or whirlpool may be considered in the required front yard through a Minor Variance in accordance with the policies of the Official Plan.

#### 4.1.13 Shoreline Accessory Structures – Water-based

##### 4.1.13.1 In-Water Boathouses and Boatports

- a) Where permitted by this By-law, a maximum of one in-water boathouse or one boatport shall be permitted appurtenant to a lot.
- b) In-water boathouse and boatport regulations:

TABLE 4.2

| Minimum Lot Frontage | In-Water Boathouse/ Boatport Prohibited | Maximum Height (metres) (2) | Maximum Width (metres) (3) | Maximum Length– On Georgian Bay (metres) | Maximum Length All Waterbodies other than Georgian Bay (metres) (4) |
|----------------------|---|-----------------------------|----------------------------|--|---|
| < 31 m               | √                                       | -                           | -                          | -  | -   |
| ≥ 31 - 45 m          |   | 3.5                         | 5.8                        | 10.2                                     | 10.2  |
| ≥45 - 60 m           |   | 3.7                         | 8.7(5)                     | 12.2                                     | 10.2  |
| ≥ 61 m               |   | 4                           | 12.2 (1) (5)               | 12.2                                     | 10.2  |

#### Footnotes to Table 4.2

- (1) 12.2m or 15% of the lot frontage, whatever is more restrictive.
- (2) In-water boathouse and boatport height shall be measured as follows:  
 Georgian Bay - from the top of the dock to the midpoint between the eaves and the peak.  
 Inland Lakes – from the high water level to the midpoint between the eaves and the peak.
- (3) In-water boathouse and boatport width shall be measured from the fascia of the roof on one side of the in-water boathouse/boatport to the fascia on the opposite side of the roof. Where no fascia exists, the measurement shall be to the outside edge of the roof structure.
- (4) In-water boathouse and boatport length shall be measured perpendicular to the shoreline from the fascia on one end of the roof to the fascia on the other end of the roof. Where no fascia exists, the measurement shall be to the outside edge of the roof structure

- (5) In the SR6 Zone the maximum in-water boathouse and boatport width shall be 5.9 metres.
- c) In-water boathouses and boatports shall comply with the side yard setback requirements for a principal building in the zone in which it is located. The setback shall be measured from the straight-line projection of the side lot line where it meets the front lot line at the water.
  - d) No portion of any in-water boathouse or part thereof shall be used for human habitation including sleeping, cooking, or living area, and shall not contain a sauna and/or washroom.
  - e) A flat, gambrel or mansard roof shall not be permitted on an in-water boathouse or boatport.
  - f) All cupolas or other ornamental roof structures shall have dimensions of a maximum 1.0 metre width by 1.0 metre length and a maximum of 1.2 metres height.
  - g) The minimum eave projection on an in-water boathouse or boatport shall be 0.6 metres.
  - h) The maximum projection of an in-water boathouse or a boatport shall be in accordance with the projection maximums for docks outlined in Section 4.1.13.2 of this By-law.
  - i) On lots within the Palisade Bay / East Bone Island Coastal Waterfront Community, as delineated on Schedule A of this By-law, only one dryland boathouse or only one boatport located appurtenant to the lot shall be permitted. The dryland boathouse or boatport shall only be permitted if the lot has a lot frontage of more than 120 metres.
  - j) Zone Specific Standards:
    - i) In the SR3 and SRI3 Zones the maximum width of an in-water boathouse or boatport shall be 7.2 metres and the maximum length of an in-water boathouse or boatport shall be 10.2 metres as measured in accordance with the footnotes of Table 4.2.
    - ii) In Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law, an in-water boathouse shall not be permitted.
    - iii) In Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law, one boatport shall only be permitted appurtenant to a lot with a

minimum lot frontage of 31 metres. The boatport shall have a maximum width of 10.2 metres as measured in accordance with the footnotes of Table 4.2.

#### 4.1.13.2 Docks, Ramps and Boat Lifts

- a) Docks, ramps and boat lifts are only permitted as an accessory use, unless specifically permitted as a principal use.
- b) A dock and ramp shall be setback a minimum of 5.0 metres from a side lot line and also the straight line projection of the side lot line from where it meets the front lot line at the water to a maximum projection of 20 metres, or 26 metres where a ramp and dock exist.
- c) Two (2) docks shall be permitted on lots with shoreline frontage of equal to or less than 122 metres.
- d) For lots with greater than 122 metres of frontage, one (1) additional dock shall be permitted for each additional 61 metres of shoreline frontage up to a maximum of four (4) docks.
- e) The maximum permitted width of a dock or ramp shall be 4.0 metres for properties with shoreline frontage on Georgian Bay, and shall be 3.1 metres for properties with shoreline frontage on all other navigable waterways. For the purposes of "U", "L", "T", "F" and "E" shaped docks and other finger docks, the width of each dock or ramp (or portion thereof) shall be measured individually.
- f) For properties with shoreline frontage on Georgian Bay, the maximum permitted projection or length of a dock shall be 20 metres not including the length of a ramp. Where a dock and ramp exist, the maximum projection or length shall be 26 metres. In addition to the foregoing, for properties on Quarry Island and Present Island, the maximum permitted projection of one existing dock per property shall be determined by measuring the water depth from the lake bed to the surface water on a calm, light air day, and the said water depth does not exceed 1.22 metres at the end of the dock.
- g) In the SR3 and SRI3 Zone the maximum projection of a dock, or a dock and ramp, shall be 15.1 metres.
- h) In the Cognashene Costal Waterfront Community as delineated on Schedule A of the By-law, the maximum projection of a dock, or a dock and ramp, shall be 20 metres.

- i) For properties with shoreline frontage on inland waterbodies and without shoreline frontage on Georgian Bay, the maximum permitted projection or length of a dock shall be:
  - i) SR1, SRI1, SR2, SRI2, SR4, SRI4, SR5 & SRI5 Zones – 15 metres
  - ii) SR6 Zone – 10 metres
- j) Sections 4.1.13.2 c) and 4.1.13.2 d) do not apply to lands on Go Home Lake.
- k) Dock projection on all waterbodies is measured from the current water mark.
- l) Gazebos, hot tubs or whirlpools, pergolas, tents or other like or similar structures shall not be permitted on a dock.
- m) The maximum cumulative surface area of docks in the Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law, shall be 160 square metres.
- n) The following maximum dock width provision apply:
  - i) SR3, SRI3 and SR6 Zone - 3.1 metres
- o) The maximum number of docks permitted per lot shall be:
  - i) SR3 and SRI3 Zone - 3 docks, provided the maximum cumulative area of all docks does not exceed 92.9 square metres.
- p) In the case of an "L" or "T" shaped dock, the maximum combined length of all fingers extending from the main dock shall be 15 metres from the main dock. For "F" or "E" shaped docks, the maximum length of any finger shall be 15 metres from the main dock when located more than 5 metres from the current water mark on Georgian Bay or the high water mark on an inland lake.
- q) In the Cognashene Coastal Waterfront as delineated on Schedule A of this By-law, in the case of an "L" or "T" shaped dock, the maximum combined length of all fingers extending from the main dock shall be 10 metres from the main dock. For "F" or "E" shaped docks, the maximum length of any finger shall be 10 metres from the main dock when located more than 5 metres from the current water mark on Georgian Bay or the high water mark on an inland lake.

#### 4.1.13.3 Cumulative Width of Docks, Boat Lifts, In-water Boathouses and Boatports

- a) The maximum cumulative width calculation of docks, ramps, boat lifts, in-water boathouses, boatports, and land based structures, where applicable, shall be calculated based only on the lot frontage where the structures exist.
- b) Where permitted on or appurtenant to a lot, the maximum cumulative width of all docks, ramps, boat lifts, in-water boathouses and boatports shall be as follows:
  - i) SR3 and SRI3 Zone – 10% of the lot frontage to a maximum of 23 metres, measured parallel to the shoreline. Included in the calculation shall be all land-based accessory structures within 10 metres of the high water mark. For the purposes of this section, all structures between the current water mark and the high water mark shall also be included.
  - ii) SR6 Zone - 15% of the total of one lot frontage, including lots with more than one frontage, or 23 metres, whichever is more restrictive. The cumulative width shall be measured parallel to the shoreline.
  - iii) All Shoreline Residential (SR) and Shoreline Island (SRI) Zones in the Wah Wah Taysee Coastal Waterfront Community, as delineated on Schedule A of this By-law - 15% of the total of one lot frontage, including lots with more than one frontage, or 23 metres, whatever is more restrictive. Free-standing decks within 10 metres of the high water mark shall also be included in the calculation of cumulative width of shoreline structures. The cumulative width shall be measured parallel to the shoreline.
  - iv) In the Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law , 15% of the total of one lot frontage, including lots with more than one frontage, or 20 metres, whichever is more restrictive. Included in the calculation shall be all land-based accessory structures within 10 metres of the high water mark. For the purposes of this section, all structures between the current water mark and the high water mark shall also be included. The cumulative width shall be measured parallel to the shoreline.

#### 4.1.13.4 Maximum Number of Boat Slips

In the SR4 Zone, the maximum number of boat slips per dwelling shall be two (2).

#### 4.1.13.5 Boat Launching Ramps & Marine Railways

Boat launching ramps and marine railways shall be permitted as an accessory use to a property abutting a navigable waterway, provided they are setback a minimum 5.0 metres from a side lot line and also the straight line projection of the side lot line where it meets the front lot line at the water.

#### 4.1.13.6 Docks, Ramps, Boathouses and Boatports in Narrow Waterbodies

- a) No in-water boathouse or boatport shall be permitted in a waterbody less than 61 metres in width.
- b) In a navigable waterbody less than 61 metres in width, a dock may project a maximum of 7.0 metres from the current water mark in accordance with the provisions of Section 4.1.13.2.

#### 4.1.14 Sleeping Cabins

Sleeping cabins shall be permitted on lands within all Shoreline Residential (SR) Zones and Shoreline Residential Island (SRI) Zones, subject to the following regulations:

- a) On lots less than 0.3 hectares in lot area, no sleeping cabins shall be permitted.
- b) On lots 0.3 to 1.0 hectares in lot area, a maximum of one (1) sleeping cabin shall be permitted.
- c) On lots greater than 1.0 hectare in lot area, a maximum of two (2) sleeping cabins may be permitted.
- d) The maximum floor area of a sleeping cabin shall be 56 square metres.
- e) A sleeping cabin shall not include a kitchen or any cooking facilities.
- f) On a lot where a sleeping cabin is permitted, the sleeping cabin location must meet the front yard setback requirement for the principal use and the accessory structure yard requirements for all other yards, of the zone in which the sleeping cabin is located.
- g) In the SR4 and SRI4 zones, a sleeping cabin shall be located no closer than 30.0 metres to the front lot line.
- h) The maximum height of a sleeping cabin is 4.5 metres. In the Cognashene Coastal Waterfront Community, the Wah Wah Taysee Coastal Waterfront Community and Go Home Bay Coastal



Waterfront Community, as delineated on Schedule A of this By-law, the maximum height of a sleeping cabin shall be 4.0 metres. Height shall be measured in accordance with the definition of building height.

- i) A sleeping cabin shall be limited to one (1) storey in height.
- j) A sleeping cabin shall not be permitted to have a loft, basement, or cellar.
- k) On one wall of a sleeping cabin, the maximum eave projection shall be 1.2 metres. On all other walls, the maximum eave projection shall be 0.6 metres.
- l) A sleeping area shall be permitted in the upper half storey of a one and one half storey detached garage, subject to the provisions of Section 4.1.15. A sleeping area in the upper half storey of a one and one half storey detached garage shall be subject to the sleeping cabin provision of Section 4.1.14 and shall be considered a sleeping cabin for the purposes of this By-law.

#### **4.1.15 Detached Garages**

- a) The maximum height of a detached garage shall be 4.5 metres.
- b) A detached garage shall be setback a minimum of 40 metres from the high water mark for properties on Georgian Bay.
- c) On a lot where a detached garage is permitted, and where a sleeping area is permitted in the upper half storey of a one and one half storey detached garage, the detached garage shall be permitted a maximum height of 5.0 metres to allow for only a sleeping area in the upper half storey. The conversion of a sleeping area in the upper half storey of a one and one half storey detached garage to any other use is not permitted.
- d) The maximum ground floor area of a detached garage shall be 112 square metres.
- e) Notwithstanding Section 4.1.15 d) of this By-law, on Shoreline Residential (SR) or Shoreline Residential Island (SRI) properties that only have water access, the maximum ground floor area of a detached garage shall be 67 square metres.
- f) Detached garages are not permitted in the Cognashene Coastal Waterfront Community, Wah Wah Taysee Coastal Waterfront Community and the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of this By-law.

#### **4.1.16 Human Habitation**

The use of any accessory building or structure for human habitation is not permitted. A sleeping area within the half storey of a one and one half storey detached garage, where permitted, may be used for a sleeping area only. A sleeping cabin, where permitted, may be used as a sleeping cabin only.

#### **4.1.17 Accessory Structures, One and One Half Storeys**

Sleeping accommodations are permitted on the upper half storey of a one and one half storey detached garage. Where sleeping accommodations exist in a detached garage, they shall be considered a sleeping cabin for the purposes of this By-law and shall be subject to the provision of Section 4.1.14, except for Section 4.1.14 h) i) and j), and must comply with all minimum yard requirements of the principal use for the zone in which it is located.

#### **4.2 ANTENNAE, TOWERS, SATELLITE DISHES**

Radio and television antenna towers, satellite dishes and dish antennas and other similar structures are permitted in any zone provided they meet the minimum requirements of the zone in which they exist and are not located in any required front yard or required exterior side yard.

#### **4.3 CONSTRUCTION USES**

Only a tool shed, construction trailer, travel trailer, dock or scaffold incidental to construction is permitted in all zones within the Township on the lot where a building permit has been issued and construction is occurring and only for so long as it is necessary for the work in progress and until the work is completed or abandoned. For the purpose of this section, abandoned shall mean the discontinuation of work for more than 180 consecutive days, or the failure to maintain a current building permit, and shall not exceed 18 months.

#### **4.4 DWELLING UNITS PER LOT**

- a) Unless specifically permitted by this By-law, only one dwelling unit shall be permitted per lot.
- b) Unless specifically permitted by this By-law, only one kitchen shall be permitted per dwelling unit.
- c) An accessory dwelling unit shall not be permitted in a Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone.

**4.5 ENVIRONMENTAL PROTECTION AREA, OPEN SPACE AND NATURAL STATE**

- a) Lands zoned Environmental Protection (EP1, EP-W, EP-PSW, NSC & NSI) or Open Space (OS, CL & LS) may be included in the calculation of lot area and yard requirements, if located above the high water mark.
- b) Lands below the high water mark shall not be included as part of the lot area calculations.
- c) Setback and yard requirements in this By-law shall be measured from the limit of the high water mark.
- d) The minimum required setback from an Environmental Protection (EP1, EP-W, EP-PSW, NSC & NSI) zone shall be 15 metres.
- e) The minimum required setback from a Fish Habitat –Type 1 (FH1) Zone shall be 5 metres. There shall be no required minimum setback for pumphouses.

**4.6 FLOATING IN-WATER BOATHOUSES, BARGES & DWELLING UNITS**

Notwithstanding any other provisions in this By-law, no person shall use or attach any in-water boathouse, barge, marine vessel or any other floating structure or building used for a dwelling unit in any Residential (R), Shoreline Residential (SR), Shoreline Residential Island (SRI), Open Space (OS, CL & LS), and/or Environmental Protection (EP, NSC & NSI) Zone or appurtenant to such zones.

**4.7 FRONTAGE ON A MUNICIPALLY MAINTAINED ROAD, PRIVATE ROAD OR NAVIGABLE WATERWAY**

- a) No person shall erect any building or structure in any Zone after the date of passing of this By-law, unless the lot upon which such building or structure is to be erected has frontage upon a year-round municipally maintained road.
- b) The provisions of Section 4.7 a) shall not prevent the erection of a permitted building or structure on a lot in a registered plan of subdivision or plan of condominium where a properly executed Subdivision Agreement or Condominium Agreement has been entered into with the Township, notwithstanding that the subdivision road or roads will not be assumed by the Township until the end of the maintenance period.
- c) The provisions of Section 4.7 a) shall not apply to prevent the expansion, renovation, reconstruction or other structural alteration

of a legally existing building or structure, which is located on a lot which does not have frontage upon a municipally maintained road, provided the use of such building or structure does not change and is permissible within the Zone in which it is located and complies with all other applicable provisions of the By-law.

- d) Notwithstanding Section 4.7 a) and b), where an existing lot of record does not front onto a municipally maintained road, a building permit may be issued for a building or structure provided:
  - i) The lot meets all of the other requirements of this By-law and has access by way of a legal private right-of-way, that may include a condominium.
- e) Notwithstanding Section 4.7 (a), where a lot is accessed only by navigable water, a building permit may be issued provided that:
  - i) the lot in question meets all other requirements of this By-law and is a lot as defined herein.
- f) Where a lot is not located in an Urban Centre, and where the lot abuts a Provincial Highway or Class A District Road, the minimum required lot frontage for a new lot shall be 150 metres or where the lot frontage abuts a Class B District Road, the minimum required lot frontage for a new lot shall be 135 metres.

#### **4.8 HEIGHT EXCEPTIONS**

Notwithstanding the height provisions of this By-law to the contrary, nothing in this By-law shall apply to prevent the erection, alteration, or use of a silo, a church spire, a belfry, a flag pole, a chimney, a water tank, a radio or television tower or antenna, an air conditioner duct, , incidental equipment required for processing, external equipment associated with internal equipment or machinery and conveying equipment, which exceeds the maximum height requirements provided the main or principal use is permitted within the Zone in which it is located and provided all other applicable provisions of this By-law are complied with. All cupolas or other ornamental roof structures shall adhere to the requirements of Section 4.1.13.1 f).

#### **4.9 HOME INDUSTRY**

Where a Home Industry is a permitted use in the Rural (RU) Zone, the following provisions shall apply:

- a) A maximum of four (4) persons may be engaged in the home industry on the lot where the home industry is located;

- b) A home industry may be located in part of a dwelling, or in any accessory building located on a lot on which a dwelling is in existence, provided the total gross floor area utilized by the home industry does not exceed a maximum of 100 square metres;
- c) There shall be no outdoor storage of goods, materials or articles;
- d) Notwithstanding Section 4.9 c) a maximum of three currently licensed motor vehicles associated with the home industry may be parked or stored on the lot but only within an interior side or rear yard;
- e) There shall be no emission of noise, odour or dust, which is not normally attributed to the use of the land for residential uses;
- f) There shall be no display, other than a sign having a maximum surface area of 0.3 metres to indicate to persons outside that this property is being used for a home industry;
- g) A home industry shall be accessory to and smaller in size than the main residential dwelling and shall not change the residential character of the dwelling or lot; and,
- h) The home industry shall comply with the following minimum lot area, yard and setback provisions:
  - i) Minimum lot area 0.8 hectares
  - ii) Minimum yard setback for an accessory building used for a home industry (all yards) 20.0 metres
  - iii) Minimum separation from a Shoreline Residential (SR), Shoreline Residential Island (SRI), Residential (R, BR & RMH) Or Multiple Residential (RM) Zone 30.0 metres
  - iv) Minimum separation from a dwelling in existence on another lot 60.0 metres

#### **4.10 HOME OCCUPATION**

Where a Home Occupation is a permitted use, the following provisions shall apply:

- a) No person, other than a person living on the premises, shall be engaged in the occupation of providing merchandise and/or

services to customers with the exception of one assistant who is not a resident in the dwelling;

- b) There shall be no display, other than a sign having a maximum surface area of 0.2 square metres, to indicate to persons outside that any part of the dwelling or dwelling unit is being used for a home occupation;
- c) There shall be no goods, wares, or merchandise offered for sale or rent from the dwelling which are not manufactured or processed on the premises. The resale of products not manufactured or processed on the property is prohibited;
- d) Not more than 25 percent of the gross floor area of the dwelling shall be used for the purposes of a home occupation, and such home occupation shall be conducted entirely within the dwelling or dwelling unit;
- e) There shall be no outdoor storage of goods or materials in conjunction with the home occupation use;
- f) A home occupation shall not include a bed and breakfast establishment, boarding or lodging house, a restaurant, a kennel, a motor vehicle or marine related use or a group home; and,
- g) The home occupation shall be secondary to the principal residential use of the property and shall not change the character of the lot.

#### **4.11 LEGAL NON-COMPLYING LOTS, BUILDINGS AND STRUCTURES**

- a) Legally Existing Buildings and Structures on Undersized Lots

Where a legally existing building or structure is located on a lot having less than the minimum required frontage and/or lot area, and/or having less than the minimum required front yard and/or side yard and/or rear yard required by this By-law, the said legally existing building or structure may be expanded or reconstructed provided that:

- i) the expansion or reconstruction does not reduce the front yard, and/or side yard, and/or rear yard or increase the amount of gross floor area or floor area as the case may be, or height in a required yard as outlined in this Zoning By-law.
- ii) the legally existing building or structure is being used for a purpose permitted within the Zone in which it is located; and,

iii) all other applicable Provisions of this By-law are complied with.

b) Reconstruction of Legally Existing Building

Nothing in this By-law shall prevent the reconstruction of a legally existing building that does not comply with the provisions in this By-law, provided that no part of the legally existing building that is non-complying is increased in height, volume or gross floor area and the reconstruction does not reduce the front yard and/or side yard and/or rear yard. Notwithstanding this provision, the height of a legal non-complying building on Georgian Bay may be increased by a height of 1.0 metre to improve the foundation, provided the height does not exceed the maximum height requirements outlined in this By-law.

c) Minimum Opening Elevations

Notwithstanding the provisions of this section, a reconstructed or expanded legally existing dwelling shall comply with the minimum opening elevations outlined in Section 4.14. In addition, legally existing buildings destroyed by natural flooding shall not be reconstructed without being flood proofed.

d) Damaged Legally Existing Buildings and Structures

Nothing in this By-law shall apply to prevent the reconstruction of any permitted legally existing building or structure which is damaged by causes beyond the control of the owner, and such permitted legally existing building may be reconstructed as it previously existed, even if such did not comply with one or more of the provisions of this By-law, but the non-compliance may not be further increased.

A legally existing building damaged or destroyed as a result of natural flooding shall not be reconstructed, except in accordance with the provisions of this By-law.

e) Expansions to Legally Existing Shoreline Dwellings

Notwithstanding the provisions of Section 4.11, in a Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone, where a legally existing dwelling does not comply with the front yard requirements, the following shall apply:

i) Where a legally existing dwelling is less than 10 metres at its closest point from the front lot line, the following restrictions shall apply:

1. The gross floor area of the legally existing dwelling shall be permitted to increase by a maximum of 25% based on the gross floor area of the legally existing dwelling on the day this By-law was passed;
  2. The width of the legally existing dwelling shall be permitted to increase by a maximum of 20% of the legally existing dwelling width on the day this By-law was passed;
  3. The height of the legally existing dwelling shall be permitted to increase by a maximum of 1 metre to a maximum height of 6 metres based on the height of the legally existing dwelling on the day this By-law was passed; and
  4. No portion of any expansion shall be permitted to encroach further into the existing front yard.
- ii) Where a legally existing dwelling is at its closest point 10 metres or more, but less than 15 metres from the front lot line, the following restrictions shall apply:
1. The gross floor area of the legally existing dwelling shall be permitted to increase by a maximum of 40% based on the gross floor area of the legally existing dwelling on the day this By-law was passed;
  2. The width of the legally existing dwelling shall be permitted to increase by a maximum of 30% of the existing dwelling width on the day this By-law was passed;
  3. The height of the legally existing dwelling shall be permitted to increase by a maximum of 1.5 metres to a maximum height of 6 metres based on the height of the legally existing dwelling on the day this By-law was passed; and
  4. No portion of any expansion shall be permitted to encroach further into the existing front yard.
- iii) Where a legally existing dwelling or portion thereof, is at its closest point 15 metres or more, but less than 20 metres from the front lot line, the following restrictions shall apply:
1. The gross floor area of the existing dwelling shall be permitted to increase by a maximum of 70% based on the gross floor area of the legally existing dwelling on the day this By-law was passed;
  2. The width of the existing dwelling shall be permitted to increase by a maximum of 60% of the existing dwelling width on the day this By-law was passed;



3. The height of the existing dwelling shall be permitted to increase by a maximum of 2 metres to a maximum height of 6 metres based on the height of the legally existing dwelling on the day this By-law was passed; and
  4. No portion of any expansion shall be permitted to encroach further into the existing front yard.
- iv) Notwithstanding 4.11(e), the gross floor area of a legally existing dwelling, that is subject to the provisions of this section, may be increased to a size of 95 square metres or the size otherwise permitted by this section, whichever allows for the greater expansion; and, the width of a legally existing dwelling that is subject to the provisions of this section may be expanded by 6 metres or the width otherwise permitted by this section whichever allows for the greater expansion.
- v) Despite the expansion permitted in this Section, the resulting gross floor area, width and height of a legally existing dwelling must comply with the gross floor area, width and height requirements of the applicable zone, together with all other applicable provision of the Zoning By-law.
- f) Existing Vacant Undersized Lots
- Where a vacant lot, having a lesser lot area and/or lot frontage than required herein, existed on the date of passing of this By-law, or where such a lot is created by a public authority or correction of title, such a smaller lot may be used and a permitted building or structure may be erected and/or used on such a smaller lot provided that all other applicable provisions of this By-law are complied with and provided that a septic system can be installed on the lands, or the lands can be serviced by municipal sewage services.
- g) Section 4.11 f) shall only apply provided that:
- i) Residential Type One (R1) zoned lots have a lot area of at least 1,000 square metres; and, a class IV or V Septic System can be accommodated on the lot or the lot is located within the Phase 1 Servicing Area boundary of Port Severn or MacTier as identified on Schedule B of this By-law; and, must comply with all other application zone provisions of this By-law.
  - ii) Shoreline Residential Island (SRI) zoned lots on Georgian Bay, must have a) lot area of at least 1.0 hectare above the

177.0 C.G.D. contour of which a minimum of 0.8 hectares must be above the 177.4 C.G.D. contour and a minimum of 0.4 hectares above the 178.3 C.G.D. contour.”

- iii) Shoreline Residential (SR) zoned lots and Shoreline Residential Island (SRI) Zoned lots on subdivided islands must have a lot frontage of at least 27 metres and have a lot area of at least 0.2 hectares. For lots on Georgian Bay, such area shall be above the 177.0 C.G.D. contour and must be zoned in a Shoreline Residential (SR) Zone or Shoreline Residential Island (SRI) Zone to comply with the existing undersized lots of record provisions.
- iv) Lots not located in the Shoreline Residential (SR), Shoreline Residential Island, (SRI), Residential Type One (R1) or Residential Type Three (R3) zones must have a lot area of at least 1,400 square metres, and must comply with all other applicable zone provisions of this By-law.
- v) SR6 zoned lots must have a lot frontage of at least 30 metres and a lot area of at least 0.3 hectares.
- vi) Shoreline Residential (SR) and Shoreline Residential Island (SRI) zoned lots in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law must satisfy either of the following criteria:
  - 1. The lot was created after October 1981; or,
  - 2. The lot was created prior to November 1981, and has at least 120 metres of lot frontage and a lot area of at least 1.0 hectares above the 177.0 C.G.D contour.
- h) Changes to Lot Size

Lots, which have been increased in size following adoption of this By-law, may also be used in accordance with the provisions of Section 4.11.

#### **4.12 LEGAL NON-CONFORMING USES**

- a) Continuation of Existing Uses

The provisions of this By-law shall not apply to prevent the use of any existing lot, building or structure for any use prohibited by this By-law if such existing lot, building or structure was legally used for such purposes prior to the effective date of this By-law and provided that the lot, building or structure continues to be used for that purpose.

b) Exterior Expansion

The exterior of any building or structure which was legally used prior to the effective date of this By-law for a use not permitted within the Zone in which it is located, shall not be expanded, reconstructed or otherwise structurally altered, unless such building or structure is thereafter to be used for a purpose permitted within such Zone, and complies with all requirements of this By-law for such Zone unless these changes are necessary to provide for flood proofing or insulation of the building. This provision shall not prohibit normal or regular maintenance or replacement of exterior cladding.

c) Interior Alteration

The interior of any building or structure which was legally used, prior to the effective date of the By-law, for a purpose not permitted within the Zone in which it is located, may be reconstructed or structurally altered for the existing purpose for which such building or structure was legally used.

d) Restoration and Replacement

Nothing in this By-law shall prevent the strengthening or restoration or replacement to a safe condition of any existing, legal non-conforming building or structure or part thereof, provided that the strengthening or restoration or replacement does not increase the building height, size or volume, or change its location, or change the existing, lawful use of such existing building or structure or unless these changes are necessary to provide for flood proofing or insulation of the building.

e) Reconstruction of Existing Buildings

i) Nothing in this By-law shall apply to prevent the reconstruction of any existing legal non-conforming building which is damaged by causes beyond the control of the owner, other than flooding. The existing building may be reconstructed in the same location on which it existed on the date of the passage of this By-law even if such did not comply with one or more of the provisions of this By-law, but the non-conformity may not be further increased and the size of the building shall not be increased.

ii) Buildings damaged or destroyed as the result of natural flooding shall not be reconstructed, except in accordance with the provisions of this By-law.

f) Building Permit Issued

The provisions of this By-law shall not prevent the use of any existing lot, building or structure for any purpose prohibited by this By-law for which a building permit has been issued under the Building Code Act, prior to the day of the passing of this By-law, so long as the building or structure when erected is used and continues to be used for the purpose for which it was erected and provided the permit has not been revoked under the Building Code Act.

g) Existing Docks on Water Access Properties

On any water access property on Georgian Bay, where the only access is an existing legal or legal non-complying dock that is within an EP Zone, one existing dock shall be permitted to extend to achieve a water depth of 1.22 metres.

#### **4.13 MINIMUM DISTANCE SEPARATION**

- a) No building shall be constructed in the Rural (RU) zone which does not comply with the Minimum Distance Separation I (MDS I) and Minimum Distance Separation II (MDS II) Formulas as calculated using the Provincially approved MDS Formula.
- b) Setbacks for new dwellings from barns containing livestock, other than dwellings on the lot containing the barn, shall be required in compliance with the MDS I Formula.
- c) New barns or expansions to existing barns shall require setbacks in compliance with the MDS II Formula.

#### **4.14 MINIMUM OPENING ELEVATION AND SHORELINE SETBACK**

a) Georgian Bay

On lots abutting or adjacent to Georgian Bay, no new dwelling, building for human habitation or commercial building or addition to an existing dwelling, shall have a minimum opening elevation to such dwelling or building or addition of less than 178.3 metres C.G.D. On Islands and the shoreline subject to wave run-up as a result of the fetch of Georgian Bay, this minimum opening elevation shall be no less than 178.9 metres C.G.D. These areas are identified on Appendix A.

b) Appendix A – Lands Subject to 178.9 Minimum Opening Elevation

Appendix A identifies lands that are potentially subject to a minimum opening elevation of 178.9 metres C.G.D. The lots and areas have been identified as being subject to wave run-up generated by the fetch of

Georgian Bay. Where confirmation is provided by a qualified professional that an area identified on Appendix A is not subject to wave run-up as a result of the fetch of Georgian Bay, the wave run-up provisions shall not apply.

c) All Shorelines

Despite any other provision of this By-law, no building or structure except those land-based and water-based shoreline accessory structures identified in Section 4.1.12 and 4.1.13 of this By-law, walkways, or permitted yard encroachments identified in this By-law, shall be erected closer than 20 metres from any high water mark, and any modification of the shoreline through filling, excavation, blasting or by other means is prohibited unless otherwise permitted by the Federal, Provincial or municipal regulation.

**4.15 SETBACKS FROM MUNICIPAL WATER SUPPLY AND SANITARY SEWAGE DISPOSAL FACILITIES**

a) The following minimum setback shall apply:

- i) Sanitary sewage disposal site – non residential uses – 150 metres.
- ii) Sanitary sewage disposal site – residential uses – 200 metres.
- iii) Waste stabilization ponds – all uses – 400 metres.
- iv) Hauled sewage lagoon – all uses - 400 metres.
- v) New industrial or noxious commercial uses will not be permitted within 1000 metres of a municipal water supply intake.

**4.16 MULTIPLE USES ON ONE LOT**

Where any land, building or structure is used for more than one permitted use, the applicable Zone Provisions of this By-law which serve to regulate each such use shall be complied with.

**4.17 MULTIPLE ZONES ON ONE LOT**

Where a lot is divided into more than one Zone under the provisions of this By-law, each such portion of the lot shall be used in accordance with the permitted uses and zone requirements of this By-law, except for those provisions that apply to the required yards for the applicable Zone and except for the setback requirement from an Environmental Protection (EP, FH, NSC & NSI) Zone, as outlined in Section 4.5 d) of this By-law.

#### 4.18 NOXIOUS USE

Except as may otherwise be specifically permitted under this By-law, a noxious uses shall not be permitted.

#### 4.19 OUTDOOR STORAGE

Where outdoor storage is permitted by this By-law, the following provisions shall be met:

- a) such outdoor storage is accessory to the use of the main building on the lot;
- b) outdoor storage is behind the front or exterior wall of the main building facing any road, and complies with all yard requirements;
- c) such outdoor storage does not cover more than 15 percent of the lot area; and,
- d) any portion of a lot used for outdoor storage is screened from adjacent uses and roads adjoining the lot, by a building, landscaping strip, and/or fence of at least 2.0 metres in height from the ground.

#### 4.20 PERMITTED YARD ENCROACHMENTS

- a) The following structures are permitted to encroach into any required yard:

TABLE 4.3

| Column 1   | Column 2                                      | Column 3  |
|--|---|---|
| STRUCTURE  | YARDS IN WHICH PROJECTION IS PERMITTED        | MAXIMUM PROJECTION INTO REQUIRED YARD               |
| Sills, belt courses, cornices, eaves or canopies, gutters, chimneys or pilasters | All yards                                     | 0.75m   |
| Bay windows  | Front yard<br>Rear yard<br>Exterior side yard | 0.75m over a maximum width of 3.6m                  |
| Balconies  | Front yard<br>Rear yard<br>Exterior side yard | 1.8m(1)<br>1.8m(1)<br>1.8m(1)                       |
| Porches less than 1.2 metre above the finished grade                             | Rear Yard<br>Side Yard                        | 2.0m, but not closer than 1.2m to any lot line (1)  |
| Decks less than 1.2 metre above the finished grade                               | Rear Yard<br>Side Yard                        | 4.0 m, but not closer than 1.2m to any lot line (2) |

| Column 1   | Column 2                                      | Column 3  |
|--|---|---|
| <b>STRUCTURE</b>   | <b>YARDS IN WHICH PROJECTION IS PERMITTED</b> | <b>MAXIMUM PROJECTION INTO REQUIRED YARD</b>                                  |
| Steps or Landings less than 1.2 metre above the finished grade | Rear Yard<br>Side Yard                        | 4.0m if not covered, 2.0m if covered but not closer than 1.2m to any lot line |
| Porches  | Front Yard                                    | 2.0 m (1)   |
| Decks  | Front Yard                                    | 4.0 m   |
| Steps, Stairs and Landings                                     | Front Yard                                    | 4.0m if not covered, 2.0m if covered but not closer than 1.2m to any lot line |

**Footnotes to Table 4.3**

- (1) Within the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, Balconies, Porches less than 1.2 metre above the finished grade and Porches shall not be permitted to encroach into any required yard.
  - (2) Within the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, no Decks shall be permitted to encroach into any required Side Yard or Rear Yard.
- b) Open stairs used for access to the natural grade or, to a shoreline or, other property line over uneven terrain and which do not exceed 1.2 metres in height above natural grade or 1.2 metres in width will be deemed not to be a structure for the purposes of lot coverage and will be an allowed structure in the front yard subject to the setback requirements of this By-law. Walkways are subject to the provisions of Section 4.40 of this By-law.

**4.21 PITS AND QUARRIES AND PEAT EXTRACTION**

The making or establishment of pits or quarries and the extraction of peat is prohibited within the area covered by this By-law, except in the locations permitted by this By-law, and in accordance with the express provisions of this By-law. No person shall use land or erect any building or structure for the purpose of processing, washing, screening, sorting or crushing rock, sand and/or gravel, except as expressly provided for in this By-law.

**4.22 PUBLIC USES**

- a) Public Uses

The provisions of this By-law shall not apply to prohibit the use of any lot or the erection or use of any building or structure for the purposes of a public use provided by the Township, District or any Public Authority including any Department or Ministry of the Government of Canada or Ontario and, for the purposes of this

Section, shall include Hydro One, any telephone, telegraph or cable TV company and any natural gas company, which company possesses all the necessary powers, rights, licenses and franchises.

b) Location Restrictions

Notwithstanding any other provision contained in this By-law to the contrary, where a public use is specifically zoned, such uses shall comply with the Zone provisions of the Zone or Zones in which the public use is permitted, save and except that there shall be no minimum lot area or lot frontage requirement. This provision shall not apply to Crown agencies.

c) Provisions

- i) No goods, materials or equipment shall be stored outside the building or structure located on the lot, except as may otherwise be permitted under this By-law; and,
- ii) No building or structure erected in accordance with the provisions of this Section shall be used for the purposes of an office or maintenance or works depot;

d) Roads and Utility Installations

Nothing in this By-law shall prevent a public authority from providing or using land as a road or provincial highway, nor prevent the installation of a utility including a water main, sanitary sewer, storm sewer, gas main, pipeline, overhead or underground hydro, communication line or high voltage electrical facilities owned, operated and maintained by Ontario Hydro.

e) Privately Owned Lands

Nothing in this Section shall be deemed to permit the Township, District, or any Public Authority to use privately-owned lands or to use or erect any building or structure on privately-owned land without the consent of the landowner.

#### **4.23 REDUCTION OF REQUIREMENTS**

No person shall change the purpose for which any land, building or structure is used or erect any building or structure, or construct an addition to any existing building or structure, or receive consent to sever any lands, if the effect of such action is to cause the original adjoining, remaining or new building, structure or lot to be in contravention with this By-law.



#### **4.24 RESTRICTIONS ON DWELLING UNITS IN NON-RESIDENTIAL BUILDINGS**

Notwithstanding any other provision of this By-law to the contrary, no dwelling unit shall be located within a portion of a non-residential building which has gasoline or other flammable fluids or hazardous materials stored in bulk for commercial purposes.

#### **4.25 SECONDARY DWELLING UNITS**

A secondary dwelling unit shall only be permitted within the R1, R2, R3, R4, R5, RM1 and RU Zones, and must be located within a detached dwelling. In addition:

- a) Where a secondary dwelling unit is a permitted, the following provisions apply:
  - i) Only one secondary dwelling shall be permitted per lot, provided the lot contains an existing dwelling unit.
  - ii) Where the secondary dwelling unit is on a lot serviced by private services, the appropriate authority has approved the private sewage disposal system to service the total sewage flow on the lot.
  - iii) A secondary unit's gross floor area may not exceed 40% of the gross floor area of the primary dwelling unit.
  - iv) One additional dedicated parking space above the requirements of this By-law for the related zone shall be provided for the secondary unit.
  - v) Any expansion or extension to the dwelling structure related to the provision of a secondary unit shall not increase the gross floor area of the structure by more than 10%, and the secondary dwelling unit shall not alter the streetscape character along the street.
- b) Secondary dwelling units are only permitted in accessory buildings where the following criteria are satisfied:
  - i) The accessory building must be located in the rear yard of the lot.
  - ii) Notwithstanding the provisions of Section 4.25, secondary dwelling units shall only be permitted in accessory buildings that comply with the minimum yard requirements for the principal building of the zone in which it is located.

- iii) Within the R1, R2, R3, R4, R5 and RM1 Zone, secondary dwelling units in accessory buildings are only permitted on lots with a lot area of at least 1 hectare.
- iv) In any other zone where secondary dwelling units are permitted, a secondary dwelling unit shall only be permitted in an accessory building where the lot area is at least 1.2 hectares.
- v) Secondary units are not permitted on lot with frontage on waterbody.

**4.26 SEPTIC SYSTEMS**

- a) The following minimum opening elevation and shoreline setback provisions apply to septic systems:
  - i) Leaching Bed System:

TABLE 4.4 – Minimum Shoreline Setback and Minimum Elevation Provisions for Leaching Bed Systems

| Provision   | Lots Abutting or Adjacent to Georgian bay   | Lots Not Abutting or Adjacent to Georgian bay  |
|---|---|--|
| <b>Minimum Shoreline Setback for the Leaching Bed Component</b> | <ul style="list-style-type: none"> <li>a) 30 metres from the high water mark</li> <li>b) In the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of the By-law 30 metres from 178.3 C.G.D.</li> </ul>  | 30 metres from the high water mark   |
| <b>Minimum Elevation for the Leaching Bed Component</b>         | <ul style="list-style-type: none"> <li>a) 178.4 (1 metre above the high water mark)</li> <li>b) On Islands and the mainland subject to wave run-up as a result of the fetch of Georgian Bay this elevation shall be 178.9 metres C.G.D. These areas are identified on Appendix A.</li> <li>c) In the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of this By-law, 1 metre above 178.3 metres C.G.D.</li> </ul> | The Regulatory Flood Elevation, which is identified as the "100 year flood" or Regional Flood Event. |

ii) Tertiary Treatment System

TABLE 4.5 – Minimum Shoreline Setback and Minimum Elevation Provisions for Tertiary Treatment Systems

| Provision   | Lots Abutting or Adjacent to Georgian bay   | Lots Not Abutting or Adjacent to Georgian bay  |
|---|---|--|
| <b>Minimum Shoreline Setback for the Treatment Unit and Leaching Bed Components</b> | a) 30 metres from the high water mark<br>b) In the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of the By-law 30 metres from 178.3 C.G.D.  | 30 metres from the high water mark   |
| <b>Minimum Elevation for the Treatment Unit and Leaching Bed Components</b>         | a) 178.4 (1 metres above the high water mark), and<br>b) On Islands and the mainland subject to wave run-up as a result of the fetch of Georgian Bay this elevation shall be 178.9 metres C.G.D. These areas are identified on Appendix A.<br>c) In the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of this By-law, 1 metre above 178.3 metres C.G.D. | The Regulatory Flood Elevation, which is identified as the "100 year flood" or Regional Flood Event. |

b) Where a Septic System services a building or buildings on an individual lot, the Septic System shall be located wholly within the boundaries of the lot on which the building or buildings are located.

c) Replacement or Expansion of Legally Existing Septic Systems

Legally existing septic systems shall be permitted to be replaced and/or expanded, provided the replacement or expansion does not encroach further into the required front yard setback, required side yard setback or required rear yard setback. Notwithstanding this, any expansion of a septic system must comply with the requirements of Part 8 of the Ontario Building Code and the minimum elevation requirements identified in Table 4.5.

Where additional development is proposed which increase the number of bedrooms, fixtures, or floor area, and results in a septic system expansion, the system expansion must comply to the requirements of the Zoning By-law.

Where an existing developed property has an existing sewage system with no prior approval from the MOECC or Township, such

system may be replaced in a location that does not encroach further into the required front yard setback or required side yard setback. The replacement must meet the requirements of Part 8 of the Ontario Building Code and must comply with the requirements of Section 4.26.

Where additional development is proposed, the system expansion must comply to the requirements of the Zoning By-law.

- d) Holding Tank Setback and Septic Tank Setback
  - i. All holding tanks must be setback 20 metres from the high water mark.
  - ii. In the Cognashene Coastal Waterfront Community and the Go Home Bay Coastal Waterfront Community, as delineated on Schedule A to this By-law, where permitted, a holding tank must be setback 30 metres from the high water mark.
  - iii. Notwithstanding i), and ii), all holding tanks and septic tanks must be located behind the front wall of a dwelling. This provision shall not apply to unsubdivided islands.

#### **4.27 SERVICING REQUIRED**

- a) Any Residential, Commercial, Industrial, or Institutional use within a water services area boundary or sewage service area boundary identified on Schedule B of this By-law shall be required to be serviced by municipal services.
- b) Within the Phase 1 Servicing Area Boundary as shown on Schedule B, no person shall use any land or erect or use any building or structure, or part thereof, on a lot unless municipal sewage and water services are available to service such land, building or structure.
- c) Individual on-site water and/or sewage services within the Phase 1 Servicing Area Boundary identified on Schedule B will only be permitted on lots where confirmation has been received from the District of Muskoka that services are not available and provided the lot is suitable for the installation of the individual water and sewage services and provided such building or structure is designed to be connected to services when they become available.
- d) For lands within the Phase 2 Servicing Area as shown on Schedule B, where the District of Muskoka advises that municipal water and sewage services are not available and are not envisioned within the near future, a building or structure may be used or erected on an

existing lot on individual services provided the lot is suitable for the installation of the individual water and sewage services and provided such building or structure is designed to be connected to services when they become available.

**4.28 SETBACK FROM NATURAL GAS PIPELINE**

No permanent buildings, structures or excavations shall be located closer than 7.0 metres from a gas pipeline right-of-way.

**4.29 SETBACK FROM RAILWAYS**

No building for human habitation shall be located closer than 30 metres to a railway right-of-way.

**4.30 SHORELINE ACTIVITY AREA AND NATURAL STATE SHORELINE AREA**

- a) The lands within 15 metres of the high water mark on all lots in any Shoreline Residential (SR) or Shoreline Residential Island (SRI) Zone shall be maintained in a natural state with this area being considered the Natural State Shoreline Area. Within this area, existing native vegetation shall be preserved. Invasive species and trees which present safety hazards may be removed. On each lot, a Shoreline Activity Area shall be permitted within the Natural State Shoreline Area to provide access to the shoreline and locations for land-based shoreline accessory structures. The Shoreline Activity Area is calculated as a percentage of the Natural State Shoreline Area. The Natural State Shoreline Area is calculated by multiplying the length of the shoreline by the 15 metre depth. Multiple Shoreline Activity Areas may exist on a lot, however, the maximum cumulative area shall be as follows:
  - i. On lands within an SR1, SRI1, SR2, SRI2, SR4, SRI4, SR5, SRI5, or SR6 Zones, and any SR or SRI Zone within the Honey Harbour Coastal Waterfront Community as delineated on Schedule A of this By-law, the Shoreline Activity Area shall be a maximum of 25 percent of the Natural State Shoreline Area and shall have a maximum width of 25 percent of the shoreline length at any point within 15 metres of the high water mark.
  - ii. On lands within a Shoreline Residential (SR) and Shoreline Residential Island (SRI) lots within the Go Home Bay Coastal Waterfront Community as delineated on Schedule A of the By-law, the Shoreline Activity Area shall be a maximum of 10 percent of the area of the Natural State Shoreline Area and shall have a maximum width of 10 percent of the

shoreline length at any point within 15 metres of the high water mark.

- iii. On lands within a Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zone within the Cognashene Coastal Waterfront Community as delineated on Schedule A of the By-law, the Shoreline Activity Area may be a maximum of 15 percent of the Natural State Shoreline Area, to a maximum of 345 square metres, whichever is more restrictive. The maximum width of the Shoreline Activity Area shall be 15 percent of the shoreline length at any point within 15 metres of the high water mark, to a maximum or 23 metres.
- iv. On lands within a Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zone within the Wah Wah Taysee Coastal Waterfront Community as delineated on Schedule A of the By-law, the Shoreline Activity Area may be a maximum of 10 percent of the Natural State Shoreline Area, to a maximum of 345 square metres, whichever is more restrictive. The maximum width of the Shoreline Activity Area shall be 10 percent of the shoreline length at any point within 10 metres of the high water mark, to a maximum or 23 metres.

#### **4.31 SIGHT TRIANGLES**

- a) On a corner lot, within the triangular space formed by the road lines and a line drawn from a point in one road line to a point in the other road line, each point being as specified below, no vehicle shall be parked and no structure or fence in excess of 1.0 metre in height shall be erected and no land shall be used for the growing of shrubs or trees in excess of 1.0 metre in height. The triangular space is hereafter defined as a sight triangle.
- b) Minimum sight triangles:
  - (i.) Shoreline Residential (SR), Shoreline Residential Island (SRI), Residential (R, BR & RMH), and Multiple Residential (RM) Zones 6.0 metres
  - (ii.) Commercial (C), Tourist Commercial (CT) Marine Commercial (CM & ML), Industrial(M, MX & WD) and Institutional (I) Zones 8.0 metres
  - (iii.) Rural (RU) Zone 10.0 metres
  - (iv.) Adjacent to Provincial Highways or Railways 30.0 metres

#### **4.32 SIGNS**

Unless otherwise specified, the provisions of this By-law shall not apply to prevent the erection, alteration or use of any sign provided such sign complies with the By-laws of the Township and District Municipality of Muskoka.

#### **4.33 STORAGE CONTAINERS**

Storage containers shall only be permitted within the Rural (RU), and Industrial (M, MX & WD) zones.

Notwithstanding the provisions of this By-law, storage containers shall adhere to the provisions of Section 4.1 (Accessory Buildings, Structures and Uses), and shall be used exclusively for the temporary storage of goods and materials and may not be used for human habitation, work areas, shops, office uses or retail sales. Storage containers shall not be permitted to locate within the front yard.

#### **4.34 TEMPORARY SALES STRUCTURES AND MODEL HOMES**

Model homes and a temporary sales structure shall be permitted subject to all of the following:

- a) The lands on which the model homes are to be constructed shall have received draft plan approval under the provisions of the Planning Act.
- b) The lands are zoned to permit detached, semi-detached and/or street townhouse dwellings.
- c) The location of the model homes shall comply with the provisions of this By-law and the expected registered plan of subdivision.
- d) Up to 10 percent of the draft approved lots shall be permitted for model homes, up to a maximum of four (4) model homes. Model homes shall only be permitted on lands following the entering of a Model Home Agreement, Pre-Servicing Agreement or similar agreement to the satisfaction of the Township.
- e) One (1) Temporary Sales Structure may be located on lands which are the subject of a draft approved plan of subdivision or condominium in any Shoreline Residential (SR), Residential (R, BR & RMH), Multiple Residential (RM), Commercial (C), Tourist Commercial (CT), or Industrial (M) Zone provided that:
  - i) The temporary sales structure is located in accordance with the zone provisions for the zone in which it is located;

- ii) A Temporary Sales Structure Agreement or similar Agreement has been executed with the Township; and,
- iii) A minimum of six (6) parking spaces shall be provided, one of which shall be a barrier free space.

**4.35 TEMPORARY STRUCTURES FOR SPECIAL EVENTS**

Temporary structures shall not be permitted in any Shoreline Residential (SR), Shoreline Residential Island (SRI), Residential (R, RMH & BR), Multiple Residential (RM) or Environmental Protection (EP, FH, NSC & NSI) zone except for a special event. A temporary structure for a special event may be erected on a lot for a period not to exceed six (6) days provided that no lot shall be used for the erection of temporary structure for more than twenty-eight (28) days in any calendar year and provided the structure complies with the yard and setback requirement of the By-law.

**4.36 THROUGH LOTS**

- a) Where a lot, which is not a corner lot, has more than one front lot line, the front yard and lot frontage requirements contained herein shall apply on each front lot line separately in accordance with the provisions of the Zone in which such lot is located.
- b) In the Cognashene Coastal Waterfront Community as delineated on Schedule A to this By-law, on a lot with more than one front lot line, the siting of the principal dwelling shall be such that the front yard between the dwelling and longest front lot line, shall be less than the yard between the principal dwelling and any other front lot line.

**4.37 TRAILER PARK AND PRIVATE RECREATIONAL USES**

Unless specifically permitted by this By-law, the establishment of trailer parks, mobile home parks, summer camps, private clubs, commercial clubs, camping establishments or private parks shall be prohibited within the area covered by this By-law.

**4.38 TRAVEL TRAILERS, TRUCK CAMPERS AND TENT TRAILERS**

- a) Parking and Storage
  - i) The parking and storage or use of travel trailers, truck campers or tent trailers shall be prohibited in all Zones except where one travel trailer, truck camper or tent trailer is stored on the occupant’s lot, where a dwelling is in existence on the same lot. In such cases, the parking and storage or use of the one travel trailer, truck camper or tent trailer shall occur only in the rear or interior side yard, or in



such areas where such parking and storage is permitted by this By-law.

b) Use

- i) The use of travel trailers, truck campers or tent trailers shall be prohibited in all Zoned except in areas where such use is permitted by this By-law.

#### **4.39 TRENT SEVERN WATERWAY – SPECIAL PROVISIONS**

Waterfront properties adjacent to the Trent-Severn Waterway Natural Historic Site of Canada which are used for residential purposes are subject to the *Policies for In-Water and Shoreline Works and Related Activities*. These requirements are in addition to the provisions of this By-law, but do not form part of this By-law.

#### **4.40 WALKWAYS & BREEZEWAYS**

- a) A walkway and/or breezeway may be permitted in any Zone, except for the EP1, EP-W, EP-PSW NSI or NSC Zones, subject to the following provisions:
- i) A walkway shall have a maximum width of 1.6 metres.
  - ii) Any walkway, or portion thereof, that exceeds 1.2 metres in height above natural grade will be deemed to be a structure for the purposes of this By-law and shall be included in the calculation of lot coverage.
  - iii) A walkway may be permitted in any yard, but shall be subject to the side yard setback requirements for accessory buildings.
  - iv) The maximum permitted length of a breezeway shall be 10 metres. Where a covered entrance(s) exist, the maximum permitted length of the breezeway shall be reduced by the projection of the covered entrance(s).
  - v) The maximum width of a breezeway shall be 1.6 metres as measured from the outside of support posts.
  - vi) The maximum eave projection on a breezeway shall be 1.2 metres.
  - vii) The maximum permitted height of a breezeway shall be 4.5 metres.
  - viii) The maximum permitted height of a breezeway in the Cognashene Coastal Waterfront Community or Go Home Bay Coastal Waterfront Community, as delineated on Schedule A to this By-law, shall be 4.0 metres.

#### **4.41 SETBACK FROM WATERBODIES AND WATERCOURSES**

The minimum required setback from a waterbody or watercourse shall be 20 metres, unless otherwise permitted by this By-law.

**4.42 VACANT LOTS ON HIGHLY SENSITIVE LAKES OR OVER THRESHOLD LAKES**

Vacant Lots on Highly Sensitive Lakes or Over Threshold Lakes shall not be issued a building permit for a principal building until such time that a Phase 2 Water Quality Impact Assessment has been completed and it is demonstrated that water quality and quantity will be protected. Highly Sensitive and Over Threshold Lakes are identified on Appendix B of this By-law.

**4.43 TADENAC ECOSYSTEM SPECIAL POLICY AREA OVERLAY ZONE**

The Tadenac Ecosystem Special Policy Area Overlay Zone identifies those lands that subject Section F.5.11.10 of the Official Plan.

Within the Tadenac Ecosystem Special Policy Area Overlay Zone, and adjacent lands, development shall only be permitted in accordance with the policies of Section F.5.11.10 of the Official Plan.

---



---

**SECTION 5  
PARKING AND LOADING STANDARDS**

---



---

**5.1 APPLICABILITY OF THIS SECTION**

- a) The parking, loading and delivery space requirements of this section of the By-law shall not apply to any building or structure legally in existence at the date of passing of this By-law so long as the gross floor area, as it existed at such date, is not increased and the use or number of dwelling units does not change.
- b) If an addition is made to the building or structure that increases its gross floor area, than additional parking and loading spaces shall be provided for the addition to the building or structure as required by the regulations of this By-law.
- c) Where a change in use occurs, parking spaces shall be provided for such new use in accordance with the requirements of this By-law.

**5.2 PARKING**

**5.2.1 Restriction on Use of Land, Buildings and Structures**

No person shall use any land, building or structure in any Zone for any purpose permitted by this By-law, unless parking spaces are provided in accordance with the provisions of this Section of the By-law.

**5.2.2 Residential Parking Requirements**

The number of parking spaces required for residential uses shall be calculated in accordance with the standards set out in Table 5.1:

TABLE 5.1

| Column 1<br><b>Type or Nature of Use</b>  | Column 2<br><b>Minimum Off-Street Parking Requirements</b>  |
|---|---|
| Dwelling, Detached<br>Dwelling, Converted<br>Dwelling, Semi-Detached<br>Dwelling, Duplex<br>Dwelling, Triplex<br>Dwelling, Fourplex<br>Dwelling, Townhouse<br>Dwelling, Accessory | 2 parking spaces per dwelling unit.<br>This provision shall not apply to boat parking spaces for a water access lot.    |
| Dwelling, Apartment   | 1.5 parking spaces per dwelling unit plus 0.25 parking spaces for visitor parking in a designated visitor parking area. |
| Dwelling Unit, Accessory  | 1 parking space per each 70 square metres of gross floor area or portion thereof to a maximum of 2 parking spaces       |

| Column 1              | Column 2   |
|-----------------------|--|
| Type or Nature of Use | Minimum Off-Street Parking Requirements  |
| Group Home            | 1 parking space for every staff member in addition to the required parking for the dwelling  |
| Home Occupation       | Parking spaces in addition to the required parking for the residential use shall be provided in accordance with the following:<br>0-10m <sup>2</sup> gross floor area- no additional parking spaces<br>>10m <sup>2</sup> gross floor area- 1 parking space |
| Private Home Day Care | No requirement   |

### 5.2.3 Non-Residential Parking Requirements

The number of parking spaces required for non-residential uses shall be calculated in accordance with the standards set out in Table 5.2:

TABLE 5.2

| Column 1   | Column 2   |
|--|--|
| Type or Nature of Use  | Minimum Off-Street Parking Requirements  |
| Assembly Hall, Auditorium, Arena, Community Centre, Places of Worship, other similar places of assembly not including Private Club, or otherwise specified herein. | 1 parking space for each four persons of maximum occupancy   |
| Bowling Alley  | 3 parking spaces for each bowling lane.  |
| Clinic or Veterinary Clinic  | 4 parking spaces for each examination room.  |
| Financial Institution, Office, Retail Store, Personal Service Establishment  | 1 parking space for each 20 square metres of gross floor area of the building directly related to the specified permitted use. |
| Golf Course  | 24 parking spaces for each 9 holes of golfing facilities.  |
| Hotel, Motel, Resort, Cottage Establishment, Camping Establishment, or Trailer or Recreational Vehicle Park  | 1.5 parking spaces for each guest room, cottage, cabin or camp site, or trailer or recreational vehicle park.                  |
| Marina   | 1.5 parking spaces for every 1 boat slip.  |
| Restaurant, Banquet Halls, Tavern  | 1 parking space for each 15 square metres of gross floor area.   |
| School   | 1.5 parking spaces per classroom   |
| Uses permitted by this By-law other than those listed in this Table.   | 1 parking space for each 35 square metres of gross floor area.   |

### 5.2.4 Calculation of Parking and Loading Requirements

Where the minimum number of parking and loading spaces is calculated on the basis of a rate or ratio, the required number of spaces shall be rounded to the next higher whole number.

### 5.2.5 More Than One Use on a Lot

The parking requirements for more than one use on a single lot or for a building containing more than one use shall be the sum total of the

parking requirements for each of the component uses, unless otherwise noted.

### 5.2.6 Boat Parking

- a) Where a commercial use abuts or is adjacent to a navigable waterway, one third of the parking requirements may be in the form of boat slips maintained for the sole purpose of customer boat parking specifically for the commercial use.
- b) A boat parking space shall be at least 6 metres in length and have a width of 3 metres.
- c) In the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, the mooring and docking of live-aboard boats to a lot or dock shall be prohibited with the exception of one live-aboard boat provided:
  - i) The boat owner is the occupant of the lot to which the live-aboard boat is docked or moored; and,
  - ii) A dwelling unit is existing on the same lot or a building permit has been issued for a dwelling unit.

### 5.2.7 Parking Area Surface

Parking spaces, areas and driveways, other than a driveway for a detached dwelling, connecting the parking space or area with a road shall be maintained with a stable surface, which is treated so as to prevent the raising of dust. Such parking spaces or areas shall, before being used, be constructed of crushed stone, gravel, asphalt, concrete or similar material and shall include provisions for drainage facilities.

### 5.2.8 Barrier-Free Parking

Barrier-free parking spaces for non-residential uses shall be provided in accordance with the following table:

TABLE 5.3

| Column 1                                 | Column 2                              |
|--|---------------------------------------|
| Number of Parking Spaces in Parking Area | Number of Barrier Free Parking Spaces |
| 1 to 9                                   | 1                                     |
| 10 to 20                                 | 2                                     |
| 21 to 100                                | 3                                     |
| For each additional 100 or part thereof  | 1                                     |

### **5.2.9 Exclusive Use of a Parking or Loading Space**

Any required parking or loading space shall be unobstructed and available for parking purposes and used exclusively for that purpose at all times, unless otherwise specified in this By-law.

### **5.2.10 Parking Area Location on Lot**

Notwithstanding the yard and setback provisions of this By-law to the contrary, uncovered surface parking areas shall be permitted in the required yards or in the area between the road line and the required setback.

Within a Marine Commercial (CM & ML) Zone or a General Commercial (C1) Zone, one half of the parking required may be provided on an alternate lot provided that such lot is not located more than 500 metres from the use requiring the parking.

### **5.2.11 Cash-In Lieu Of Parking**

Parking spaces required by Section 5.2.3 of this By-law shall not be required subject to the owner/proponent obtaining Minor Variance approval for the parking space deficiency and executing an Agreement with the Township respecting the payment of cash-in-lieu for some or all of the parking required in accordance with this By-law.

### **5.2.12 Location of Parking on a Lot Used For Residential Purposes**

The parking of motor vehicles associated with a residential use is only permitted within a parking garage, surface parking area, parking lot, private garage, or carport or on a driveway accessing an individual dwelling unit.

### **5.2.13 Size of Parking Spaces**

- a) Where parking spaces are provided in a surface parking area, each parking space shall have a width of not less than 2.75 metres and a length of not less than 6.0 metres, with the exception of a barrier-free parking space which shall have a width of not less than 3.7 metres and a length of not less than 6.0 metres.
- b) Where parking spaces are provided in an enclosed or underground parking garage, such parking spaces shall have a width of not less than 2.6 metres and a length of not less than 5.8 metres.

#### **5.2.14 Ingress and Egress Provisions**

- a) Ingress and egress to and from the required parking spaces and areas shall be provided by means of unobstructed driveways of at least 3 metres in width but not more than 9 metres in perpendicular width.
- b) The maximum width of any joint ingress and egress driveway ramp measured along the road line shall be 9 metres.
- c) The minimum distance between any two driveways on one lot or between a driveway and an intersection of road lines measured along the road line intersected by such driveway shall be 7.5 metres.
- d) The minimum angle of intersection between a driveway and a road line shall be 60 degrees.
- e) On a municipally maintained road, every lot shall be limited to the following number of driveways:
  - i) Up to the first 15 metres of lot frontage, not more than one driveway;
  - ii) Greater than 15 metres of lot frontage but not more than 30 metres of frontage, not more than two driveways within a combined width not exceeding 30 percent of the lot frontage; and,
  - iii) Over 30 metres of lot frontage a maximum of three driveways shall be permitted.

#### **5.2.15 Width of Aisles**

The minimum width of an aisle providing access to a parking space within a parking area shall be 6.0 metres, except in the case of angled off-street parking accessed by a one-way aisle, which shall be a minimum width of 4.5 metres.

#### **5.2.16 Width of Access Ramps and Driveways**

Access ramps and driveways accessing a parking area or parking lot shall be a minimum of 3.0 metres in width for one-way traffic and a minimum of 6.0 metres in width for two-way traffic. For a Commercial, Industrial, Institutional or Municipal Parking Lot, a minimum of 9.0 metres in width shall be provided.



**5.2.17 Width of Driveways Accessing Individual Residential Dwellings**

The maximum driveway width accessing individual residential dwellings shall be the lesser of 8.0 metres or 50% of the lot frontage, whichever is more restrictive.

**5.2.18 Parking Area Location on A Non-Residential Lot**

Notwithstanding any other provisions of this By-law, parking areas shall be setback a minimum of 1.5 metres from any building or structure on non-residential lots.

**5.2.19 Illumination**

Where parking areas are illuminated, the lighting fixtures shall be provided in accordance with the following provisions:

- a) No part of the lighting fixture shall be more than 9.0 metres above grade;
- b) They shall be installed in such a manner that all light emitted by the fixture, either directly from the lamp or a diffusing element, or indirectly by reflection or refraction from any part of the fixture is projected below the lamp and onto the lot the lighting is intended to serve; and
- c) Dark Sky compliant lighting must be used on all parking lots in the Township of Georgian Bay.

**5.2.20 Parking Area Location on a Lot**

Parking areas will be permitted in any required yard in accordance with the following provisions:

TABLE 5.4

| Column 1  | Column 2   |
|---|--|
| <b>Zone</b>   | <b>Yard in Which Required Parking Permitted</b>  |
| Residential (R, RMH & BR) and Multiple Residential (RM) Zones   | All yards. For corner lots, no part of any parking space shall be located closer than 6.0 metres, measured from the point of intersection of the two road lines.   |
| Shoreline Residential (SR) and Shoreline Residential Island (SRI) Zones   | All yards except the front yard provided that no part of any parking area, other than the ingress and egress points used for access from the road, is located closer than 7.5 metres to any road line and no closer than 6.0 metres to any other lot line.   |
| Commercial (C), Tourist Commercial (CT), Marine Commercial (CM and ML), Institutional (I), and Industrial (M, MX and WD)Zones | All yards provided that no part of any parking area, other than the ingress or egress points, is located closer than 1.0 metres to any road line and no closer than 1.5 metres to any other lot line and provided that no part of any parking area is located in a minimum landscaping strip adjacent to a road line as required by this By-law. |

| Column 1        | Column 2   |
|-----------------|--|
| <b>Zone</b>     | <b>Yard in Which Required Parking Permitted</b>  |
| Rural (RU) Zone | All yards provided that no part of any parking area, other than the ingress and egress points used for access from the road, is located closer than 7.5 metres to any road line and no closer than 5.0 metres to any other lot line. |

## 5.2.21 Queuing Lanes

Where drive-through service facilities are permitted, queuing lanes are required and shall be exclusive of any other parking space and aisle requirements contained within this By-law and shall be provided in accordance with the provisions of this section.

### 5.2.21.1 Queuing Lane Requirements

The minimum queuing space requirements within a designated queuing lane shall be as set out in Table 5.5. In addition, one space shall be provided for each point of service delivery.

TABLE 5.5

| Column 1  | Column 2                               | Column 3                              |
|---|--|---------------------------------------|
| <b>Use Associated with Drive-Through Service Facility</b> | <b>Minimum Required Ingress Spaces</b> | <b>Minimum Required Egress Spaces</b> |
| Financial Institution                                     | 3                                      | 1                                     |
| Restaurant  | 10                                     | 2                                     |
| Motor Vehicle Service Station or Fuel Bar                 | 3                                      | 1                                     |
| Motor Vehicle Washing Establishment                       | 2 per bay                              | 2                                     |
| All Other Uses  | 3                                      | 1                                     |

### 5.2.21.2 Location of Ingress and Egress Spaces

Required ingress spaces shall be located before the first point of contact and required egress spaces shall be located after the final point of contact.

### 5.2.21.3 Length of Queuing lane

The length of the queuing lane associated with the drive-through service facility shall be the total number of required ingress spaces and egress spaces, plus one space for each point of service delivery and shall not form part of the required parking spaces or aisles.

### 5.2.21.4 Multiple Queuing Lane Requirements

Where multiple queuing lanes are required on a lot, the queuing space requirements shall be provided for each individual queuing lane in compliance with the provisions of Section 5.2.21.1.

5.2.21.5 Size of Queuing Space

All queuing spaces shall be rectangular in shape, with a minimum length of 6.0 metres and a minimum width of 2.75 metres.

5.2.21.6 Setbacks for Order Boxes and Queuing Lanes

Queuing lanes and all order boxes using voice communication to order shall be located no closer than 30 metres from any road line or any Shoreline Residential (SR), Residential (R, RMH & BR) or Multiple Residential (RM) Zone.

5.2.21.7 Delineation of Queuing Lane Requirements

Queuing lanes shall be unobstructed and shall be clearly delineated by pavement markings or physical barriers, and shall be independent of the balance of the parking area.

**5.3 LOADING SPACE REQUIREMENTS**

**5.3.1 Off-Street Loading Spaces**

Loading spaces shall be provided in accordance with the standards of this By-law for any use. Required loading spaces shall be located on the same lot as the use that requires the loading space and shall be provided as follows:

TABLE 5.6

| Column 1                  | Column 2                   |
|---------------------------|----------------------------|
| Gross Floor Area          | Loading Space Requirements |
| 500m <sup>2</sup> or less | 1 space                    |
| Over 500 m <sup>2</sup>   | 2 spaces                   |

**5.3.2 Size of Loading Space**

Each loading space shall be a minimum of 9 metres long, 3.5 metres wide and have a vertical clearance of at least 4 metres.

**5.3.3 Location of Loading Spaces**

- a) Required loading spaces shall be located on the same lot for the use or building for which the space or spaces are required, within the interior side or rear yard.
- b) Such loading space shall not be located in a required yard.

- c) Required loading spaces shall not be provided within a building.
- d) Loading spaces shall not obstruct any required parking spaces or vehicular movement on the lot.
- e) In all Zones, with the exception of Industrial (M, MX & WD) zones, loading spaces are not permitted in the front yard or exterior side yard and loading bay doors are not permitted on any wall facing a road unless there is a landscaping strip between the door and the road and the loading space.

#### **5.3.4 Access to Loading Spaces**

Access to loading spaces shall be by means of a driveway at least 6 metres in width contained on the lot on which the spaces are located and leading to a municipally maintained road.

#### **5.3.5 Loading Space Surface**

Driveways, loading spaces, and related aisles and turning areas shall be maintained with a stable surface, which is treated to prevent the raising of dust. Such loading facilities shall, before being used, be constructed of crushed stone, gravel, asphalt, concrete or similar material and shall include provisions for drainage facilities.

---



---

**SECTION 6  
SHORELINE RESIDENTIAL ZONES**

---



---

**6.1 GENERAL PROHIBITION**

No person shall, within any Shoreline Residential (SR) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**6.2 PERMITTED USES**

Uses permitted in a Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 6.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 6.1.

The Shoreline Residential (SR) Zones Established by this By-law are as follows:

- SR1 Shoreline Residential Type One
- SR2 Shoreline Residential Type Two
- SR3 Go Home Bay Residential
- SR4 Shoreline Residential Type Four
- SR5 Shoreline Residential Type Five
- SR6 Six Mile Lake Residential
- SR7 Cognashene Residential

Table 6.1

| Column 1           | Column 2     | Column 3 | Column 4 | Column 5 | Column 6 | Column 7 | Column 8 |
|--------------------|--------------|----------|----------|----------|----------|----------|----------|
|                    | <b>ZONES</b> |          |          |          |          |          |          |
| <b>USE</b>         | SR1          | SR2      | SR3      | SR4      | SR5      | SR6      | SR7      |
| Dwelling, Detached | √            | √        | √        | √        | √        | √        | √        |
| Home Occupation    | √            | √ (1)    |          |          |          | √        |          |

**Footnotes for Table 6.1**

- (1) Home Occupations are not permitted in the SR2 Zone in the Palisades Bay / East Bone Island Coastal Waterfront Community, as delineated on Schedule A of this By-law.

### 6.3 ZONE REQUIREMENTS

No person shall within any Shoreline Residential Zone use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional Zone requirement. These additional standards are listed in the Footnotes at the end of each Table.

TABLE 6.2

| Column 1                  | Column 2             | Column 3              | Column 4              | Column 5                      | Column 6 | Column 7                                      | Column 8   |
|---------------------------|----------------------|-----------------------|-----------------------|-------------------------------|----------|---|--|
| <b>ZONES</b>              |                      |                       |                       |                               |          |   |  |
| <b>ZONE REQUIREMENTS</b>  | SR1                  | SR2                   | SR3                   | SR4                           | SR5      | SR6   | SR7  |
| Lot Area (Minimum)        | 4,000 m <sup>2</sup> | 10,000 m <sup>2</sup> | 14,000 m <sup>2</sup> | 4,000 m <sup>2</sup> per unit | Existing | Existing or 8,000 m <sup>2</sup> for new lots | 10,000 m <sup>2</sup>                                |
| Lot Frontage (Minimum):   | 60 m (7)             | 120 m (7)             | 210 m                 | 60 m per unit                 | Existing | Existing or 120 m for new lots                | 180 m  |
| Lot Coverage (Maximum)    | 7%(1)                | 5%(2)                 | 5%(4)(5)              | 5% (3)                        | 5%(3)    | 8%(4)   | 5%(3)  |
| Required Yards (Minimum): |                      |                       |                       |                               |          |   |  |
| Front Yard                | 20 m                 | 20 m                  | 20 m (6)              | 30 m                          | 20 m     | 20 m  | 20 m   |
| Exterior Side Yard        | 8 m                  | 8 m                   | 8 m                   | 10 m                          | 8 m      | 8 m   | 8 m  |
| Rear Yard                 | 10 m                 | 10 m                  | 10 m                  | N/A                           | 10 m     | 10 m  | 10 m   |
| Interior Side Yard        | 5 m                  | 5 m                   | 8 m                   | 5 m                           | 5 m      | 5 m   | 5 m  |
| Building Height (Maximum) | 8 m                  | 8 m                   | 6 m                   | 8 m                           | 8 m      | 8 m   | 7 m or one and one -half storey, whichever is lesser |

**Footnotes for Table 6.2**

- (1) On the Trent Severn in the SR1 Zone and on Go Home Lake, the Maximum Lot Coverage shall be 10%.
- (2) On the Trent Severn in the SR2 Zone, the Maximum Lot Coverage shall be 7%.
- (3) Within the SR7 Zone, SR5, and the SR4 Zone within the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, for buildings, structures and decks greater than 1.2 metres in height constructed within 90 metres of the high water mark abutting the lot, lot coverage shall be based on that portion of the lot area within 90 metres of the high water mark abutting the lot. For all buildings, structures and decks greater than 1.2 metres in height and constructed more than 90 metres from the high water mark abutting the lot, lot coverage shall be based on the total lot area and shall also include buildings, structures and decks greater than 1.2 metres in height within 90 metres of the high water mark.
- (4) Where buildings or structures are located wholly or partially within 60 metres of the high water mark, the maximum lot coverage for those buildings and structures in the SR3, and SR6 Zones shall be in accordance with Table 6.2 and based on the lot area of the lot within 60 metres of the high water mark. For all buildings and structures constructed on the lot beyond 60 metres from the high water mark abutting the lot, lot coverage shall be based on the total lot area and shall also

- include buildings or structures located wholly or partially within 60 metres of the high water mark.
- (5) On lots in the SR3 Zone, all decks shall be included in the determination of lot coverage, regardless of height.
  - (6) On lots in the SR3 Zone, all buildings and structures shall be setback a minimum of 20 metres from the 177.4 CGD contour.
  - (7) On lots in the Wah Wah Taysee Waterfront Community, as delineated on Schedule A of this By-law, the minimum lot frontage shall be 210 metres.

## **6.4 ADDITIONAL REGULATIONS FOR SHORELINE RESIDENTIAL (SR) ZONES**

### **6.4.1 Maximum Gross Floor Area for a Dwelling**

- a) SR3 Zone
  - 200 square metres.
- b) SR6 Zone
  - Lots under 4,000 square metres of total lot area – 190 square metres.
- c) SR6 Zone
  - Lots over 4,000 square metres of total lot area - 275 square metres or 5% of the lot area, whichever is more restrictive.
- d) Shoreline Residential (SR) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law
  - Lots less than 5,600 square metres of total lot area or less than 70 metres lot frontage - 140 square metres.

Shoreline Residential (SR) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law- Lots more than 5,600 square metres of total lot area and more than 70 metres lot frontage - 25 square metres per 1,000 square metres of lot area or 2 square metres per metre of lot frontage, whichever is more restrictive. In no case shall a dwelling exceed a gross floor area of 325 square metres.

- f) Shoreline Residential (SR) Zones in the Wah Wah Taysee Coastal Waterfront Community, as delineated on Schedule A of this By-law
  - Calculated based on 20 square metres of gross floor area per 1,000 square metres of lot area or 1.25 square metres of gross floor area per metre of lot frontage, whichever is more restrictive. In no case shall a dwelling exceed a gross floor area of 300 square metres.

#### **6.4.2 Maximum Width of a Dwelling**

- a) SR6 Zone
  - 25 percent of lot frontage or 23 metres, whichever is more restrictive.
- b) Shoreline Residential (SR) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law
  - 25 percent of lot frontage or 25 metres, whichever is more restrictive.

#### **6.4.3 Minimum Undisturbed Open Space**

- a) In Shoreline Residential (SR) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, the minimum amount of undisturbed Open Space shall be 75% of the lot area above the high water mark.

#### **6.4.4 Maximum Area of Decks Greater than 1.2 Metres in Height**

- a) SR3 Zone
  - 60 square metres.

#### **6.4.5 Maximum Cumulative Area of Decks and Free-standing Decks**

- a) SR3 Zone
  - 200 square metres.

### **6.5 SHORELINE RESIDENTIAL ZONES - EXCEPTIONS**

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are set out in Tables 6.3 to Table 6.9.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-99)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the zone requirements for the zone exception, if applicable.



- Column 6 sets out any additional provisions for the zone, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 6.3 – SR1 EXCEPTIONS**

| Column 1         | Column 2   | Column 3            | Column 4   | Column 5  | Column 6   |
|------------------|--|---------------------|--|---|--|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited  | Special Zone Requirements   | Other Special Provisions   |
| SR1-1            |  |                     |  | Minimum Required Front Yard – 30m   |  |
| SR1-2            | Home Industry that is limited to the repair and service of marine vessels and equipment. |                     | Marine facilities shall not be used in conjunction with the home industry. |   |  |
| SR1-7            |  |                     |  | Minimum Required Front Yard – 30m   | The lands are exempt from the existing lot of record provisions. |
| SR1-10           |  |                     |  | Maximum Dock Length – 7m  |  |
| SR1-14           |  |                     |  | Minimum Lot Frontage – 20m<br>Minimum Lot Area - .14ha<br>Northerly Side Yard Setback – 3m<br>Maximum Lot Coverage – 9% |  |
| SR1-15           |  |                     |  | Minimum Required Front Yard – 15m   |  |
| SR1-18           |  |                     |  | Minimum Lot Area - .13ha<br>Minimum Required Front Yard – 18m<br>Maximum Lot Coverage – 9%                              |  |
| SR1-23           | Secondary Dwelling Unit  |                     |  |   |  |
| SR1-24           |  |                     |  | Maximum Floor Area for a Sleeping Cabin – 75 sq.m.  |  |
| SR1-25           |  |                     |  | Minimum Lot Frontage – 45m<br>Minimum Dock Length – 25m   |  |
| SR1-27           |  |                     |  | Minimum Required Front Yard – 13m   |  |
| SR1-28           |  |                     |  | Minimum Rear Yard Setback – 5 metres  |  |

| Column 1         | Column 2                  | Column 3                       | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|--------------------------------|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted            | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| SR1-29           |                           |                                |                 | Minimum Required Front Yard – 17m<br>Minimum Front Yard Setback for all Decks above 1m in Height – 17m   |  |
| SR1-32           |                           |                                |                 | Maximum Number of Detached Dwellings – 2<br>Minimum Front Yard Setback of Most Southern Dwelling – 3.3m<br>Minimum Front Yard Setback of Other Dwelling – 2.9m |  |
| SR1-33           |                           |                                |                 | Minimum Required Front Yard – 30m<br>Minimum Setback for the Septic Tile Bed or Equivalent – 30m   |  |
| SR1-34           |                           |                                |                 | Maximum Dock Length – 10m<br>Minimum Required Front Yard – 30m   |  |
| SR1-35           |                           |                                |                 |  | No buildings or structures are permitted within 15m of the centre line of the unnamed stream flowing into Gloucester Pool, except as otherwise permitted within a yard setback as set out in the Accessory Building, Structure and Uses general provision. |
| SR1-36           |                           | One Accessory Building per Lot |                 | Maximum Floor Area of an Accessory Building – 50 sq. m.<br>Maximum Number of Driveways – One Per Lot<br>Maximum Driveway Width – 3m                            | Accessory Building Shall Abut the Driveway or Parking Area.  |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| SR1-37           |                           |                     |                 | Maximum Number of Garages – 1<br>Maximum Ground Floor Area of Garage – 166.29 sq.m.<br>Maximum Height of Detached Garage – 5.5m |                          |
| SR1-38           |                           |                     |                 | Minimum Lot Area - .33ha<br>Minimum Required Front Yard – 25m   |                          |
| SR1-39           |                           |                     |                 | Minimum Required Front Yard – 13m   |                          |
| SR1-40           |                           |                     |                 | Minimum Lot Area – 2,304 sq. m.<br>Minimum Lot Frontage – 27m   |                          |
| SR1-42           |                           |                     |                 | Minimum Front Yard Setback (Existing Sleeping Cabin) – 13m<br>Minimum Front Yard Setback (Detached Unit) – 15m                  |                          |
| SR1-43           |                           |                     |                 | Minimum Lot Area – 3,500 sq. m.<br>Minimum Lot Frontage – 35m   |                          |
| SR1-44           |                           |                     |                 | Minimum Lot Area – 1,500 sq. m<br>Minimum Lot Frontage – 20m  |                          |

|        |                            |  |  |   |  |
|--------|----------------------------|--|--|---|--|
| SR1-45 |                            | A Dwelling Unit<br>Accessory Buildings, Structures |  | <p>Maximum Gross Floor Area for a Dwelling Unit – 195 sq. M</p> <p>Maximum number of accessory buildings, structures – 4</p> <p>Maximum Lot Coverage – 8.5%</p> <p>Minimum Front Yard Setback to Open Deck on Dwelling – 6.5 m</p> <p>Minimum Front Yard Setback to Main Wall on Dwelling – 7.5 m</p> <p>Minimum Front Yard Setback to existing Frame Shed – 6 m</p> <p>Minimum Front Yard Setback to existing Privy – 10 m</p> <p>Minimum Front Yard Setback to new proposed Shed – 12 m</p> <p>The Septic System shall comply with Part 8 of the Ontario Building Code.</p> |  |
| SR1-46 | Two dwelling units per lot |  |  | Maximum Gross Floor Area 227 sq. m  |  |
| SR1-50 |                            | Legally existing buildings and structures          |  | <p>Minimum Lot Area – Existing</p> <p>Minimum Lot Frontage – Existing</p>   | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SR1-51 |                            | Legally existing buildings and structures          |  |   | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SR1-52 |                            |  |  | <p>Minimum Special Zone Requirements for Permitted Uses:</p> <p>Minimum Lot Frontage – 70m</p> <p>Minimum Yard Requirements for Buildings, Structures and Uses:</p> <p>Front Yard – 30m</p>   |  |

|        |  |  |  |   |  |
|--------|--|--|--|---|--|
| SR1-53 |  |  |  | Maximum Permitted Dock Length –<br>15.54 metres                                   |  |
| SR1-54 |  |  |  | Minimum lot frontage – 32 metres<br><br>Minimum lot area – 1,895 square<br>metres |  |
|        |  |  |  |   |  |

**TABLE 6.4 – SR2 EXCEPTIONS**

|                  | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| SR2-1            |                           |                     |                 | Minimum Required Front Yard – 30m   |                          |
| SR2-7            |                           |                     |                 | Minimum Setback for Septic System from South Bay of Georgian Bay in the direction of flow – 300m  |                          |
| SR2-15           |                           |                     |                 | Minimum Lot Area - .5ha   |                          |
| SR2-16           |                           |                     |                 | Minimum Required Front Yard– 15m<br>Minimum Required Rear Yard– 6m<br>Minimum Rear Yard Setback for Accessory Buildings – 2m<br>Minimum Side Yard Setback for Marine Railway – 3m<br>Maximum Lot Coverage – 7%  |                          |
| SR2-17           |                           |                     |                 | Minimum Required Front Yard – 30m<br>Minimum Required Exterior Side Yard – 20m<br>Maximum Dock Length – 1.5m<br>Maximum Dock Width – 20m<br>Maximum Number of Docks – 1<br>Only a dryland boathouse will be permitted subject to all boathouse regulations set out in the general provisions. |                          |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6  |
|------------------|---------------------------|---------------------|-----------------|--|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
| SR2-43           |                           |                     |                 | a) Minimum Lot Area – 1.0 ha<br>b) Minimum Lot Frontage – 120m<br>c) Maximum Lot Coverage – 5% subject to the following: <ul style="list-style-type: none"> <li>• For buildings constructed within 90m of the High Water Mark abutting the lot, lot coverage shall be based on that portion of the lot area within 90m of the High Water Mark abutting the lot.</li> <li>• For all buildings and structures constructed on the lot beyond 90m from the High Water Mark abutting the lot, the lot coverage shall be based on the total lot area.</li> </ul> d) Maximum Number of Storeys for a Dwelling – 1.5<br>e) Maximum Gross Floor Area for a Dwelling – 25 sq. m. per 1,000 sq. m. of lot area or 2.0 sq. m. per 1.0m of lot frontage to a maximum of 325 sq. m. whichever is the lesser<br>f) Notwithstanding e) above, Minimum Required Gross Floor Area for a Dwelling - 93 sq. m.<br>g) Maximum number of permitted dry land boathouses and boat ports on lots with a minimum frontage of 120m – 1<br>h) Maximum number of tool sheds less than 10 sq. m. – 1<br>i) Minimum lot frontages for dry land boathouse or boat port – 120m<br>j) Maximum number of permitted dry land boathouses and boat ports on lots with less than 120m of frontage – nil<br>k) Maximum number of permitted on-water boathouses – nil<br>l) Maximum length of a boat port – 12.2m<br>m) Maximum width of a boat port – 10.2m<br>n) Maximum height of a boat port – 5m above the water’s surface | <p><b>Boathouse, Dryland</b> means an accessory building or structure used for the sheltering and storage of boats or other forms of water transportation and boating equipment, located inland of the High Water Mark (177.44 CGD)</p> <p><b>Boat Port</b> means a floating accessory structure, which is designed and used for the sheltering of a boat or other forms of water transportation. Such structures shall not be enclosed by any walls or have a flat roof.</p> <p><b>Storey, One-Half</b> means that portion of a building situated above the first storey that is wholly or in part within the roof and having a floor area not exceeding more than 60 percent of the floor area of the first storey.</p> |



|         |  |   |  |  |  |
|---------|--|---|--|--|--|
|         |  |   |  | <ul style="list-style-type: none"> <li>o) Maximum area of a dry land boathouse within 20m of the shoreline – 30 sq. m.</li> <li>p) Maximum width of a dock – 4m</li> <li>q) Maximum length of a dock – 20m</li> <li>r) Maximum number of docks where lot frontage is 122m or less – 2</li> <li>s) Maximum number of docks where lot frontage is 122.1m or greater – 2 plus 1 per 61m of frontage to a maximum of 4.</li> <li>t) Maximum cumulative width of all docks, boathouses and boat ports – 15% of the total lot shoreline, or 20m plus 10% of frontage in excess of 120m, whichever is the lesser.</li> <li>u) Minimum required setback for all septic systems – 30m</li> <li>v) Notwithstanding t) above, a visual barrier in the form of a landscaping strip of unpierced hedgerow of trees, evergreens or shrubs or solid fencing not less than 1.5m high shall be provided immediately adjacent to and generally encircling a Class 5 – Holding Tank, in order to provide a visual barrier form adjacent properties and the waterfront.</li> <li>w) The use of flat roofs is prohibited on all boathouses and boat ports.</li> </ul> |  |
| SRI2-50 |  | Legally existing buildings and structures |  | <p>Minimum Lot Area – Existing</p> <p>Minimum Lot Frontage – Existing</p>  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SRI2-51 |  | Legally existing buildings and structures |  |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 6.5 – SR3 EXCEPTIONS**

| Column 1         | Column 2                                      | Column 3                                | Column 4        | Column 5   | Column 6  |
|------------------|---|---|-----------------|--|---|
| Exception Number | Additional Permitted Uses                     | Only Uses Permitted                     | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
| SR3-1            | Convenience Store<br>Home Industry            |   |                 | Minimum Required Front Yard – 30m  |   |
| SR3-6            |   |   |                 |  | Lands indicated as Lot D and B on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law, shall be considered one for planning purposes.  |
| SR3-8            | Sleeping Cabin<br>Prior to principal dwelling |   |                 |  |   |
| SR3-10           |   | Dwelling,<br>Detached<br>Sleeping Cabin |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing<br>Minimum Required Interior Side Yard – 5m<br>Maximum Building Height – 8m   |   |
| SR3-13           |   |   |                 | Accessory Docks shall be a permitted use within the Dock Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law.<br>A Dwelling Unit shall be a permitted use within the Building Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law.<br>A Septic System shall be a permitted use within the Septic Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law. |   |
| SR3-14           |   |   |                 | Lands indicated as Lot D and Lot B on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law, shall be considered one for planning purposes.<br>Accessory Docks shall be a   | Accessory to the principle use of the lands indicated as Lot D on Schedule A to By-law 2007-88, one Accessory Structure a maximum of 50% of the size of the dwelling on Lot D shall be a permitted use within the building envelope indicated on Schedule A to By-law 2007-88 |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
|                  |                           |   |                 | permitted use within the Dock Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law.<br>A Septic System shall be a permitted use within the Septic Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law.  |  |
| SR3-15           |                           |   |                 | Accessory Docks shall be a permitted use within the Dock Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law.<br>A Dwelling Unit shall be a permitted use within the Building Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law.<br>A Septic System shall be a permitted use within the Septic Envelope indicated on Schedule A of By-law 2007-88, as outlined in Appendix C of this By-law. |  |
| SR3-50           |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing   | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SR3-51           |                           | Legally existing buildings and structures |                 |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 6.6 – SR4 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3  | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted   | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| SR4-3            |                           |   |                 | Minimum Lot Area – 10,000 sq. m. per unit<br>Minimum Lot Frontage – 120m per unit<br>Minimum Required Front Yard – 20m<br>Minimum Required Interior Side Yard – 5m<br>Minimum Required Exterior Side Yard – 20m<br>Minimum Required Rear Yard – 10m<br>Maximum Number of Boat Slips – 4<br>Maximum Number of Dwelling Units – 2   |                          |
| SR4-5            |                           |   |                 | Minimum Lot Area – 10,000 sq .m. per unit<br>Minimum Lot Frontage – 120m per unit<br>Regulations for permitted uses are the regulations that apply to the SR7 Zone.   |                          |
| SR4-7            |                           | Maximum Number of Dwelling Units – 2 on the Westerly shoreline only |                 | Minimum Required Front Yard – 15m on the westerly shoreline only  |                          |
| SR4-10           |                           |   |                 | Minimum Required Front Yard – 20m<br>Minimum Separation Distance Between Dwelling Units – 10m<br>Minimum Separation Distance between Accessory Structures – 5m<br>Maximum Number of Dwelling Units – 12<br>Maximum Gross Floor Area of a Dwelling Unit – 1,200 sq. ft.<br>Maximum Floor Area of a Sleeping Cabin – 600 sq. ft.<br>Maximum Number of Docks per Dwelling Unit – 1<br>Maximum Number of Sleeping Cabins per Dwelling Unit – 1<br><br>Where an existing building does not comply with the front yard setback provisions, same structure can only be increase in size by 20%. All new structures or renovations and additions greater than 20% of the existing structure will be required to have a front yard setback of 20m. |                          |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements                                      | Other Special Provisions   |
| SR4-50           |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SR4-51           |                           | Legally existing buildings and structures |                 |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

TABLE 6.7 – SR5 EXCEPTIONS

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---------------------|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| SR5-1            |                           |                     |                 | Minimum Required Front Yard – 30m  |  |
| SR5-6            |                           |                     |                 | <p>Maximum Dock Length – 8.0 metres<br/>Maximum Dock Width – 8.0 metres<br/>Maximum Dock Footprint – 30 sq.m for floating docks or cantilevered docks, and 15 sq. m for conventional crib docks.<br/>Maximum Dwelling Gross Floor Area – 300 sq.m<br/>Minimum Lot Area – 4,000 sq.m<br/>Minimum Lot Frontage – 60.0 m</p> <p>Notwithstanding Section 4.40 a) i) of this By-law, a maximum 3 metre wide access walkway, constructed of natural materials such as stone or mulch, to the lake shall be permitted.</p> <p>Minimum Watercourse Setback (other than Steward Lake) – 5 m</p> <p>The location of dwellings shall be limited to the building envelopes identified on Schedule B of By-law 2009-80, as outlined in Appendix E of this By-law.</p> <p>The Minimum Required Front Yard shall be 20 metres, to be retained in its natural state and maintained on each lot</p> | <p>Definition:</p> <p><b>Natural State</b> means lands that abut the water's edge which are maintained in a natural vegetated state, except that vista pruning or the removal of dying, dead, decaying or diseased trees is permitted.</p> |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6  |
|------------------|---------------------------|---------------------|-----------------|---|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
|                  |                           |                     |                 | <p>as identified on Schedule B of By-law 2009-80, as outlined in Appendix E of this By-law.</p> <p>The septic system leaching bed, on each lot, shall be located a minimum of 30 m from the high water mark within the leaching bed location envelope as identified on Schedule B of By-law 2009-80, as outlined in Appendix E of this By-law. Tertiary Sewage Treatment System be installed.</p> <p>Shoreline development, on each lot, shall be limited to one dock located within a docking envelope as identified on Schedule B of By-law 2009-80, as outlined in Appendix E of this By-law.</p>  |   |
| SR5-12           |                           |                     |                 | <p>Minimum Lot Area – Existing</p> <p>Minimum Lot Frontage – Existing</p> <p>Regulations for permitted uses are the regulations that apply to the SR7 Zone</p>  |   |
| SR5-16           |                           |                     |                 | <p>a) Minimum Lot Area – 1.0 ha</p> <p>b) Minimum Lot Frontage – 120m</p> <p>c) Maximum Lot Coverage – 5% subject to the following:</p> <ul style="list-style-type: none"> <li>• For buildings constructed within 90m of the High Water Mark abutting the lot, lot coverage shall be based on that portion of the lot area within 90m of the High Water Mark abutting the lot.</li> <li>• For all buildings and structures constructed on the lot beyond 90m from the High Water Mark abutting the lot, the lot coverage shall be based on the total lot area.</li> </ul> <p>d) Maximum Number of Storeys for a Dwelling – 1.5</p> <p>e) Maximum Gross Floor Area for a Dwelling – 25 sq. m. per 1,000 sq. m. of lot area or 2.0 sq. m. per 1.0m of lot frontage to a maximum of 325 sq. m. whichever is the lesser</p> <p>f) Notwithstanding e) above, Minimum Required Gross Floor Area for a Dwelling -93 sq. m.</p> <p>g) Maximum number of permitted dry land boathouses and boat ports on lots with a minimum frontage of</p> | <p><b>Boathouse, Dryland</b> means an accessory building or structure used for the sheltering and storage of boats or other forms of water transportation and boating equipment, located inland of the High Water Mark (177.44 CGD)</p> <p><b>Boat Port</b> means a floating accessory structure, which is designed and used for the sheltering of a boat or other forms of water transportation. Such structures shall not be enclosed by any walls or have a flat roof.</p> <p><b>Storey, One-Half</b> means that portion of a building situated above the first storey that is wholly or in part within the roof and having a floor area not exceeding more than 60 percent of the floor area of the first storey.</p> |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
|                  |                           |                     |                 | <p>120m – 1</p> <p>h) Maximum number of storage sheds less than 10 sq. m. – 1</p> <p>i) Minimum lot frontages for dry land boathouse or boat port – 120m</p> <p>j) Maximum number of permitted dry land boathouses and boat ports on lots with less than 120m of frontage – nil</p> <p>k) Maximum number of permitted on-water boathouses – nil</p> <p>l) Maximum length of a boat port – 12.2m</p> <p>m) Maximum width of a boat port – 10.2 m</p> <p>n) Maximum height of a boat port – 5m above the water’s surface</p> <p>o) Maximum area of a dry land boathouse within 20m of the shoreline – 30 sq. m.</p> <p>p) Maximum width of a dock – 4m</p> <p>q) Maximum length of a dock – 20m</p> <p>r) Maximum number of docks where lot frontage is 122m or less – 2</p> <p>s) Maximum number of docks where lot frontage is 122.1m or greater – 2 plus 1 per 61m of frontage to a maximum of 4.</p> <p>t) Maximum cumulative width of all docks, boathouses and boat ports – 15% of the total lot shoreline, or 20m plus 10% of frontage in excess of 120m, whichever is the lesser.</p> <p>u) Minimum required setback for all septic systems – 30m</p> <p>v) Notwithstanding t) above, a visual barrier in the form of a landscaping strip of unpierced hedgerow of trees, evergreens or shrubs or solid fencing not less than 1.5m high shall be provided immediately adjacent to and generally encircling a Class 5 – Holding Tank, in order to provide a visual barrier form adjacent properties and the waterfront.</p> |                          |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
|                  |                           |   |                 | w) The use of flat roofs is prohibited on all boathouses and boat ports. |  |
| SR5-50           |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing           | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SR5-51           |                           | Legally existing buildings and structures |                 |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 6.8 – SR6 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
| SR6-1            |                           |                     |                 | Minimum Required Front Yard– 30m   |                          |
| SR6-3            |                           |                     |                 | Minimum Required Northerly Side Yard – 41m<br>The Northerly Side Lot Line projection shall be at 90 degrees to the shoreline.  |                          |
| SR6-4            |                           |                     |                 | Maximum Lot Coverage – 7%<br>Maximum Building Height – 5m<br>Maximum Dwelling Unit Gross Floor Area – 200 sq. m.<br>The maximum total daily design flow for any sewage system shall not exceed 1,600 liters per day with a maximum of twenty (20) fixture units. |                          |



| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| SR6-6            |                           |                     |                 | Minimum Required Front Yard for a Detached Dwelling – 30m<br>Minimum Required Northerly Setback – 10m<br>Minimum Required Southerly Setback – 70m                             |                          |
| SR6-7            |                           |                     |                 | Minimum Required Front Yard for a Detached Dwelling – 30m<br>Minimum Required Westerly Dock Side Yard Setback – 90m<br>Minimum Required Easterly Dock Side Yard Setback – 12m |                          |
| SR6-8            |                           |                     |                 | Minimum Required Front Yard – 10m<br>Minimum Required Interior Side Yard – 3.7m<br>Maximum Lot Coverage – 7%  |                          |
| SR6-9            | Two Detached Dwellings    |                     |                 | Maximum Combined Gross Floor Area for the Dwelling Units is 346 sq. m.  |                          |
| SR6-11           |                           |                     |                 | Minimum Required Front Yard – 30m<br>Maximum Dwelling Unit Height – 6m  |                          |
| SR6-12           |                           |                     |                 | Minimum Lot Area – 2,884 sq. m.<br>Minimum Lot Frontage – 43 m<br>Minimum Required Front Yard – 10.8m<br>Maximum Dwelling Width – 12m or 28%                                  |                          |
| SR6-13           |                           |                     |                 | Minimum Lot Area – 3,091 sq. m.<br>Minimum Lot Frontage – 43m<br>Minimum Required Front Yard – 23.5m<br>Maximum Dwelling Width – 15m or 34%<br>Maximum Dock Width – 3.2m      |                          |
| SR6-14           |                           |                     |                 | Minimum Front Yard Setback for Building and Tile Bed – 30m  |                          |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---------------------|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| SR6-16           |                           |                     |                 | Minimum Required Front Yard- 30m<br>Maximum Dock Foot Print (Area Covered on the Lake Bed) – 15 sq. m.   |  |
| SR6-17           |                           |                     |                 | Minimum Lot Frontage – 115m<br>Minimum Required Front Yard – 30m<br>Maximum Dock Foot Print (Area Covered on the Lake Bed) – 15 sq. m.   |  |
| SR6-19           |                           |                     |                 | Maximum Boathouse Width – 8.5 m  |  |
| SR6-20           |                           |                     |                 | Minimum Required Front Yard Setback (Proposed Deck): 10.0 metres<br>Minimum Required Front Yard Setback (Main Dwelling Wall): 11.3 metres<br>Minimum Required Front Yard Setback (Proposed Sleeping Cabin): 7.6 metres<br>Maximum Permitted Gross Floor Area of a Dwelling: 300.0 m <sup>2</sup><br>Maximum Permitted Lot Coverage: 9.0% | <p>a) Docks existing as of September 16, 2010, (which then had a maximum cumulative width of 40.2m) are deemed to comply with the provisions of this By-law with respect to cumulative width, dock length, dock width and coverage and may be maintained or replaced in the same locations, provided that neither their individual nor their cumulative width, length, or coverage is increased.</p> <p>b) A boathouse may be permitted to be constructed only on the north dock, with a maximum height of 4m and a maximum width of 5.9m.</p> <p>c) No boathouse is permitted on the dock adjacent to the south-west part of the property at 57 Beverly Street.</p> |
| SR6-21           |                           |                     |                 | Minimum Lot Area – 4,700 sq.m<br>Maximum Cumulative Width of Shoreline Structures – 19 m<br>Maximum Boathouse Width – 10.3 m   |  |
| SR6-30           |                           |                     |                 | Minimum Lot Area - .81ha   |  |
| SR6-31           |                           |                     |                 | Minimum Lot Area - .81ha   | An existing structure within the required front yard setback is permitted prior to the main structure on the property and such structure shall have a maximum floor area of 66 sq. m. and any addition shall only be to the rear of the existing structure, which shall be limited to 4m in height.  |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements                                      | Other Special Provisions   |
| SR6-32           |                           |   |                 |  | Docks are permitted in the locations identified in the registered Site Plan Agreement.                 |
| SR6-50           |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SR6-51           |                           | Legally existing buildings and structures |                 |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 6.9 – SR7 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6  |
|------------------|---------------------------|---------------------|-----------------|---|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
| SR7-1            |                           |                     |                 | Minimum Required Front Yard – 30m   |   |
| SR7-4            |                           |                     |                 | Minimum Required Front Yard – 5 m   |   |
| SR7-12           |                           |                     |                 | Minimum Lot Area - .75ha<br>Minimum Required Southerly Front Yard – 80m   |   |
| SR7-13           |                           |                     |                 | Minimum Lot Area - .75ha<br>Minimum Dock Setback – 5m   | For the purposes of setbacks from the North Shore, Easterly Lot Line, the projected lot line shall project North from where such lot line intersects the 177.4 CGD contour. |
| SR7-21           |                           |                     |                 | Minimum Lot Area – 8,685 sq. m<br>Minimum Lot Frontage – 164 m<br>Minimum Front Yard Setback to Deck – 11 m<br>Minimum Required Front Yard to principle dwelling – 16 m |   |

| Column 1                       | Column 2                  | Column 3                                  | Column 4        | Column 5  | Column 6  |
|--------------------------------|---------------------------|---|-----------------|---|---|
| Exception Number               | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
| SR7-22                         |                           |   |                 | Maximum Dwelling Gross Floor Area – 275 sq. m<br>Minimum Front Yard Setback to Dwelling Deck – 15 m<br>Minimum Required Front Yard to Principle Dwelling – 19 m<br>Minimum Front Yard Setback to Sleeping Cabin Deck – 12 m<br>Minimum Front Yard Setback to Sleeping Cabin – 15 m  |   |
| SR7-50                         |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed.  |
| SR7-51                         |                           | Legally existing buildings and structures |                 |   | Maximum size of existing buildings and structures shall be as legally existed and legally constructed.  |
| SR7-52<br>(previously SRI7-52) |                           |   |                 | Minimum Shoreline Setback for the Leaching Bed Component for Leaching Bed Systems – 20m<br>Minimum Shoreline Setback for the Treatment Unit and Leaching Bed Components for Tertiary Treatment System – 20m<br><br><b><u>Additional Special Zone Requirements:</u></b><br>Minimum Yard Requirments for Buildings, Structures and Uses:<br>Front Yard Setback to Covered Porch – 27.24 m<br><br>Lot Coverage (Maximum) 4.51%<br><br>Maximum Gross Floor Area for a Dwelling (For Lots Greater 5,6000.0m <sup>2</sup> of Lot Area and 70.0metres of Lot Frontage – 449.81m <sup>2</sup> | i) The proposed covered porch shall not be enclosed by walls or windows.<br>ii) The proposed covered porch shall not include a bedroom and/or sleeping area.<br>iii) The proposed covered porch shall not include a bathroom or sanitary facilities |

---



---

**SECTION 7  
SHORELINE RESIDENTIAL ISLAND ZONES**

---



---

**7.1 GENERAL PROHIBITION**

No person shall, within any Shoreline Residential Island (SRI) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**7.2 PERMITTED USES**

Uses permitted in a Shoreline Residential Island (SRI) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 7.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 7.1.

The Shoreline Residential Island (SRI) Zones established by this By-law are as follows:

- SRI1 Shoreline Residential Island Type One
- SRI2 Shoreline Residential Island Type Two
- SRI3 Go Home Bay Shoreline Residential Island
- SRI4 Shoreline Residential Island Type Four
- SRI5 Shoreline Residential Island Type Five
- SRI7 Cognashene Shoreline Residential Island

This By-law purposefully does not include an SRI6 Zone.

Table 7.1

| Column 1           | Column 3     | Column 4 | Column 5 | Column 6 | Column 7 | Column 8 |
|--------------------|--------------|----------|----------|----------|----------|----------|
|                    | <b>ZONES</b> |          |          |          |          |          |
| <b>USE</b>         | SRI1         | SRI2     | SRI3     | SRI4     | SRI5     | SRI7     |
| Dwelling, Detached | √            | √        | √        | √        | √        | √        |

**Footnotes for Table 7.1**

**7.3 ZONE REQUIREMENTS**

No person shall, within any Shoreline Residential Island (SRI) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional zone requirement. These additional standards are listed at the end of each table.

Table 7.2

| Column 1                  | Column 3                    | Column 4                     | Column 5                     | Column 6                    | Column 7        | Column 8  |
|---------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------|---|
| <b>ZONES</b>              |                             |                              |                              |                             |                 |   |
| <b>ZONE REQUIREMENTS</b>  | <b>SRI1</b>                 | <b>SRI2</b>                  | <b>SRI3</b>                  | <b>SRI4</b>                 | <b>SRI5</b>     | <b>SRI7</b>   |
| Lot Area (Minimum)        | 4,000 m <sup>2</sup><br>(4) | 10,000 m <sup>2</sup><br>(4) | 14,000 m <sup>2</sup><br>(4) | 4,000 m <sup>2</sup><br>(4) | Existing<br>(4) | 10,000 m <sup>2</sup><br>(4)                        |
| Lot Frontage (Minimum):   | 60 m (6)                    | 120 m (6)                    | 210 m                        | 60 m                        | Existing        | 180 m   |
| Lot Coverage (Maximum)    | 7%                          | 5%                           | 5% (2)(5)                    | 5% (1)                      | 5% (1)          | 5% (1)  |
| Required Yards (Minimum): |                             |                              |                              |                             |                 |   |
| Front Yard                | 20 m                        | 20 m                         | 20 m (3)                     | 30 m                        | 20 m            | 20 m  |
| Exterior Side Yard        | 8 m                         | 8 m                          | 8 m                          | 10 m                        | 8 m             | 8 m   |
| Rear Yard                 | 10 m                        | 10 m                         | 10 m                         | N/A                         | 10 m            | 10 m  |
| Interior Side Yard        | 5 m                         | 5 m                          | 8 m                          | 5 m                         | 5 m             | 5 m   |
| Building Height (Maximum) | 8 m                         | 8 m                          | 6 m                          | 8 m                         | 8 m             | 7 m or one and one-half storey, whichever is lesser |

**Footnotes for Table 7.2**

- (1) Within the SRI7, SRI5 and the SRI4 Zones within the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, for buildings, structures and decks greater than 1.2 metres in height constructed within 90 metres of the high water mark abutting the lot, lot coverage shall be based on that portion of the lot area within 90 metres of the high water mark abutting the lot. For all buildings, structures and decks greater than 1.2 metres in height and constructed more than 90 metres from the high water mark abutting the lot, lot coverage shall be based on the total lot area and shall also include buildings, structures and decks greater than 1.2 metres in height within 90 metres of the high water mark.
- (2) Where buildings or structures are located wholly or partially within 60 metres of the high water mark, the maximum lot coverage for those buildings and structures in the, SRI3 Zone shall be in accordance with Table 7.2 and based on the lot area of the lot within 60 metres of the high water mark. For all buildings and structures constructed on the lot beyond 60 metres from the high water mark abutting the lot, lot coverage shall be based on the total lot area and shall also include buildings or structures located wholly or partially within 60 metres of the high water mark.
- (3) On lots in the SRI3 Zone, all buildings and structures shall be setback a minimum of 20 metres from the 177.4 CGD contour.
- (4) All vacant lots on islands that are contemplated for development in accordance with the provisions of this Plan shall be placed in a Holding Two (H2) Zone in accordance with Section 18, and shall require the completion of a survey to confirm the lot area that is above the specified contour, and to confirm the location of the high water mark.
- (5) On lots in the SRI3 Zone, all decks shall be included in the determination of lot coverage, regardless of height.
- (6) On lots in the Wah Wah Taysee Waterfront Community, as delineated on Schedule A of this By-law, the minimum lot frontage shall be 210 metres.

## **7.4 ADDITIONAL REGULATIONS FOR SHORELINE RESIDENTIAL ISLAND (SRI) ZONES**

### **7.4.1 Maximum Gross Floor Area for a Dwelling**

- a) SRI3 Zone
  - 200 square metres
- b) Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law
  - Lots less than 5,600 square metres of total lot area or less than 70 metres of lot frontage – 140 square metres
- c) Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law
  - Lots more than 5,600 square metres of total lot area and more than 70 metres lot frontage - 25 square metres per 1000 square metres of lot area or 2 square metres per metre of lot frontage, whichever is more restrictive. In no case shall a dwelling exceed a gross floor area of 325 square metres.
- d) Shoreline Residential Island (SRI) Zones in the Wah Wah Taysee Coastal Waterfront Community, as delineated on Schedule A of this By-law
  - Calculated based on 20 square metres of gross floor area per 1,000 square metres of lot area or 1.25 square metres of gross floor area per metre of lot frontage, whichever is more restrictive. In no case shall a dwelling exceed a gross floor area of 300 square metres.

### **7.4.2 Maximum Width of a Dwelling**

- a) Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law
  - 25 percent of lot frontage or 25 metres, whichever is more restrictive.

### **7.4.3 Minimum Undisturbed Open Space**

- a) In Shoreline Residential Island (SRI) Zones in the Cognashene Coastal Waterfront Community, as delineated on Schedule A of this By-law, the minimum amount of undisturbed Open Space shall be 75% of the lot area above the high water mark.

**7.4.4 Maximum Area of Decks Greater than 1.2 Metres in Height**

- a) SRI3 Zone
  - 60 square metres.

**7.4.5 Maximum Cumulative Area of Decks and Free-standing Decks**

- b) SRI3 Zone
  - 200 square metres.



## 7.5 SHORELINE RESIDENTIAL ISLAND (SRI) ZONES – EXCEPTIONS

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 7.3 to Table 7.9 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 7.3 – SRI1 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| SRI1-1           |                           |   |                 | Minimum Required Front Yard– 30m   |  |
| SRI1-3           |                           |   |                 | Maximum Length of Docks – 43m  |  |
| SRI1-12          |                           |   |                 | Minimum Required South Shore Front Yard – 9.5m<br>Minimum Required North Shore Front Yard– 15.5m   |  |
| SRI1-31          |                           |   |                 | Minimum Lot Area – 3,800 sq. m.<br>Minimum Required Front Yard – 7.5m<br>Maximum Lot Coverage – 5.5%<br>Maximum Building Height – 5m<br>Maximum Gross Floor Area of Dwelling Unit – 171 sq. m. |  |
| SRI1-32          | Home Occupation           |   |                 |  | In addition to the residents of the dwelling, the Home Occupation may have a maximum of four employees who are not residents of the dwelling.<br><br>Not more than 186 square metres (2,000 square feet) of gross floor area shall be used for the purposes of a Home Occupation, and such Home Occupation may be permitted entirely within a detached building on the premises that is not the dwelling or dwelling unit. |
| SRI1-50          |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing   | Maximum size of existing buildings and structures shall be as legally existed and legally constructed.   |
| SRI1-51          |                           | Legally existing buildings and structures |                 |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed.   |

TABLE 7.4 – SRI2 EXCEPTIONS

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---------------------|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| SRI2-1           |                           |                     |                 |  | The privy and any building or structure on Island 195 shall not be expanded or altered and there shall be no further plumbing hookups to the holding tank  |
| SRI2-2           |                           |                     |                 | Minimum Opening Elevation of All Buildings – 178.8 CGD   |  |
| SRI2-8           |                           |                     |                 | Minimum Required Front Yard – 11m  |  |
| SRI2-19          | Three Sleeping Cabins     |                     |                 | Maximum Combined Floor Area of Sleeping Cabins – 153 sq. m.  |  |
| SRI2-21          |                           |                     |                 | Minimum Lot Frontage – 114m  |  |
| SRI2-25          |                           |                     |                 | Minimum Required Front Yard– 8m<br>Maximum Gross Floor Area of Dwelling Unit – 111.5 sq. m.  |  |
| SRI2-26          |                           |                     |                 | Maximum Gross Floor Area of Dwelling Unit – 168 sq. m.<br>Maximum Floor Area of Sleeping Cabin – 74 sq. m.<br>Maximum Floor Area of Boathouse – 51 sq. m.  |  |
| SRI2-36          |                           |                     |                 | Minimum Required Easterly Front Yard – 30m   |  |
| SRI2-37          |                           |                     |                 | Minimum Interior Side Yard Setback for a Dock, Boathouse or Boat port from the South Property Line – 60m   |  |
| SRI2-43          |                           |                     |                 | a) Minimum Lot Area – 1.0 ha<br>b) Minimum Lot Frontage – 120m<br>c) Maximum Lot Coverage – 5% subject to the following: <ul style="list-style-type: none"> <li>For buildings constructed within 90m of the High Water Mark abutting the lot, lot coverage shall be based on that portion</li> </ul> | <b>Boathouse, Dryland</b> means an accessory building or structure used for the sheltering and storage of boats or other forms of water transportation and boating equipment, located inland of the High Water Mark (177.44 CGD) |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6  |
|------------------|---------------------------|---------------------|-----------------|---|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
|                  |                           |                     |                 | <p>of the lot area within 90m of the High Water Mark abutting the lot.</p> <ul style="list-style-type: none"> <li>For all buildings and structures constructed on the lot beyond 90m from the High Water Mark abutting the lot, the lot coverage shall be based on the total lot area.</li> </ul> <p>d) Maximum Number of Storeys for a Dwelling – 1.5</p> <p>e) Maximum Gross Floor Area for a Dwelling – 25 sq. m. per 1,000 sq. m. of lot area or 2.0 sq. m. per 1.0m of lot frontage to a maximum of 325 sq. m. whichever is the lesser</p> <p>f) Notwithstanding e) above, Minimum Required Gross Floor Area for a Dwelling -93 sq. m.</p> <p>g) Maximum number of permitted dry land boathouses and boat ports on lots with a minimum frontage of 120m – 1</p> <p>h) Maximum number of tool sheds less than 10 sq. m. – 1</p> <p>i) Minimum lot frontages for dry land boathouse or boat port – 120m</p> <p>j) Maximum number of permitted dry land boathouses and boat ports on lots with less than 120m of frontage – nil</p> <p>k) Maximum number of permitted in-water boathouses – nil</p> <p>l) Maximum length of a boat port – 12.2m</p> <p>m) Maximum width of a boat port – 10.2m</p> <p>n) Maximum height of a boat port – 5m above the water’s surface</p> <p>o) Maximum area of a dry land boathouse within 20m of the shoreline – 30 sq. m.</p> <p>p) Maximum width of a dock – 4m</p> <p>q) Maximum length of a dock – 20m</p> <p>r) Maximum number of docks where lot frontage is 122m or less – 2</p> <p>s) Maximum number of docks where lot frontage is 122.1m or greater – 2 plus 1 per 61m of</p> | <p><b>Boat Port</b> means a floating accessory structure, which is designed and used for the sheltering of a boat or other forms of water transportation. Such structures shall not be enclosed by any walls or have a flat roof.</p> <p><b>Storey, One-Half</b> means that portion of a building situated above the first storey that is wholly or in part within the roof and having a floor area not exceeding more than 60 percent of the floor area of the first storey.</p> |

| Column 1         | Column 2                  | Column 3   | Column 4        | Column 5   | Column 6  |
|------------------|---------------------------|--|-----------------|--|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                              | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
|                  |                           |  |                 | <p>frontage to a maximum of 4.</p> <p>t) Maximum cumulative width of all docks, boathouses and boat ports – 15% of the total lot shoreline, or 20m plus 10% of frontage in excess of 120m, whichever is the lesser.</p> <p>u) Minimum required setback for all septic systems – 30m</p> <p>v) Notwithstanding t) above, a visual barrier in the form of a landscaping strip of unpierced hedgerow of trees, evergreens or shrubs or solid fencing not less than 1.5m high shall be provided immediately adjacent to and generally encircling a Class 5 – Holding Tank, in order to provide a visual barrier form adjacent properties and the waterfront.</p> <p>w) The use of flat roofs is prohibited on all boathouses and boat ports.</p> |   |
| SRI2-44          |                           |  |                 | <p>Minimum Required Front Yard– 8.5m</p> <p>Minimum Front Yard Setback for Sleeping Cabin – 6m</p> <p>Maximum Lot Coverage – 5.7%</p>  |   |
| SRI2-47          |                           |  |                 | <p>No Docks or Boathouses shall be permitted on and/or appertaining to the south-east shoreline</p> <p>Maximum Number of Docks – 1</p>   |   |
| SRI2-48          |                           |  |                 | <p>Maximum Number of Docks – 1</p>   |   |
| SRI2-49          |                           |  |                 | <p>Minimum Required Front Yard – 10m</p>   |   |
| SRI2-50          |                           | <p>Legally existing buildings and structures</p> |                 | <p>Minimum Lot Area – Existing</p> <p>Minimum Lot Frontage – Existing</p>  | <p>Maximum size of existing buildings and structures shall be as legally existed and legally constructed.</p> |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5                  | Column 6   |
|------------------|---------------------------|---|-----------------|---------------------------|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements | Other Special Provisions   |
| SRI2-51          |                           | Legally existing buildings and structures |                 |                           | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 7.5 – SRI3 EXCEPTIONS**

| Column 1         | Column 2   | Column 3                          | Column 4        | Column 5  | Column 6   |
|------------------|--|-----------------------------------|-----------------|---|--|
| Exception Number | Additional Permitted Uses                        | Only Uses Permitted               | Uses Prohibited | Special Zone Requirements   | Other Special Provisions   |
| SRI3-10          |  | Dwelling, Detached Sleeping Cabin |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing<br>Minimum Required Interior Side Yard– 5m<br>Minimum Building Height – 8m   |  |
| SRI3-12          |  |                                   |                 | Minimum Lot Frontage – 125m<br>A Dwelling Unit shall be a permitted use within the Building Envelope indicated on Schedule A of By-law 2008-49, as outlined in Appendix D of this By-law.<br>A Sleeping Cabin shall be a permitted use within the Cabin Envelope indicated on Schedule A of By-law 2008-49, as outlined in Appendix D of this By-law.<br>A Septic System shall be a permitted use within the Septic Envelope indicated on Schedule A of By-law 2008-49, as outlined in Appendix D of this By-law. | An Accessory Boathouse shall be a permitted accessory use prior to the completion of the main principle building within the Boathouse Envelope indicated on Schedule A of By-law 2008-49 |
| SRI3-34          | Kitchen Facilities are permitted within Sleeping |                                   |                 | Maximum Number of Dwelling Units – 1<br>Maximum Number of Sleeping Cabins – 3   |  |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements                                      | Other Special Provisions   |
|                  | Cabins                    |   |                 |  |  |
| SRI3-50          |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SRI3-51          |                           | Legally existing buildings and structures |                 |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 7.6 – SRI4 EXPECTATIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
| SRI4-1           |                           |                     |                 | Maximum Number of Dwelling Units – 22<br>Maximum number of docks – 22<br>Maximum cumulative width of docks and boathouses – 200m   |                          |
| SRI4-4           |                           |                     |                 | Minimum Lot Area – 10,000 sq. m. per unit<br>Minimum Lot Frontage – 120m per unit  |                          |
| SRI4-5           |                           |                     |                 | Minimum Lot Area – 10,000 sq .m. per unit<br>Minimum Lot Frontage – 120m per unit<br>Regulations for permitted uses are the regulations that apply to the SR7 Zone.              |                          |
| SRI4-6           |                           |                     |                 | Minimum Lot Area – 10,000 sq. m. per unit<br>Minimum Lot Frontage – 120m per unit<br>Maximum Number of Dwelling Units – 16<br>Regulations for permitted uses are the regulations |                          |

| Column 1         | Column 2                       | Column 3                                  | Column 4        | Column 5  | Column 6   |
|------------------|--------------------------------|---|-----------------|---|--|
| Exception Number | Additional Permitted Uses      | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements   | Other Special Provisions   |
|                  |                                |   |                 | that apply to the SR7 Zone  |  |
| SRI4-8           | Cluster Development on One Lot |   |                 | Minimum Lot Area – 10,000 sq.m. per unit<br>Minimum Lot Frontage – 120m per unit<br>Minimum Required Front Yard – 20m<br>Minimum Required Interior Side Yard S – 5m<br>Minimum Required Exterior Side Yard – 20m<br>Minimum Required Rear Yard – 10m<br>Maximum Number of Boat slips – 14<br>Maximum Number of Dwelling Units – 6 |  |
| SRI4-11          |                                |   |                 | Minimum Lot Area – 2.5ha per unit<br>Minimum Frontage – 100m per unit<br>Maximum Floor Area Per Dwelling Unit – 250 sq. m.<br>Maximum Number of Boat Slips – 8<br><br>Regulations for permitted uses are the regulations that apply to the SR7 Zone   |  |
| SRI4-50          |                                | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SRI4-51          |                                | Legally existing buildings and structures |                 |   | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |



**TABLE 7.7 – SRI5 EXCEPTIONS**

| Column 1         | Column 2  | Column 3            | Column 4        | Column 5  | Column 6  |
|------------------|---|---------------------|-----------------|---|---|
| Exception Number | Additional Permitted Uses   | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
| SRI5-2           |   |                     |                 | <p>Minimum Lot Area – 20ha<br/>                     Minimum Lot Frontage – 350m</p> | <p>The maximum cumulative area of freestanding decks shall be 60 square metres.</p> <p>Each dock shall be allowed an attached deck with a maximum 20 square metres of area. The attached deck may be setback 0 metres from the Environmental Protection Zone boundary</p> <p>One boat lift and one dock ramp shall be permitted</p> <p>One dock may be extended to achieve a minimum water depth of 1.2 metres</p> <p>The maximum gross floor area of a detached garage shall be 112 square metres</p> <p>Section 4.6 of By-law 2014-75 shall not apply</p> <p>A Home Occupation shall be a permitted use.</p> <p>An expansion to a legally existing shoreline dwelling shall be permitted a maximum height of 8.0 metres.</p> <p>Passive Outdoor Recreation and Landscaping shall be permitted within the Shoreline Activity Area and the Natural State Shoreline Area.</p> <p>Passive Outdoor Recreation is permitted within the Open Space (OS), Crown Land (CL), Environmental Protection- Provincially Significant Wetland (EP-PSW) and Lakeside (LS) zones.</p> |
| SRI5-3           | <p>Two Detached Dwellings<br/>                     A Sleeping Cabin</p> |                     |                 | <p>Minimum Lot Area – 20ha<br/>                     Minimum Lot Frontage – 350m</p> | <p>The maximum cumulative area of freestanding decks shall be 60 square metres.</p> <p>Each dock shall be allowed an attached deck with a maximum 20 square metres of area. The attached deck may be setback 0 metres from the Environmental Protection Zone</p>  |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6  |
|------------------|---------------------------|---------------------|-----------------|--|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
|                  |                           |                     |                 |  | <p>boundary</p> <p>One boat lift and one dock ramp shall be permitted</p> <p>One dock may be extended to achieve a minimum water depth of 1.2 metres</p> <p>The maximum gross floor area of a detached garage shall be 112 square metres</p> <p>Section 4.6 of By-law 2014-75 shall not apply</p> <p>A Home Occupation shall be a permitted use.</p> <p>An expansion to a legally existing shoreline dwelling shall be permitted a maximum height of 8.0 metres.</p> <p>Passive Outdoor Recreation and Landscaping shall be permitted within the Shoreline Activity Area and the Natural State Shoreline Area.</p> <p>Passive Outdoor Recreation is permitted within the Open Space (OS), Crown Land (CL), Environmental Protection- Provincially Significant Wetland (EP-PSW) and Lakeside (LS) zones.</p> |
| SRI5-12          |                           |                     |                 | <p>Minimum Lot Area – Existing</p> <p>Minimum Lot Frontage – Existing</p> <p>Regulations for permitted uses are the regulations that apply to the SRI7 Zone</p>  |   |
| SRI5-13          |                           |                     |                 | <p>Minimum Lot Area – Existing</p> <p>Minimum Lot Frontage – Existing</p> <p>Regulations for permitted uses are the regulations that apply to the SRI7 Zone, with the exception that the maximum height of dwelling units shall be one storey.</p> |   |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---------------------|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| SRI5-14          |                           |                     |                 | <p>Notwithstanding the yard requirements and setback requirements of this By-law, on lands within the SRI5-14 Zone, dwellings, septic systems and accessory structures, with the exception of one shoreline dock on each lot, shall only be located within the building envelope as identified on Map 99A, of Schedule A to this By-law. Within the building envelope identified on Map 99A, the minimum separation distance between buildings shall be 2 metres.</p> <p>In the SRI5-14 Zone the minimum interior side yard requirement shall be 2 metres.</p> <p>The building envelope identified on Map 99A may be expanded prior to the entering of a Site Plan Control Agreement, pursuant to the Ecologist review as required in Section 12 of the Subdivision Agreement, as amended.</p> |  |
| SRI5-15          |                           |                     |                 | <p>All Lands Zoned SRI5-15 shall be retained in its Natural State. However, a 3m wide access path, constructed of natural materials such as stone or mulch, to the lake shall be permitted.</p> <p>Shoreline development on each lot shall be limited to one dock and located as identified on Map 99A of Schedule A to this By-law.</p>   | <p>Definitions</p> <p><b>Natural State:</b> Lands that abut the water's edge which are retained in a natural vegetated state, except for vista pruning or removal of dying, dead, decaying or diseased trees.</p>  |
| SRI5-16          |                           |                     |                 | <p>a) Minimum Lot Area – 1.0 ha<br/> b) Minimum Lot Frontage – 120m<br/> c) Maximum Lot Coverage – 5% subject to the following:</p> <ul style="list-style-type: none"> <li>For buildings constructed within 90m of the High Water Mark abutting the lot, lot coverage shall be based on that portion of the lot area within 90m of the High</li> </ul>   | <p><b>Boathouse, Dryland</b> means an accessory building or structure used for the sheltering and storage of boats or other forms of water transportation and boating equipment, located inland of the High Water Mark (177.44 CGD)</p> <p><b>Boat Port</b> means a floating accessory structure, which is designed and used for the</p> |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6  |
|------------------|---------------------------|---------------------|-----------------|---|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
|                  |                           |                     |                 | <p>Water Mark abutting the lot.</p> <ul style="list-style-type: none"> <li>For all buildings and structures constructed on the lot beyond 90m from the High Water Mark abutting the lot, the lot coverage shall be based on the total lot area.</li> </ul> <p>d) Maximum Number of Storeys for a Dwelling – 1.5</p> <p>e) Maximum Gross Floor Area for a Dwelling – 25 sq. m. per 1,000 sq. m. of lot area or 2.0 sq. m. per 1.0m of lot frontage to a maximum of 325 sq. m. whichever is the lesser</p> <p>f) Notwithstanding e) above, Minimum Required Gross Floor Area for a Dwelling -93 sq. m.</p> <p>g) Maximum number of permitted dry land boathouses and boat ports on lots with a minimum frontage of 120m – 1</p> <p>h) Maximum number of tool sheds less than 10 sq. m. – 1</p> <p>i) Minimum lot frontages for dry land boathouse or boat port – 120m</p> <p>j) Maximum number of permitted dry land boathouses and boat ports on lots with less than 120m of frontage – nil</p> <p>k) Maximum number of permitted in-water boathouses – nil</p> <p>l) Maximum length of a boat port – 12.2m</p> <p>m) Maximum width of a boat port – 10.2m</p> <p>n) Maximum height of a boat port – 5m above the water’s surface</p> <p>o) Maximum area of a dry land boathouse within 20m of the shoreline – 30 sq. m.</p> <p>p) Maximum width of a dock – 4m</p> <p>q) Maximum length of a dock – 20m</p> | <p>sheltering of a boat or other forms of water transportation. Such structures shall not be enclosed by any walls or have a flat roof.</p> <p><b>Storey, One-Half</b> means that portion of a building situated above the first storey that is wholly or in part within the roof and having a floor area not exceeding more than 60 percent of the floor area of the first storey.</p> |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
|                  |                           |   |                 | <p>r) Maximum number of docks where lot frontage is 122m or less – 2</p> <p>s) Maximum number of docks where lot frontage is 122.1m or greater – 2 plus 1 per 61m of frontage to a maximum of 4.</p> <p>t) Maximum cumulative width of all docks, boathouses and boat ports – 15% of the total lot shoreline, or 20m plus 10% of frontage in excess of 120m, whichever is the lesser.</p> <p>u) Minimum required setback for all septic systems – 30m</p> <p>v) Notwithstanding t) above, a visual barrier in the form of a landscaping strip of unpierced hedgerow of trees, evergreens or shrubs or solid fencing not less than 1.5m high shall be provided immediately adjacent to and generally encircling a Class 5 – Holding Tank, in order to provide a visual barrier form adjacent properties and the waterfront.</p> <p>w) The use of flat roofs is prohibited on all boathouses and boat ports.</p> |  |
| SR15-50          |                           | Legally existing buildings and structures |                 | <p>Minimum Lot Area – Existing</p> <p>Minimum Lot Frontage – Existing</p>  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |
| SR15-51          |                           | Legally existing buildings and structures |                 |  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 7.8 – SRI7 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3  | Column 4        | Column 5   | Column 6  |
|------------------|---------------------------|---|-----------------|--|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                                   | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
| SRI7-1           |                           |   |                 | Minimum Required Front Yard – 30 m   |   |
| SRI7-2           |                           |   |                 | Maximum Height of Dwelling Unit – 6m and one storey  |   |
| SRI7-5           |                           |   |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing<br>Minimum Front Yard Setback – 18m   |   |
| SRI7-6           |                           |   |                 | Minimum Lot Frontage 110m<br>Minimum Required Westerly Front Yard – 110m<br>Minimum Required Easterly Front Yard -10 m [THIS PROVISION SHALL ONLY COME INTO EFFECT UPON AGREEMENT OF A SITE PLAN, AS PER OMB ORDER.] |   |
| SRI7-7           |                           | Dwelling, Detached<br>Sleeping Cabin<br>Septic System |                 | Minimum Required Front Yard – 25m  | Envelopes for the dwelling unit, accessory sleeping cabin and private sewage disposal system are identified on the schedule attached to By-law 99-72. |
| SRI7-9           |                           |   |                 | Maximum Height of a Dwelling Unit – 6m   |   |
| SRI7-10          |                           |   |                 | Minimum Lot Frontage – 80m   |   |
| SRI7-11          |                           |   |                 | Minimum Required Front Yard – 10m<br>Maximum Gross Floor Area of Dwelling Unit – 158 sq.m.   |   |
| SRI7-14          |                           |   |                 | Minimum Lot Area - .28ha<br>Minimum Lot Frontage – 34m   |   |
| SRI7-15          |                           |   |                 | Minimum Lot Area - .26ha<br>Minimum Lot Frontage – 60m   |   |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| SRI7-16          |                           |                     |                 | Minimum Lot Frontage – 120m<br>Minimum Required Front Yard for All Structures on the Easterly Shoreline – 30m<br>Maximum Number of Docks permitted on the Easterly Shoreline – 1  |                          |
| SRI7-17          |                           |                     |                 | Minimum Front Yard Setback for All Structures on the Easterly Shoreline – 30m<br>Maximum Number of Docks permitted on the Easterly Shoreline – 1  |                          |
| SRI7-18          |                           |                     |                 | Minimum Lot Frontage – 170m   |                          |
| SRI7-19          |                           |                     |                 | Minimum Required Front Yard– 25m<br>Minimum Front Yard Setback of Septic System– 30m  |                          |
| SRI7-20          |                           |                     |                 | Maximum Number of Dwelling Units – 2<br>Maximum Number of Sleeping Cabins – 2<br>Maximum Gross Floor Area per Dwelling Unit – 250 sq. m.<br>Maximum Height of Dwelling Unit – One Storey and 6m<br>All buildings shall have a minimum opening elevation of 178.8 CGD. |                          |
| SRI7-21          |                           |                     |                 | Minimum Required Front Yard – Existing<br>Maximum Lot Coverage – Existing   |                          |
| SRI7-22          |                           |                     |                 | Minimum Required Front Yard – 12m   |                          |
| SRI7-23          |                           |                     |                 | Maximum Dock Length Protruding into Hang Dog Channel – 10 m   |                          |
| SRI7-29          |                           |                     |                 | Maximum Gross Floor Area of Dwelling Unit – 150 sq. m.<br>Maximum Floor Area of Sleeping Cabin – 41 sq. m.<br>Maximum Floor Area of Boathouse –29.5 sq. m.<br>Maximum Floor Area of Boat port –19 sq. m.  |                          |

| Column 1         | Column 2                  | Column 3                                  | Column 4        | Column 5  | Column 6  |
|------------------|---------------------------|---|-----------------|---|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted                       | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
| SRI7-30          |                           |   |                 | Maximum Gross Floor Area of Dwelling Unit – 2,500 sq. ft.<br>Maximum Height of Dwelling Unit – 5.5m<br>Minimum Required Front Yard – 3.5m<br>Minimum Deck Setback – 4m<br>Maximum Width of Dwelling Unit – 72ft |   |
| SRI7-32          |                           |   |                 | Maximum Gross Floor Area of Dwelling Unit – 120 sq. m.<br>Maximum Floor Area of Storage Shed – 10 sq. m.  |   |
| SRI7-33          |                           |   |                 | Minimum Lot Area - .24ha<br>Minimum Lot Frontage – 30m  |   |
| SRI7-35          |                           |   |                 | Maximum Dock Length – 15m<br>Maximum Distance of Dock from Easterly Lot Line – 60m  |   |
| SRI7-50          |                           | Legally existing buildings and structures |                 | Minimum Lot Area – Existing<br>Minimum Lot Frontage – Existing  | Maximum size of existing buildings and structures shall be as legally existed and legally constructed.  |
| SRI7-51          |                           | Legally existing buildings and structures |                 |   | Maximum size of existing buildings and structures shall be as legally existed and legally constructed.  |
| SRI7-53          |                           |   |                 |   | Site Plan Control Approval is required prior to the site alteration or development of these lands, implementing the recommended mitigation measures for lot and dock development, pursuant to the Environmental Impact, as prepared by Michalski Nielsen Associates Limited (September 2015). |



| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                  |                           |                     |                 |                           |                          |

---



---

**SECTION 8  
RESIDENTIAL ZONES**

---



---

**8.1 GENERAL PROHIBITION**

No person shall, within any Residential (R, BR & RMH) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**8.2 PERMITTED USES**

Uses permitted in a Residential (R, BR & RMH) Zone are noted by the symbol '✓' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 8.1. A number(s) following the symbol '✓', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 8.1.

The Residential (R, BR & RMH) Zones Established by this By-law are as follows:

- R1 Residential Type One
- R2 Residential Type Two
- R3 Residential Type Three
- R4 Residential Type Four
- R5 Residential Type Five
- RMH Residential Mobile Home
- BR Back Lot Residential

Table 8.1

| Column 1                | Column 2     | Column 3 | Column 4 | Column 5 | Column 6 | Column 7 | Column 8 |
|-------------------------|--------------|----------|----------|----------|----------|----------|----------|
|                         | <b>ZONES</b> |          |          |          |          |          |          |
| <b>USE</b>              | R1           | R2       | R3       | R4       | R5       | RMH      | BR       |
| Dwelling, Detached      | ✓            | ✓        | ✓        | ✓        | ✓        |          | ✓        |
| Dwelling, Semi-detached |              |          |          |          | ✓        |          |          |
| Dwelling, Duplex        |              |          |          |          | ✓        |          |          |
| Dwelling, Mobile Home   |              |          |          |          |          | ✓        |          |
| Secondary Dwelling Unit | ✓            | ✓        | ✓        | ✓        | ✓        |          |          |
| Group Home              | ✓            | ✓        | ✓        | ✓        | ✓        |          |          |
| Home Occupation         | ✓            | ✓        | ✓        | ✓        | ✓        |          | ✓        |

### 8.3 ZONE REQUIREMENTS

No person shall within any Residential (R, BR & RMH) Zone use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional Zone requirement. These additional standards are listed in the Footnotes at the end of each table.

TABLE 8.2

| Column 1   | Column 2             | Column 3             | Column 4             | Column 5                        | Column 6                                      | Column 7                         | Column 8 |
|--|----------------------|----------------------|----------------------|---------------------------------|---|----------------------------------|----------|
|  | <b>ZONES</b>         |                      |                      |                                 |   |                                  |          |
| <b>ZONE REQUIREMENTS</b>   | R1                   | R2                   | R3                   | R4                              | R5  | RMH                              | BR       |
| Lot Area (Minimum)   | 4,000 m <sup>2</sup> | 3,000 m <sup>2</sup> | 2,000 m <sup>2</sup> | 700 m <sup>2</sup>              | 465 m <sup>2</sup><br>per<br>dwelling<br>unit | 2.0 ha                           | 4.0 ha   |
| Lot Frontage (Minimum):  | 60 m                 | 40 m (3)             | 30 m (3)             | 20 m (3)                        | 15 m per<br>dwelling<br>unit                  | 30 m<br>plus 10<br>m per<br>unit | 200 m    |
| Lot Coverage (Maximum)   | 10%                  | 10%                  | 10%                  | 30%                             | 30%   | 10%                              | 55%      |
| Required Yards (Minimum):  |                      |                      |                      |                                 |   |                                  |          |
| Front Yard   | 7.5 m(1)             | 7.5 m(1)             | 7.5 m(1)             | 7.5 m (1)                       | 7.5 m(1)                                      | 10 m(1)                          | 20 m     |
| Exterior Side Yard   | 7.5 m                | 7.5 m                | 7.5 m                | 7.5 m                           | 7.5 m   | 10 m                             |          |
| Rear Yard  | 7.5 m                | 7.5 m                | 7.5 m                | 7.5 m                           | 7.5 m   | 10 m                             | 10 m     |
| Interior Side Yard   | 2 m                  | 2 m                  | 2 m                  | 2 m                             | 2 m (2)                                       | 5 m                              | 20 m     |
| Building Height (Maximum)  | 10 m                 | 10 m                 | 10 m                 | 7.5 m                           | 10 m  | 5 m                              | 10 m     |
| Road Frontage (Minimum)  | 60 m                 | 40 m                 | N/A                  | N/A                             | N/A   | N/A                              | N/A      |
| Dock Length (Maximum)  | 15 m                 | 15 m                 | 15 m                 | 15 m                            | 15 m  | N/A                              | N/A      |
| Required Services  | N/A                  | N/A                  | N/A                  | Municipal<br>Sewer and<br>Water | Municipal<br>Sewer and<br>Water               | N/A                              | N/A      |
| Site Area within a Mobile Home Park (Minimum)                          | N/A                  | N/A                  | N/A                  | N/A                             | N/A   | 1,000 m <sup>2</sup>             | N/A      |
| Setbacks within an individual Site within a Mobile Park Home (Minimum) | N/A                  | N/A                  | N/A                  | N/A                             | N/A   | 2 m                              | N/A      |

**Footnotes for Table 8.2**

- (1) Except where a front yard abuts a navigable waterway, in which case, the minimum front yard setback shall be 20 metres.
- (2) Except for a common wall.
- (3) If an R2, R3 or R4 zone abuts a waterbody, the minimum frontage shall be 60 metres.

#### **8.4 RESIDENTIAL (R, BR & RMH) ZONES - EXCEPTIONS**

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 8.3 to Table 8.9 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the zone requirements for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

Table 8.3 – R1 EXCEPTIONS

| Column 1         | Column 2  | Column 3            | Column 4        | Column 5  | Column 6  |
|------------------|---|---------------------|-----------------|---|---|
| Exception Number | Additional Permitted Uses   | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
| R1-1             | Parking, repair and storage of vehicular equipment<br>Equipment and material storage area |                     |                 | Minimum Lot Frontage – 15m<br>Special provisions for the parking, storage and repair yard:<br>1) The parking, storage and repair yard must be located in the rear yard.<br>2) Minimum Required Front Yard – 35m<br>3) Minimum Required West Side Yard – 160 m<br>4) Minimum Required East Side Yard – 4m<br>5) Minimum Required Rear Yard– 5 m<br>6) Maximum Parking, Storage and Repair Area – 1,100 sq. m | Parking, repair and storage of vehicular equipment – means a specially designated area where the owner/operator parks, stores and repair vehicular construction equipment such as dump trucks, tractors, bulldozers, backhoes, trailers and floats. |
| R1-3             | Two Existing Detached Dwellings   |                     |                 | Minimum Lot Area – 4,500 sq. m.<br>Minimum Lot Frontage – 45m   |   |
| R1-7             | Home Industry Storage Area  |                     |                 | Minimum Lot Area - .8ha<br>Minimum Yard Setback for Accessory Home Industry Building (All Yards) – 3m<br>Minimum Separation Distance from a Shoreline Residential (SR), Shoreline Residential Island (SRI), Residential (R, BR & RMH) and Multiple Residential (RM) Zone – 3m<br>Minimum separation from dwelling unit in existence on another lot – 10m<br>Minimum Required Front Yard– 20m                |   |
| R1-10            | Bed and Breakfast Establishment   |                     |                 | Maximum Number of Bedrooms Rented in the Bed and Breakfast Establishment – 4  |   |
| R1-12            |   |                     |                 | An Accessory Building Shall be Permitted in the Front Yard<br>Minimum Required Exterior Side Yard – 3m<br>Maximum Lot Coverage – 12%  |   |

| Column 1         | Column 2                  | Column 3  | Column 4   | Column 5  | Column 6                 |
|------------------|---------------------------|---|--|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted   | Uses Prohibited  | Special Zone Requirements   | Other Special Provisions |
| R1-14            |                           |   |  | Minimum Lot Area – 3,000 sq. m.<br>Minimum Lot Frontage – 35m<br>Minimum Required Front Yard – 10m<br>Minimum Required Interior Side Yard – 3m<br>Minimum Required Rear Yard – 10m<br>Maximum Lot Coverage – 30%<br>Maximum Building Height – 8m<br>Maximum Dock Length – 15m |                          |
| R1-18            |                           |   |  | Minimum Lot Area – 1.2 ha<br>Minimum Lot Frontage – 110m  |                          |
| R1-19            | Dog Kennel                |   |  | Maximum Number of Dogs – 6<br>Minimum Required Front Yard – 10m<br>Minimum Required Interior and Exterior Side Yards – 10m<br>Minimum Required Rear Yard – 10m<br>Maximum Height of Fence – 2m<br>Minimum Size of Kennel – 30 sq. m.  |                          |
| R1-20            |                           | Dwelling,<br>Detached<br>Public Self<br>Storage<br>Facility<br>Workshop | Outside<br>storage of<br>goods,<br>materials,<br>articles,<br>vessels,<br>and boat<br>trailers | Maximum Lot Coverage – 14%  |                          |
| R1-21 (H)        |                           |   |  | Minimum Lot Area – 540 sq. m.<br>Minimum Lot Frontage – 15m<br>Minimum Required Front Yard – 7.5m<br>Minimum Required Interior Side Yard – 2m<br>Minimum Required Exterior Side Yard – 6m<br>Minimum Required Rear Yard – 7.5m  |                          |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6  |
|------------------|---------------------------|---------------------|-----------------|--|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
|                  |                           |                     |                 | Maximum Lot Coverage – 40%<br>Minimum Landscaped Open Space – 20%<br>Maximum Building Height – 10m<br>Minimum Road Frontage – 15m<br>Maximum Dock Length – 15m   |   |
| R1-22(H)         |                           |                     |                 | Minimum Lot Area – 540 sq. m<br>Minimum Lot Frontage – 15 m<br>Minimum Required Front Yard – 7.5 m<br>Minimum Required Interior Side Yard – 2 m<br>Minimum Required Exterior Side Yard – 6 m<br>Minimum Required Rear Yard – 7.5 m<br>Maximum Lot Coverage – 40%<br>Maximum Height of Buildings – 10 m | All development shall be subject to Site Plan Control pursuant to Section 41 of the Planning Act.   |
| R1-23(H)         |                           |                     |                 | Minimum Lot Area – 540 sq. m<br>Minimum Lot Frontage – 15 m<br>Minimum Required Front Yard – 7.5 m<br>Minimum Required Interior Side Yard – 2 m<br>Minimum Required Exterior Side Yard – 6 m<br>Minimum Required Rear Yard – 7.5 m<br>Maximum Lot Coverage – 40%<br>Maximum Height of Buildings – 10 m | All development shall be subject to Site Plan Control pursuant to Section 41 of the Planning Act.<br><br><b>Definitions:</b><br><b>Lot</b> – a parcel of land described as a whole registered description by the Condominium Act, in which a unit is considered a lot.<br><br><b>Road</b> – means a path or way, including a condominium road, which affords vehicular access to more than one lot and may or may not be owned by a public authority. |
| R1-24(H)         |                           |                     |                 | Minimum Lot Area – 540 sq. m<br>Minimum Lot Frontage – 10 m<br>Minimum Required Front Yard – 7.5 m<br>Minimum Required Interior Side Yard – 2 m  | All development shall be subject to Site Plan Control pursuant to Section 41 of the Planning Act.   |

| Column 1         | Column 2                  | Column 3   | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|--|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted  | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
|                  |                           |  |                 | Minimum Required Exterior Side Yard – 6 m<br>Minimum Required Rear Yard – 7.5 m<br>Maximum Lot Coverage – 40%<br>Maximum Height of Buildings – 10 m  | <b>Definitions:</b><br><b>Lot</b> – a parcel of land described as a whole registered description by the Condominium Act, in which a unit is considered a lot.<br><br><b>Road</b> – means a path or way, including a condominium road, which affords vehicular access to more than one lot and may or may not be owned by a public authority.                 |
| R1-25            |                           |  |                 | Minimum Lot Area – .13ha<br>Minimum Lot Frontage – 45.7m   |  |
| R1-26            |                           |  |                 | Minimum Lot Area – 3,400 sq. m.<br>Minimum Lot Frontage – nil  |  |
| R1-27            |                           | Parking and Storage of Vehicles<br>Equipment and Material Storage Area |                 | The following provisions apply to parking, equipment and material storage:<br>Minimum Required Front Yard (Prisque Road) – 15m<br>Minimum Required North Side Yard – 7.5m<br>Minimum Required Rear Yard – 6m | <b>Equipment and Material Storage Area</b> – a specifically designated area where the owner/operator stores equipment and materials used for the day-to-day operations of a landscaping business.<br><br><b>Parking, or Vehicular Equipment Area</b> – A specifically designated area where the owner/operator parks/stores vehicular construction equipment |
| R1-28            |                           |  |                 | Minimum Lot Area – 2,200 sq. m.<br>Minimum Lot Frontage – 20m  |  |
| R1-29            |                           | Dwelling Units<br>Accessory buildings, Structures                      |                 | Front Yard Setback for storage area - 10m<br>Interior Side Yard for storage area - 5m<br>Rear Yard Setback for storage area - 5m   | Recycled Materials Drop-off Centre - Means a privately-operated development used for the collection and temporary storage of recyclable material. Recyclable materials include, but are not limited to   |



| Column 1         | Column 2                  | Column 3                          | Column 4        | Column 5                  | Column 6  |
|------------------|---------------------------|-----------------------------------|-----------------|---------------------------|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted               | Uses Prohibited | Special Zone Requirements | Other Special Provisions  |
|                  |                           | Recycle Materials Drop-off Centre |                 |                           | cardboard, paper, metal and similar household goods.<br><br>Recyclable material left at the Drop-off Centre shall be periodically removed and taken to larger, permanent recycling operations for final recycling. The Drop-off Centre must operate outdoors. |

TABLE 8.4 – R2 EXCEPTIONS

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                  |                           |                     |                 |                           |                          |

TABLE 8.5 – R3 EXCEPTIONS

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                      | Column 6   |
|------------------|---------------------------|---------------------|-----------------|-------------------------------|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements     | Other Special Provisions   |
| R3-3             |                           |                     |                 | Minimum Lot Frontage – 22.86m | All permitted uses must be connected to water and sewer services |

TABLE 8.6 – R4 EXCPETIONS

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6   |
|------------------|---------------------------|---------------------|-----------------|---|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions   |
| R4-1             |                           |                     |                 | <ul style="list-style-type: none"> <li>a) The minimum required front yard shall be 20m, to be retained in its natural state, shall be maintained on each lot as identified in Schedule B of By-law 2009-80, as outlined in Appendix E of this By-law.</li> <li>b) Despite the above requirement, a 3m wide access path, constructed of natural materials such as stone or mulch, to the lake shall be permitted.</li> <li>c) The maximum gross floor area for dwellings shall be 300 sq. m.</li> <li>d) The maximum footprint of any dock shall be 30 sq. m. for floating docks or cantilevered docks and 15 sq. m. for conventional crib docks.</li> <li>e) The maximum length of a dock shall be 8m.</li> <li>f) The maximum width of a dock shall be 8m.</li> <li>g) Boathouses shall be prohibited and only one dock shall be permitted.</li> </ul> | <b>Natural State:</b> lands that abut the current water mark which are maintained in a natural vegetated state, except for vista pruning or removal of dying, dead, decaying or diseased trees is permitted. |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| R4-2             |                           |                     |                 | Minimum Required Rear Yard – 4.5m   |                          |
| R4-4             |                           |                     |                 | Minimum Lot Area – 1,500 sq. m.<br>Minimum Lot Frontage – 25m<br>Minimum Required Front Yard – 7.5m<br>Minimum Required Interior Side Yard – 2m<br>Minimum Required Exterior Side Yard – 5m<br>Minimum Required Rear Yard – 40m<br>Minimum Road Frontage – 25m    |                          |
| R4-9             |                           |                     |                 | Minimum Lot Area – 2,400 sq. m.<br>Minimum Lot Frontage – 24.5m<br>Minimum Required Front Yard – 20m<br>Minimum Required Interior Side Yard – 2m<br>Minimum Required Exterior Side Yard – 5m<br>Minimum Required Rear Yard – 20m<br>Minimum Road Frontage – 19.5m |                          |
| R4-17            |                           |                     |                 | Maximum Number of Driveways – 1   |                          |

**TABLE 8.7 – R5 EXCPETIONS**

| Column 1         | Column 2                    | Column 3            | Column 4                 | Column 5                  | Column 6                 |
|------------------|-----------------------------|---------------------|--------------------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses   | Only Uses Permitted | Uses Prohibited          | Special Zone Requirements | Other Special Provisions |
| R5-1             |                             |                     | All Shoreline Structures |                           |                          |
| R5-2             | A Communal Docking Facility |                     |                          |                           |                          |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                          | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|-----------------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements         | Other Special Provisions |
| R5-3             |                           |                     |                 | Minimum Required Side Yard – 1.3m |                          |

**TABLE 8.8 – RMH EXCPETIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                  |                           |                     |                 |                           |                          |

**TABLE 8.9 –BR EXCPETIONS**

| Column 1         | Column 2                  | Column 3   | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|--|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted  | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| BR-1             |                           |  |                 | Minimum Required Front Yard – 30m  |  |
| BR-2             |                           | Dwelling, Detached<br>Boat and Vessel Storage Facilities<br>Boat Trailer Parking |                 | <ul style="list-style-type: none"> <li>i) No boat and vessel storage facility building shall be constructed or maintained less than 40 metres from the boundary of Vollicks Road. For the purpose of this exception zone, Vollicks Road and the boundary of the road are defined as being Part 6 on Plan 35R-24124 and Part 2 on Plan 35R-12052.</li> <li>ii) Notwithstanding the provisions of Section 4.1.1 of this By-law, accessory structures may be constructed prior to the construction of the main principle building.</li> <li>iii) iii) Notwithstanding Section 4.17 of this By-law, where multiple zones are located on one lot, each zone category shall not constitute a separate lot with respect to any applicable zone provisions.</li> </ul> | <p><b>Definitions:</b></p> <p><b><i>Boat and Vessel Storage Facilities</i></b> means a building, structure or place where watercraft and watercraft accessories are stored, but shall not include the service repair or sale of watercraft and / or watercraft accessories.</p> <p><b><i>Minor Servicing</i></b> may include the replacement of parts, including but not limited to, the replacement of tires, trailer hitches, batteries, but shall not include repair including, but not limited to, retreading of tires, motor, exhaust, electrical system or brake repair.</p> |

---



---

**SECTION 9  
MULTIPLE RESIDENTIAL ZONES**

---



---

**9.1 GENERAL PROHIBITION**

No person shall, within any Multiple Residential (RM) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**9.2 PERMITTED USES**

Uses permitted in a Multiple Residential (RM) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 9.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 9.1.

The Multiple Residential (RM) Zones Established by this By-law are as follows:

- RM1 Residential Multiple Type One
- RM2 Residential Multiple Type Two
- RM3 Residential Multiple Type Three
- RM4 Residential Multiple Type Four

Table 9.1

| Column 1                | Column 2 | Column 3 | Column 4 | Column 5 |
|-------------------------|----------|----------|----------|----------|
| <b>ZONES</b>            |          |          |          |          |
| <b>USE (1)</b>          | RM1      | RM2      | RM3      | RM4      |
| Dwelling, Apartment     |          |          | √        |          |
| Dwelling Triplex        | √        |          |          | √        |
| Dwelling, Converted     | √        |          |          | √        |
| Dwelling, Duplex        | √        |          |          | √        |
| Dwelling, Semi-Detached | √        |          |          | √        |
| Dwelling, Townhouse     |          | √        |          |          |
| Secondary Dwelling Unit | √        |          |          |          |

**Footnotes for Table 9.1**

- (1) Development in the RM1, RM2, RM3 and RM4 Zones shall be serviced by municipal sewage services and municipal water services.

### 9.3 ZONE REQUIREMENTS

No person shall within any Multiple Residential (RM) Zone use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional Zone requirement. These additional standards are listed in the Footnotes at the end of each table.

TABLE 9.2

| Column 1                        | Column 2             | Column 3             | Column 4               | Column 5  |
|---------------------------------|----------------------|----------------------|------------------------|---|
|                                 | <b>ZONES</b>         |                      |                        |   |
| <b>ZONE REQUIREMENTS</b>        | RM1                  | RM2                  | RM3                    | RM4   |
| Lot Area (Minimum)              | 2,000 m <sup>2</sup> | 280 m <sup>2</sup>   | 2,000 m <sup>2</sup>   | 300 m <sup>2</sup> per dwelling unit                          |
| Lot Frontage (Minimum):         | 30 m                 | 7.5 m                | 30 m plus 2 m per unit | 7.5 m per dwelling unit                                       |
| Lot Coverage (Maximum)          | 10%                  | 40%                  | 25%                    | 40%   |
| Required Yards (Minimum):       |                      |                      |                        |   |
| Front Yard                      | 7.5 m (1)            | 7.5 m (1)            | 10 m (1)               | 7.5 m (1)   |
| Exterior Side Yard              | 7.5 m                | 7.5 m                | 10 m                   | One half of the building height or 7.5m, whichever is greater |
| Rear Yard                       | 7.5 m                | 7.5                  | 10 m                   | 7.5 m   |
| Interior Side Yard              | 2 m                  | nil                  | 5 m                    | i) 0 m for a common wall<br>ii) 4 m for other side yard       |
| Landscaped Open Space (Minimum) | 20%                  | 20%                  | 20%                    | 20 %  |
| Building Height (Maximum)       | 10 m                 | 10 m                 | 10 m                   | 10 m  |
| Maximum Density                 | N/A                  | 30 units per hectare | N/A                    | N/A   |

#### Footnotes for Table 9.2

- (1) Except where a front yard abuts a navigable waterway, in which case, the minimum front yard setback shall be 20 metres.

#### **9.4 MULTIPLE RESIDENTIAL (RM) ZONES – EXCEPTIONS**

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 9.3 to Table 9.6 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the zone requirements for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

Table 9.3 – RM1 EXCPETIONS

| Column 1         | Column 2                  | Column 3  | Column 4                  | Column 5   | Column 6                 |                      |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
|------------------|---------------------------|---|---------------------------|--|--------------------------|----------------------|------------------|---------------------------|--|--|--|-------|------|---------------|---------------|-----------------|-----|-----------|----|------|----|----|---------------|---------|----------------|----|------|----|----|--------|----------|----------------|----|------|----|----|---------|---------|----------------|----|------|----|----|----------|---------|-----------|----|------|----|----|-----------|----|----------------|----|------|----|----|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted   | Uses Prohibited           | Special Zone Requirements  | Other Special Provisions |                      |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
| RM1-2            |                           | Dwelling, Detached<br>Dwelling, Semi-Detached<br>Dwelling, Duplex<br>Dwelling, Triplex<br>Dwelling, Fourplex<br>Dwelling, Townhouse |                           | <p>Regulations for Permitted Uses:</p> <table border="1"> <thead> <tr> <th rowspan="2">Dwelling Type</th> <th rowspan="2">Minimum Lot Frontage</th> <th rowspan="2">Minimum Lot Area</th> <th colspan="4">Minimum Yard Requirements</th> </tr> <tr> <th>Front</th> <th>Rear</th> <th>Interior Side</th> <th>Exterior Side</th> </tr> </thead> <tbody> <tr> <td>Single Detached</td> <td>15m</td> <td>540 sq.m.</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Semi-Detached</td> <td>9m/unit</td> <td>360 sq.m./unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Duplex</td> <td>15m/unit</td> <td>465 sq.m./unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Triplex</td> <td>9m/unit</td> <td>240 sq.m./unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Fourplex</td> <td>9m/unit</td> <td>630 sq.m.</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Townhouse</td> <td>6m</td> <td>240 sq.m./unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> </tbody> </table> <p>(i.) Where units have an attached wall the minimum interior side yard requirement is Nil.</p> <p>(ii.) The minimum outdoor amenity space for triplex dwellings, fourplex dwellings, and townhouse dwellings are as follows:<br/><br/>                     Triplex Dwelling Unit – 40 Sq. M. Per Dwelling Unit<br/>                     Fourplex Dwelling Unit – 40 Sq. M. Per Dwelling Unit<br/>                     Townhouse Dwelling Unit – 30 Sq. M. Per Dwelling Unit</p> <p>(iii.) Maximum Building Height – 11m and 3 storeys</p> <p>(iv.) Maximum number of dwelling units with attached walls:<br/><br/>                     Townhouse Dwellings – 8</p> <p>(v.) No driveway or garage shall exceed 45% of the width of a lot.</p> | Dwelling Type            | Minimum Lot Frontage | Minimum Lot Area | Minimum Yard Requirements |  |  |  | Front | Rear | Interior Side | Exterior Side | Single Detached | 15m | 540 sq.m. | 6m | 7.5m | 2m | 6m | Semi-Detached | 9m/unit | 360 sq.m./unit | 6m | 7.5m | 2m | 6m | Duplex | 15m/unit | 465 sq.m./unit | 6m | 7.5m | 2m | 6m | Triplex | 9m/unit | 240 sq.m./unit | 6m | 7.5m | 2m | 6m | Fourplex | 9m/unit | 630 sq.m. | 6m | 7.5m | 2m | 6m | Townhouse | 6m | 240 sq.m./unit | 6m | 7.5m | 2m | 6m |  |
| Dwelling Type    | Minimum Lot Frontage      | Minimum Lot Area  | Minimum Yard Requirements |  |                          |                      |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
|                  |                           |   | Front                     | Rear   | Interior Side            | Exterior Side        |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
| Single Detached  | 15m                       | 540 sq.m.   | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
| Semi-Detached    | 9m/unit                   | 360 sq.m./unit  | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
| Duplex           | 15m/unit                  | 465 sq.m./unit  | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
| Triplex          | 9m/unit                   | 240 sq.m./unit  | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
| Fourplex         | 9m/unit                   | 630 sq.m.   | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |
| Townhouse        | 6m                        | 240 sq.m./unit  | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |                 |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |           |    |                |    |      |    |    |  |



| Column 1                  | Column 2   | Column 3                                | Column 4        | Column 5   | Column 6                  |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
|---------------------------|--|---|-----------------|--|---------------------------|--|---|---|---|----|---|---|---|---|---|----|---|---|----|---|---|----|---|---|---|---|---|----|---|---|----|---|---|---|-------|----|----|--|
| Exception Number          | Additional Permitted Uses                                      | Only Uses Permitted                     | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
|                           |  |   |                 | <p>(vi.) No part of any garage shall extend beyond the front face or a porch or screened porch of the dwelling unit.</p> <p>(vii.) For the purposes of this zone the following definitions shall apply:</p> <p><b>Driveway</b> a defined area providing access for motor vehicles from a public or private road to facilities such as a parking area, parking lot, loading space, private garage, building or structure;</p> <p><b>Outdoor Amenity Space</b> an outdoor space, unobstructed by buildings and which cannot be traveled upon by motor vehicles;</p> <p>(viii.) Notwithstanding the provisions of this By-law to the contrary, within the Blocks identified on Schedule A and in the Residential Multiple Type One Exception 2 Holding (RM-1-2-H) Zone, the following maximum densities shall be permitted in the blocks identified on schedule "A" attached hereto:</p> <table border="1" data-bbox="758 841 1619 1365"> <thead> <tr> <th>Block Number (Schedule A)</th> <th>Maximum Number of Single Dwellings Per Block (Single Detached)</th> <th>Maximum Total Number of Units Per Block</th> </tr> </thead> <tbody> <tr><td>1</td><td>6</td><td>11</td></tr> <tr><td>2</td><td>2</td><td>2</td></tr> <tr><td>3</td><td>7</td><td>12</td></tr> <tr><td>4</td><td>7</td><td>14</td></tr> <tr><td>5</td><td>6</td><td>12</td></tr> <tr><td>6</td><td>6</td><td>9</td></tr> <tr><td>7</td><td>6</td><td>11</td></tr> <tr><td>8</td><td>6</td><td>11</td></tr> <tr><td>9</td><td>4</td><td>7</td></tr> <tr><td>Total</td><td>50</td><td>80</td></tr> </tbody> </table> | Block Number (Schedule A) | Maximum Number of Single Dwellings Per Block (Single Detached) | Maximum Total Number of Units Per Block | 1 | 6 | 11 | 2 | 2 | 2 | 3 | 7 | 12 | 4 | 7 | 14 | 5 | 6 | 12 | 6 | 6 | 9 | 7 | 6 | 11 | 8 | 6 | 11 | 9 | 4 | 7 | Total | 50 | 80 |  |
| Block Number (Schedule A) | Maximum Number of Single Dwellings Per Block (Single Detached) | Maximum Total Number of Units Per Block |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 1                         | 6  | 11                                      |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 2                         | 2  | 2                                       |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 3                         | 7  | 12                                      |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 4                         | 7  | 14                                      |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 5                         | 6  | 12                                      |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 6                         | 6  | 9                                       |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 7                         | 6  | 11                                      |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 8                         | 6  | 11                                      |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| 9                         | 4  | 7                                       |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |
| Total                     | 50   | 80                                      |                 |  |                           |  |   |   |   |    |   |   |   |   |   |    |   |   |    |   |   |    |   |   |   |   |   |    |   |   |    |   |   |   |       |    |    |  |

| Column 1         | Column 2                  | Column 3            | Column 4   | Column 5   | Column 6                 |
|------------------|---------------------------|---------------------|--|--|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited                                  | Special Zone Requirements  | Other Special Provisions |
|                  |                           |                     |  | (ix.) Notwithstanding the provisions of this By-law to the contrary, where there is a conflict between Section 9.3 (Zone Requirements) and Provision viii) of this exception zone, the regulations in the second table shall prevail.<br>(x.) For the purpose of this zoning by-law, the erection of any buildings or structures shall only occur if sufficient water and sewer capacity exists, as determined by the municipality, to service the proposed buildings and structures on site.  |                          |
| RM1-3            |                           |                     | Dwelling, Single Detached<br>Dwelling, Townhouse | Minimum Lot Frontage – 7m<br>Minimum Lot Area (Exterior Lot) – 200 sq. m.<br>Minimum Lot Area (Interior Lot) – 180 sq.m.<br>Minimum Required Front Yard (Main Building) – 4.8m<br>Minimum Required Front Yard (Open Deck) – 2.5m<br>Minimum Required Rear Yard – 4m<br>Minimum Required Interior Side Yard – 0m<br>Minimum Required Exterior Side Yard (Main Building) – 2m<br>Minimum Required Exterior Side Yard (Open Deck) – 0.7m<br>Maximum Lot Coverage (Semi-Detached Dwellings) – 60%<br>Maximum Lot Coverage (Townhouse Units) – 70%<br>Maximum Height – 8m |                          |

**TABLE 9.4 – RM2 EXCEPTIONS**

| Column 1         | Column 2   | Column 3            | Column 4        | Column 5   | Column 6  |
|------------------|--|---------------------|-----------------|--|---|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
| RM2-3            | 23 Detached Dwellings<br>1 Communal Swimming Pool and Related Structures<br>Accessory Docks<br>Accessory Recreational Facilities |                     |                 | Minimum Lot Area – 360 sq. m.<br>Minimum Lot Frontage – 14m<br>Minimum Required Rear Yard – 5m<br>Minimum Required Side Yard – 1.5m<br>Minimum Required Front Yard S (Internal) – 7.5m | A minimum 8m wide buffer strip shall be maintained around the current water mark. For purposes of this Zone docks and walkways are permitted in the buffer strip.<br><br>For the purposes of this Zone, the front lot line for individual residential lots shall be either the boundary between the public road or the private access road. |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
|                  |                           |                     |                 | Maximum Lot Coverage – 40%<br>Maximum Dock Length – 8m<br>Minimum Side Yard Setback for a Dock – 5m<br>Minimum Setback from Lone Pine Road – 4m |                          |
| RM2-4(H)         |                           |                     |                 | Maximum Number of Driveways – 1   |                          |

**TABLE 9.5 – RM3 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3  | Column 4        | Column 5                              | Column 6                 |                  |                               |       |                    |   |                      |                               |     |
|------------------|---------------------------|---|-----------------|---------------------------------------|--------------------------|------------------|-------------------------------|-------|--------------------|---|----------------------|-------------------------------|-----|
| Exception Number | Additional Permitted Uses | Only Uses Permitted   | Uses Prohibited | Special Zone Requirements             | Other Special Provisions |                  |                               |       |                    |   |                      |                               |     |
| RM3-1 (H)        |                           | Dwelling, Single Detached<br>Dwelling, Semi-Detached<br>Dwelling, Duplex<br>Dwelling, Triplex<br>Dwelling, Fourplex<br>Dwelling, Townhouse<br>Dwelling, Apartment, with a Maximum of 16 Units<br>A Home |                 | <b>Provisions for Permitted Uses:</b> |                          |                  |                               |       |                    | Council May pass a by-law to lift the Holding Provision over all or part of any Block or Lot when the following conditions have been fulfilled.<br>1) A servicing agreement providing the availability and construction of the water and sanitary sewage works necessary to provide such services between the owner and the District of Muskoka has been completed. |                      |                               |     |
|                  |                           |   |                 | Dwelling Type                         | Minimum Lot Frontage     | Minimum Lot Area | Minimum Yard Requirements (i) |       |                    |   | Maximum Lot Coverage | Minimum Landscaped Open Space |     |
|                  |                           |   |                 |                                       |                          |                  | Front                         | Rear  | Interior Side (ii) |   | Exterior Side        |                               |     |
|                  |                           |   |                 | Single Detached                       | 15m                      | 465 sq.m.        | 7.5 m                         | 7.5 m | 2.0 m              |   | 7.5m                 | 30%                           | 20% |
|                  |                           |   |                 | Semi-Detached                         | 7.5m/unit                | 300 sq.m./unit   | 7.5 m                         | 7.5 m | 2.0 m              |   | 7.5m                 | 40%                           | 20% |
|                  |                           |   |                 | Duplex                                | 7.5m/unit                | 300 sq.m./unit   | 7.5 m                         | 7.5 m | 2.0 m              |   | 7.5m                 | 40%                           | 20% |
|                  |                           |   |                 | Triplex                               | 7.5m/unit                | 300 sq.m./Unit   | 7.5 m                         | 7.5 m | 2.0 m              |   | 7.5m                 | 40%                           | 20% |

| Column 1         | Column 2                  | Column 3   | Column 4        | Column 5  |                |                  |             |       |       |      | Column 6                 |     |   |
|------------------|---------------------------|--|-----------------|---|----------------|------------------|-------------|-------|-------|------|--------------------------|-----|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted  | Uses Prohibited | Special Zone Requirements   |                |                  |             |       |       |      | Other Special Provisions |     |   |
|                  |                           | Occupation within a Single Detached Dwelling<br>An Accessory Dwelling Unit within a Single Detached Dwelling |                 | Fourplex  | 7.5m/ Unit     | 300 sq.m./ unit  | 7.5 m       | 7.5 m | 2.0 m | 7.5m | 40%                      | 20% | a) Municipal water series; and,<br>b) Municipal sanitary sewage services; |
|                  |                           |  |                 | Town-houses   | 5.5m/lot/ unit | 200 sq.m./ unit  | 7.5 m (iii) | 7.5 m | 2.0 m | 7.5m | 50%                      | 20% |   |
|                  |                           |  |                 | Apart-ments   | 30m/unit (iv)  | 2000 sq. m / lot | 5.0 m       | 10 m  | 5.0 m | 10 m | 50%                      | N/A |   |
|                  |                           |  |                 | <p><b>Footnotes:</b></p> <p>i) The required yard shall be measured from the limits of the condominium road or limit of the vacant land to be used for a condominium unit.</p> <p>ii) Where units have an attached wall the minimum interior side yard requirement is Nil.</p> <p>iii) Minimum Front Yard – 4.5m to main wall of Dwelling &amp; 6m to Garage</p> <p>iv) Plus 2m / Apartment Dwelling Unit</p> <p><b>Additional Provisions:</b></p> <p>i) Maximum Building Height – 11m and 3 storeys</p> <p>ii) Maximum Number of Townhouse Dwelling Units with Attached Walls – 8</p> <p>iii) No driveway or garage shall exceed 45% of the width of the lot</p> <p>iv) Minimum Number of Parking Spaces – 1.5 Parking Spaces per Apartment Dwelling Unit</p> <p>v) For the purposes of this zone, the following definitions shall apply:</p> <p><b>Condominium</b> means the ownership of individual units in a multiple unit ownership structure with common elements as defined in “The Condominium Act”.</p> <p><b>Driveway</b> means a defined area providing access for motor vehicles from a public or private road to facilities such as a parking area, parking lot, loading space, private garage, building or structure.</p> <p><b>Landscaped Open Space</b> means the open space from ground to sky at grade on a lot accessible by walking and which is suitable for the growth and maintenance of grass, flowers, trees, bushes, natural vegetation and other landscaping and includes and surfaced walk, patio or similar area but does not include any driveway or ramp, whether surface or not, any curb, retaining wall, parking area or any open space beneath or within any building or structure.</p> <p><b>Lot</b> means a parcel of land described as a whole registered description by “The Condominium Act”, in which a unit is considered to be a lot, or the definition of “Lot” as defined in Section 19 of this By-law, as amended for freehold ownership.</p> |                |                  |             |       |       |      |                          |     |   |

| Column 1   | Column 2  | Column 3                                | Column 4        | Column 5   | Column 6   |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
|--|---|---|-----------------|--|--|---|---|----|---|---|----|---|---|----|---|---|----|---|---|----|---|---|----|---|----|----|---|----|----|---|----|----|---|---|----|---|---|----|---|---|----|---|---|--|
| Exception Number   | Additional Permitted Uses                             | Only Uses Permitted                     | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
|  |   |   |                 | <p><b>Road</b> means a road but also includes a path or way, including a condominium road, which affords vehicular access to one or more lots and may or may not be owned by a public authority.</p> <p>vi) The maximum permitted densities shall be as follows:</p> <table border="1"> <thead> <tr> <th>Block Number (As identified in By-law 2014-15, as outlined in Appendix F of this By-law)</th> <th>Maximum Number of Single Detached Dwellings per Block</th> <th>Maximum Total Number of Units per Block</th> </tr> </thead> <tbody> <tr><td>43</td><td>2</td><td>4</td></tr> <tr><td>44</td><td>2</td><td>4</td></tr> <tr><td>45</td><td>2</td><td>4</td></tr> <tr><td>46</td><td>2</td><td>4</td></tr> <tr><td>47</td><td>2</td><td>4</td></tr> <tr><td>48</td><td>6</td><td>32</td></tr> <tr><td>50</td><td>8</td><td>48</td></tr> <tr><td>51</td><td>7</td><td>32</td></tr> <tr><td>52</td><td>3</td><td>5</td></tr> <tr><td>53</td><td>2</td><td>4</td></tr> <tr><td>54</td><td>2</td><td>4</td></tr> <tr><td>55</td><td>3</td><td>5</td></tr> </tbody> </table> | Block Number (As identified in By-law 2014-15, as outlined in Appendix F of this By-law) | Maximum Number of Single Detached Dwellings per Block | Maximum Total Number of Units per Block | 43 | 2 | 4 | 44 | 2 | 4 | 45 | 2 | 4 | 46 | 2 | 4 | 47 | 2 | 4 | 48 | 6 | 32 | 50 | 8 | 48 | 51 | 7 | 32 | 52 | 3 | 5 | 53 | 2 | 4 | 54 | 2 | 4 | 55 | 3 | 5 |  |
| Block Number (As identified in By-law 2014-15, as outlined in Appendix F of this By-law) | Maximum Number of Single Detached Dwellings per Block | Maximum Total Number of Units per Block |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 43   | 2   | 4                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 44   | 2   | 4                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 45   | 2   | 4                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 46   | 2   | 4                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 47   | 2   | 4                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 48   | 6   | 32                                      |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 50   | 8   | 48                                      |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 51   | 7   | 32                                      |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 52   | 3   | 5                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 53   | 2   | 4                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 54   | 2   | 4                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |
| 55   | 3   | 5                                       |                 |  |  |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |   |    |   |    |    |   |    |    |   |    |    |   |   |    |   |   |    |   |   |    |   |   |  |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |   |   |    |   |   |              |           |            |  |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|---|---|----|---|---|--------------|-----------|------------|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |   |   |    |   |   |              |           |            |  |
|                  |                           |                     |                 | <table border="1"> <tr> <td>56</td> <td>2</td> <td>4</td> </tr> <tr> <td>57</td> <td>3</td> <td>5</td> </tr> <tr> <td><b>Total</b></td> <td><b>46</b></td> <td><b>159</b></td> </tr> </table> <p>vii) On the lands described as Part of Lot 30, Concession 3, former Baxter Township, now Township of Georgian Bay, District Municipality of Muskoka, no person shall use the lands or erect any or use any buildings or structure unless both of the following municipal services are available to service such land, buildings or structures:</p> <p>a) Municipal water services; and<br/>b) Municipal sewage services.</p> <p>viii) Where there is a conflict between the provisions for permitted uses, and the density provisions (vi), the provisions for permitted uses shall prevail.</p> <p>ix) The erection of any building or structures shall occur if sufficient water and sewer capacity exists, as determined by the municipality, to service the proposed buildings and structures on site.</p> | 56                       | 2 | 4 | 57 | 3 | 5 | <b>Total</b> | <b>46</b> | <b>159</b> |  |
| 56               | 2                         | 4                   |                 |   |                          |   |   |    |   |   |              |           |            |  |
| 57               | 3                         | 5                   |                 |   |                          |   |   |    |   |   |              |           |            |  |
| <b>Total</b>     | <b>46</b>                 | <b>159</b>          |                 |   |                          |   |   |    |   |   |              |           |            |  |
| RM3-2            | Four-plex dwelling unit   |                     |                 | <p>Minimum Lot Area - 970 square metres<br/> Minimum Lot Frontage - 20 metres<br/> Front Yard Setback - 3m<br/> Exterior Side Yard - 1m<br/> Maximum Number of Dwelling Units - 4</p>   |                          |   |   |    |   |   |              |           |            |  |

| Column 1         | Column 2                  | Column 3  | Column 4                      | Column 5  | Column 6                 |                      |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
|------------------|---------------------------|---|-------------------------------|---|--------------------------|----------------------|------------------|-------------------------------|--|--|--|-------|------|---------------|---------------|-----------------|-------|-----------|-----|-------|-------|-----|---------------|------------|----------------|-----|-------|-------|-----|--------|-------------|----------------|-----|-------|-------|-----|---------|----------|----------------|-----|-------|-------|-----|----------|----------|-----------|-----|-------|-------|-----|-----------|-----|----------------|-----|-------|-------|-----|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted   | Uses Prohibited               | Special Zone Requirements   | Other Special Provisions |                      |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
| RM3-3 (H6))      |                           | A detached dwelling<br>A semi-detached dwelling<br>Duplex dwelling<br>Triplex dwelling<br>Fourplex dwelling<br>Townhouse dwelling |                               | <p><b>RM3-3 (H6)</b></p> <table border="1"> <thead> <tr> <th rowspan="2">Dwelling Type</th> <th rowspan="2">Minimum Lot Frontage</th> <th rowspan="2">Minimum Lot Area</th> <th colspan="4">Minimum Yard Requirements (i)</th> </tr> <tr> <th>Front</th> <th>Rear</th> <th>Interior Side</th> <th>Exterior Side</th> </tr> </thead> <tbody> <tr> <td>Single Detached</td> <td>10.7m</td> <td>420 sq.m.</td> <td>6 m</td> <td>7.5 m</td> <td>2.0 m</td> <td>6 m</td> </tr> <tr> <td>Semi-Detached</td> <td>5.3 m/unit</td> <td>210 sq.m./unit</td> <td>6 m</td> <td>7.5 m</td> <td>2.0 m</td> <td>6 m</td> </tr> <tr> <td>Duplex</td> <td>10.7 m/unit</td> <td>465 sq.m./unit</td> <td>6 m</td> <td>7.5 m</td> <td>2.0 m</td> <td>6 m</td> </tr> <tr> <td>Triplex</td> <td>9 m/unit</td> <td>240 sq.m./Unit</td> <td>6 m</td> <td>7.5 m</td> <td>2.0 m</td> <td>6 m</td> </tr> <tr> <td>Fourplex</td> <td>9 m/unit</td> <td>63. sq. m</td> <td>6 m</td> <td>7.5 m</td> <td>2.0 m</td> <td>6 m</td> </tr> <tr> <td>Townhouse</td> <td>6 m</td> <td>240 sq. m/unit</td> <td>6 m</td> <td>7.5 m</td> <td>2.0 m</td> <td>6 m</td> </tr> </tbody> </table> <p>I. Where units have an attached wall the minimum interior side yard requirement is Nil.</p> <p>II. The minimum landscape open space for triplex dwellings, fourplex dwellings, apartment dwellings, and townhouse dwellings are as follows:</p> <p style="padding-left: 40px;">Triplex Dwelling Unit - 40 m2 per dwelling unit<br/>Fourplex Dwelling Unit- 40 m2 per dwelling unit<br/>Townhouse Dwelling Unit - 40 m2 per dwelling unit</p> <p>iii. Maximum height of buildings: 11.0 metres and 3 storeys</p> | Dwelling Type            | Minimum Lot Frontage | Minimum Lot Area | Minimum Yard Requirements (i) |  |  |  | Front | Rear | Interior Side | Exterior Side | Single Detached | 10.7m | 420 sq.m. | 6 m | 7.5 m | 2.0 m | 6 m | Semi-Detached | 5.3 m/unit | 210 sq.m./unit | 6 m | 7.5 m | 2.0 m | 6 m | Duplex | 10.7 m/unit | 465 sq.m./unit | 6 m | 7.5 m | 2.0 m | 6 m | Triplex | 9 m/unit | 240 sq.m./Unit | 6 m | 7.5 m | 2.0 m | 6 m | Fourplex | 9 m/unit | 63. sq. m | 6 m | 7.5 m | 2.0 m | 6 m | Townhouse | 6 m | 240 sq. m/unit | 6 m | 7.5 m | 2.0 m | 6 m |  |
| Dwelling Type    | Minimum Lot Frontage      | Minimum Lot Area  | Minimum Yard Requirements (i) |   |                          |                      |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
|                  |                           |   | Front                         | Rear  | Interior Side            | Exterior Side        |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
| Single Detached  | 10.7m                     | 420 sq.m.   | 6 m                           | 7.5 m   | 2.0 m                    | 6 m                  |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
| Semi-Detached    | 5.3 m/unit                | 210 sq.m./unit  | 6 m                           | 7.5 m   | 2.0 m                    | 6 m                  |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
| Duplex           | 10.7 m/unit               | 465 sq.m./unit  | 6 m                           | 7.5 m   | 2.0 m                    | 6 m                  |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
| Triplex          | 9 m/unit                  | 240 sq.m./Unit  | 6 m                           | 7.5 m   | 2.0 m                    | 6 m                  |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
| Fourplex         | 9 m/unit                  | 63. sq. m   | 6 m                           | 7.5 m   | 2.0 m                    | 6 m                  |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |
| Townhouse        | 6 m                       | 240 sq. m/unit  | 6 m                           | 7.5 m   | 2.0 m                    | 6 m                  |                  |                               |  |  |  |       |      |               |               |                 |       |           |     |       |       |     |               |            |                |     |       |       |     |        |             |                |     |       |       |     |         |          |                |     |       |       |     |          |          |           |     |       |       |     |           |     |                |     |       |       |     |  |

| Column 1                  | Column 2                                     | Column 3            | Column 4                                | Column 5   | Column 6                  |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
|---------------------------|--|---------------------|---|--|---------------------------|--|--|---|-----------------|--|----|---|--|---|----|---|--|---|----|---|--|---|----|---|--|---|----|---|--|---|----|---|--|---|----|---|--|---|--------------|-----------|--|-----------|--|
| Exception Number          | Additional Permitted Uses                    | Only Uses Permitted | Uses Prohibited                         | Special Zone Requirements  | Other Special Provisions  |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
|                           |  |                     |   | <p>(iv) Maximum number of dwelling units with attached walls:<br/>Townhouse Dwellings: 8</p> <p>(v) No driveway or garage shall exceed 45% of the width of a lot.</p> <p>(vi) For the purposes of this Zone the following definitions shall apply:<br/> <b>Condominium</b> the ownership of individual units in a multiple unit ownership structure with common elements as defined in "The Condominium Act."<br/><br/> <b>Driveway</b> a defined area providing access for motor vehicles from a public or private road to facilities such as a parking area, parking lot, loading space, private garage, building or structure;<br/><br/> <b>Lot</b> for the purpose of this zoning by-law is the sum of the total of all lands that comprise registered condominium, being all the units and common elements; and;<br/><br/> <b>Yard</b> shall be measured from the limits of the condominium road or limit of the vacant land to be used for a condominium unit.</p> <p>vi) Notwithstanding the provisions of this By-law to the contrary, within the Blocks identified on Schedule A and in the Residential Multiple Type Three Exception Three Holding Six (RM3-3(H6)) Zone, the following maximum densities shall be permitted in the blocks identified on Schedule "A" attached to By-law No.:</p> <table border="1" data-bbox="789 982 1323 1226"> <thead> <tr> <th rowspan="2">Block Number (Schedule A)</th> <th colspan="2">Maximum Number of Single Dwellings Per Block</th> <th rowspan="2">Maximum Total Number of Units Per Block</th> </tr> <tr> <th colspan="2">Single Detached</th> </tr> </thead> <tbody> <tr><td>48</td><td>3</td><td></td><td>4</td></tr> <tr><td>49</td><td>3</td><td></td><td>4</td></tr> <tr><td>50</td><td>3</td><td></td><td>4</td></tr> <tr><td>51</td><td>3</td><td></td><td>4</td></tr> <tr><td>52</td><td>3</td><td></td><td>4</td></tr> <tr><td>53</td><td>3</td><td></td><td>4</td></tr> <tr><td>54</td><td>3</td><td></td><td>4</td></tr> <tr><td><b>Total</b></td><td><b>21</b></td><td></td><td><b>28</b></td></tr> </tbody> </table> <p>viii) Notwithstanding the provisions of this By-law to the contrary, where there is a conflict between Section 9.3 (Table 9.2) Zone Requirements, the Regulations for Permitted Uses contained in the first table shall prevail.</p> <p>ix) For the purpose of this zoning by-law, the erection of any buildings or structures shall only</p> | Block Number (Schedule A) | Maximum Number of Single Dwellings Per Block |  | Maximum Total Number of Units Per Block | Single Detached |  | 48 | 3 |  | 4 | 49 | 3 |  | 4 | 50 | 3 |  | 4 | 51 | 3 |  | 4 | 52 | 3 |  | 4 | 53 | 3 |  | 4 | 54 | 3 |  | 4 | <b>Total</b> | <b>21</b> |  | <b>28</b> |  |
| Block Number (Schedule A) | Maximum Number of Single Dwellings Per Block |                     | Maximum Total Number of Units Per Block |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
|                           | Single Detached                              |                     |   |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| 48                        | 3  |                     | 4                                       |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| 49                        | 3  |                     | 4                                       |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| 50                        | 3  |                     | 4                                       |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| 51                        | 3  |                     | 4                                       |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| 52                        | 3  |                     | 4                                       |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| 53                        | 3  |                     | 4                                       |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| 54                        | 3  |                     | 4                                       |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |
| <b>Total</b>              | <b>21</b>                                    |                     | <b>28</b>                               |  |                           |  |  |   |                 |  |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |    |   |  |   |              |           |  |           |  |



| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
|                  |                           |                     |                 | <p>occur if sufficient water and sewer capacity exists, as determined by the municipality, to service the proposed buildings and structures on site.</p> <p>In all other respects the provisions of the Residential Multiple Type Three (RM3) Zone shall apply</p> |                          |

**TABLE 9.6 – RM4 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3   | Column 4                  | Column 5   | Column 6                 |                      |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
|------------------|---------------------------|--|---------------------------|--|--------------------------|----------------------|------------------|---------------------------|--|--|--|-------|------|---------------|---------------|----------|-----|-----------|----|------|----|----|---------------|---------|----------------|----|------|----|----|--------|----------|----------------|----|------|----|----|---------|---------|----------------|----|------|----|----|----------|---------|-----------|----|------|----|----|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted  | Uses Prohibited           | Special Zone Requirements  | Other Special Provisions |                      |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| RM4-1            |                           |  | All Shoreline Structures  | Minimum Required Interior Side Yard (Building) – 2m<br>Minimum Required Interior Side Yard (Common Wall) – Nil   |                          |                      |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| RM4-2            |                           |  |                           | Minimum Lot Frontage – 10m   |                          |                      |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| RM4-3(H)         |                           | Dwelling, Detached<br>Dwelling, Semi-Detached<br>Dwelling, Duplex<br>Dwelling, Triplex<br>Dwelling Fourplex<br>Dwelling, Townhouse<br>Dwelling, Apartment, not Exceeding Six Units |                           | Regulations for Permitted Uses: <table border="1" style="margin-left: 20px;"> <thead> <tr> <th rowspan="2">Dwelling Type</th> <th rowspan="2">Minimum Lot Frontage</th> <th rowspan="2">Minimum Lot Area</th> <th colspan="4">Minimum Yard Requirements</th> </tr> <tr> <th>Front</th> <th>Rear</th> <th>Interior Side</th> <th>Exterior Side</th> </tr> </thead> <tbody> <tr> <td>Detached</td> <td>15m</td> <td>540 sq.m.</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Semi-Detached</td> <td>9m/unit</td> <td>360 sq.m./unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Duplex</td> <td>15m/unit</td> <td>465 sq.m./unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Triplex</td> <td>9m/unit</td> <td>240 sq.m./unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Fourplex</td> <td>9m/unit</td> <td>630 sq.m.</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> </tbody> </table> | Dwelling Type            | Minimum Lot Frontage | Minimum Lot Area | Minimum Yard Requirements |  |  |  | Front | Rear | Interior Side | Exterior Side | Detached | 15m | 540 sq.m. | 6m | 7.5m | 2m | 6m | Semi-Detached | 9m/unit | 360 sq.m./unit | 6m | 7.5m | 2m | 6m | Duplex | 15m/unit | 465 sq.m./unit | 6m | 7.5m | 2m | 6m | Triplex | 9m/unit | 240 sq.m./unit | 6m | 7.5m | 2m | 6m | Fourplex | 9m/unit | 630 sq.m. | 6m | 7.5m | 2m | 6m |  |
| Dwelling Type    | Minimum Lot Frontage      | Minimum Lot Area   | Minimum Yard Requirements |  |                          |                      |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
|                  |                           |  | Front                     | Rear   | Interior Side            | Exterior Side        |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| Detached         | 15m                       | 540 sq.m.  | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| Semi-Detached    | 9m/unit                   | 360 sq.m./unit   | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| Duplex           | 15m/unit                  | 465 sq.m./unit   | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| Triplex          | 9m/unit                   | 240 sq.m./unit   | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |
| Fourplex         | 9m/unit                   | 630 sq.m.  | 6m                        | 7.5m   | 2m                       | 6m                   |                  |                           |  |  |  |       |      |               |               |          |     |           |    |      |    |    |               |         |                |    |      |    |    |        |          |                |    |      |    |    |         |         |                |    |      |    |    |          |         |           |    |      |    |    |  |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6                 |      |                 |    |      |    |    |           |         |           |      |      |    |      |  |
|------------------|---------------------------|---------------------|-----------------|--|--------------------------|------|-----------------|----|------|----|----|-----------|---------|-----------|------|------|----|------|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |      |                 |    |      |    |    |           |         |           |      |      |    |      |  |
|                  |                           |                     |                 | <table border="1"> <tr> <td>Townhouse</td> <td>6m</td> <td>240 sq.m./ unit</td> <td>6m</td> <td>7.5m</td> <td>2m</td> <td>6m</td> </tr> <tr> <td>Apartment</td> <td>9m/unit</td> <td>630 sq.m.</td> <td>7.5m</td> <td>7.5m</td> <td>4m</td> <td>7.5m</td> </tr> </table> <p>i) Where units have an attached wall the minimum interior side yard requirement is Nil.</p> <p>ii) The minimum outdoor amenity space for triplex dwellings, fourplex dwellings, apartment dwellings, and townhouse dwellings are as follows:</p> <p>Triplex Dwelling Unit 40 Sq. M. Per Dwelling Unit<br/> Fourplex Dwelling Unit 40 Sq. M. Per Dwelling Unit<br/> Townhouse Dwelling Unit 30 Sq. M. Per Dwelling Unit<br/> Apartment Dwelling Unit 20 Sq. M. Per Dwelling Unit</p> <p>iii) Maximum Building Height 11m and 3 storeys</p> <p>iv) Maximum number of dwelling units with attached walls – Townhouse Dwellings 8</p> <p>v) No driveway or garage shall exceed 40% of the width of a lot.</p> <p>vi) No part of any garage shall extend beyond the front face or a porch or screened porch of the dwelling unit.</p> <p>vii) For the purposes of this zone the following definitions shall apply:</p> <p><b>Condominium</b> the ownership of individual units in a multiple unit ownership structure with common elements as defined in "The Condominium Act"</p> <p><b>Driveway</b> a defined area providing access for motor vehicles from a public or private road to facilities such as a parking area, parking lot, loading space, private garage, building or structure;</p> <p><b>Outdoor Amenity Space</b> an outdoor space, unobstructed by buildings and which cannot be traveled upon by motor vehicles;</p> <p><b>Lot</b> for the purpose of this zoning by-law is the sum of the total of all lands that comprise a registered condominium, being all the units and common elements; and,</p> <p><b>Yard</b> shall be measured from the limits of the condominium road or limit of the vacant land to be used for a condominium unit.</p> | Townhouse                | 6m   | 240 sq.m./ unit | 6m | 7.5m | 2m | 6m | Apartment | 9m/unit | 630 sq.m. | 7.5m | 7.5m | 4m | 7.5m |  |
| Townhouse        | 6m                        | 240 sq.m./ unit     | 6m              | 7.5m   | 2m                       | 6m   |                 |    |      |    |    |           |         |           |      |      |    |      |  |
| Apartment        | 9m/unit                   | 630 sq.m.           | 7.5m            | 7.5m   | 4m                       | 7.5m |                 |    |      |    |    |           |         |           |      |      |    |      |  |

| Column 1                  | Column 2   | Column 3                                | Column 4        | Column 5  | Column 6                  |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
|---------------------------|--|---|-----------------|---|---------------------------|--|---|---|----|----|---|----|----|---|----|-----|----|----|----|----|----|----|----|----|----|----|----|----|-------|-----|-----|--|
| Exception Number          | Additional Permitted Uses                                      | Only Uses Permitted                     | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
|                           |  |   |                 | <p>viii) Notwithstanding the provisions of this By-law to the contrary, within the Blocks identified on Schedule A and in the RM4-3(H) Zone, the following maximum densities shall be permitted in the blocks identified on schedule "A" of By-law 2006-74, as outlined in Appendix G of this By-law:</p> <table border="1"> <thead> <tr> <th>Block Number (Schedule A)</th> <th>Maximum Number of Single Dwellings Per Block (Single Detached)</th> <th>Maximum Total Number of Units Per Block</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>15</td> <td>81</td> </tr> <tr> <td>2</td> <td>10</td> <td>47</td> </tr> <tr> <td>3</td> <td>25</td> <td>129</td> </tr> <tr> <td>13</td> <td>55</td> <td>93</td> </tr> <tr> <td>14</td> <td>25</td> <td>50</td> </tr> <tr> <td>15</td> <td>50</td> <td>62</td> </tr> <tr> <td>16</td> <td>20</td> <td>20</td> </tr> <tr> <td>Total</td> <td>200</td> <td>482</td> </tr> </tbody> </table> <p>ix) Notwithstanding the provisions of this By-law to the contrary, where there is a conflict between Section 9.3 (Zone Requirements) and Provision viii) of this exception zone, the regulations in the first table shall prevail.</p> <p>x) For the purpose of this zoning by-law, the erection of any buildings or structures shall only occur if sufficient water and sewer capacity exists, as determined by the municipality, to service the proposed buildings and structures on site.</p> | Block Number (Schedule A) | Maximum Number of Single Dwellings Per Block (Single Detached) | Maximum Total Number of Units Per Block | 1 | 15 | 81 | 2 | 10 | 47 | 3 | 25 | 129 | 13 | 55 | 93 | 14 | 25 | 50 | 15 | 50 | 62 | 16 | 20 | 20 | Total | 200 | 482 |  |
| Block Number (Schedule A) | Maximum Number of Single Dwellings Per Block (Single Detached) | Maximum Total Number of Units Per Block |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| 1                         | 15   | 81                                      |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| 2                         | 10   | 47                                      |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| 3                         | 25   | 129                                     |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| 13                        | 55   | 93                                      |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| 14                        | 25   | 50                                      |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| 15                        | 50   | 62                                      |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| 16                        | 20   | 20                                      |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |
| Total                     | 200  | 482                                     |                 |   |                           |  |   |   |    |    |   |    |    |   |    |     |    |    |    |    |    |    |    |    |    |    |    |    |       |     |     |  |

---



---

**SECTION 10  
COMMERCIAL ZONES**

---



---

**10.1 GENERAL PROHIBITION**

No person shall, within any Commercial (C) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**10.2 PERMITTED USES**

Uses permitted in a Commercial (C) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 10.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 10.1.

The Commercial (C) Zones established by the By-law are as follows:

- C1 General Commercial
- C2 Restricted Commercial
- C3 Highway Commercial

Table 10.1

| Column 1  | Column 2     | Column 3  | Column 4  |
|---|--------------|-----------|-----------|
|   | <b>ZONES</b> |           |           |
| <b>USE</b>  | <b>C1</b>    | <b>C2</b> | <b>C3</b> |
| A Maximum of 2 Accessory Dwelling Units, Located on the Second Storey | √            | √ (1)     |           |
| Dwelling, Accessory   |              | √ (1)     | √         |
| Auction Sales Facility  |              |           | √         |
| Building Supply and Lumber Outlet                                     |              |           | √         |
| Clinic  |              | √         |           |
| Commercial Greenhouse / Nursery                                       |              |           | √         |
| Day Nursery   | √            | √         |           |
| Equipment Sales / Rental Establishment                                |              |           | √         |
| Financial Institution   | √            | √         |           |
| Hotel and Motel   | √            |           | √         |
| Marine Vessel Sales and Service Establishment                         |              |           | √         |
| Motor Vehicle Dealership  |              |           | √         |
| Motor Vehicle Fuel Bar  |              |           | √         |
| Motor Vehicle Service Station   |              |           | √         |
| Office  | √            | √         |           |
| Outdoor Display or Sales Area   |              |           | √         |
| Outdoor Storage   |              |           | √         |

|  |   |   |   |
|--|---|---|---|
| Personal Service Establishment                   | √ | √ |   |
| Place of Entertainment                           | √ | √ | √ |
| Post Office                                      | √ | √ |   |
| Prefabricated Housing Sales Establishment        |   |   | √ |
| Public Self Storage Facility                     |   |   | √ |
| Real Estate Sales Office                         |   |   | √ |
| Recreational Vehicle Sales and Service Operation |   |   | √ |
| Restaurant                                       | √ |   | √ |
| Retail Store                                     | √ | √ | √ |

**Footnotes for Table 10.1**

- (1) Where an Accessory Dwelling and an Accessory Apartment Unit is a permitted use, only one of an Accessory Dwelling or Accessory Dwelling Unit shall be permitted.

**10.3 ZONE REQUIREMENTS**

No person shall, within any Commercial (C) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional zone requirement. These additional standards are listed in the Footnotes at the end of each table.

TABLE 10.2

| Column 1                         | Column 2            | Column 3            | Column 4             |
|----------------------------------|---------------------|---------------------|----------------------|
| REQUIREMENTS                     | ZONES               |                     |                      |
|                                  | C1                  | C2                  | C3                   |
| Lot Area (Minimum)               | 4000 m <sup>2</sup> | 3000 m <sup>2</sup> | 4,000 m <sup>2</sup> |
| Lot Frontage (Minimum)           | 46 m                | 20 m                | 60 m                 |
| Required Yards (Minimum)         |                     |                     |                      |
| Front Yard                       | Nil (2)             | Nil (2)             | 5.0 m (2)            |
| Exterior Side Yard               | 5 m                 | 3 m                 | 5 m                  |
| Rear Yard                        | 7.5                 | 10 m                | 5 m                  |
| Interior Side Yard               | 3 m                 | 1 m                 | 3 m                  |
| Lot Coverage (Maximum) (1)       | 30%(1)              | 20%(1)              | 30%(1)               |
| Landscaping Open Space (Minimum) | 10%                 | 20%                 | 20%                  |
| Building Height (Maximum)        | 10 m                | 10 m                | 10 m                 |

**Footnotes for Table 10.2**

- (1) Within the Commercial (C) Zones maximum lot coverage shall be calculated based on the lot area within the Commercial (C) Zone.
- (2) Except where a front yard abuts a navigable waterway, in which case, the minimum front yard setback shall be 20 metres.

## 10.4 COMMERCIAL (C) ZONES – EXCEPTIONS

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 10.3 to Table 10.5 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

TABLE 10.3 – C1 EXCEPTIONS

| Column 1         | Column 2   | Column 3            | Column 4        | Column 5   | Column 6   |
|------------------|--|---------------------|-----------------|--|--|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
| C1-4             | <p>Laundromat</p> <p>Motor Vehicle Washing Establishment</p> <p>1 Dwelling Unit Located in the Basement</p> <p>2 Dwelling Units Located on the Second Storey</p> |                     |                 | <p>Minimum Lot Area – 4,000 sq. m.</p> <p>Minimum Lot Frontage – 50m</p> <p>Minimum Required Front Yard – 7.5 m</p> <p>Minimum Required Interior Side Yard – 5m</p> <p>Minimum Required Interior Side Yard (Common Wall) – 0m</p> <p>Minimum Required Exterior Side Yard – 7.5m</p> <p>Minimum Required Rear Yard – 7.5m</p> <p>Maximum Lot Coverage – 70%</p> <p style="text-align: right;">■■■■■■■</p> | <p>No person shall, at any time, use lands or erect or use buildings or structures or lands within a C1-4 Zone unless the following municipal services are available to service the land, buildings or structures as the case may be:</p> <p>a) municipal water services</p> <p>b) municipal sewage services</p> <p>For the purpose of this section, the designated services are not available unless:</p> <p>a) in the case of water services, there is sufficient supply of water from the municipal water treatment facilities for the use, building or structure as the case may be;</p> <p>b) in the case of sewer services, the sufficient capacity at the municipal sewage treatment facilities to handle sewage from the use, building or structure as the case may be; and</p> <p>c) in the case of water and sewage, the lands, buildings or structures as the case may be lie along a municipal watermain or sanitary sewer from which service can be provided by way of private service connections.</p> |
| C1-5             | A Dwelling Unit Shall be Permitted on the Ground Floor to the Rear of the Commercial Use   |                     |                 |  |  |
| C1-6(H)          | <p>Equipment Sales/Rental Establishment</p> <p>Real Estate Sales Office</p> <p>Motor Vehicle Fuel Bar or</p>   |                     |                 | A Maximum of 6 Dwelling Units are Permitted on the Second Floor  |  |

| Column 1         | Column 2   | Column 3   | Column 4        | Column 5   | Column 6                 |
|------------------|--|--|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted  | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
|                  | Gas Station<br>Commercial Greenhouse/<br>Nursery Sales<br>Recreational Vehicle and<br>Marine Vessel Sales and<br>Service Establishment |  |                 | Maximum setback from a public<br>road – 8m   |                          |
| C1-7             |  |  |                 | Minimum Lot Area – 742 sq. m.<br>Minimum Lot Frontage – 29.3 m<br>Minimum Required Front Yard –<br>7.5m  |                          |
| C1-8             |  | Financial Institution<br>Office<br>Day Nurseries<br>Dwelling and Apartment<br>Units located above the<br>Main Storey<br>Hotels and Motels<br>Personal Service<br>Establishment<br>Post Office<br>Restaurants and Drive-<br>in Restaurants<br>Retail Stores<br>Tourist Establishment<br>Place of Entertainment<br>Real Estate Sales Office<br>Indoor Marine Vessel<br>Storage<br>Parking Lot<br>Clinic<br>Accessory Dwelling<br>Equipment Sales/Rental<br>Establishment |                 | Regulations for Permitted Uses:<br>a) Maximum dock length of<br>7.3 metres for 8 docks as<br>shown on Schedule 'B' as<br>docks 1 to 8.<br>b) Maximum dock lengths for 2<br>docks adjacent to boat launch<br>being 9 metres and 18 metres<br>as shown on Schedule 'B' as<br>docks 9 and 10. |                          |



| Column 1         | Column 2                  | Column 3   | Column 4        | Column 5  | Column 6  |
|------------------|---------------------------|--|-----------------|---|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted  | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
| C1-9             |                           | Bait and Tackle Shop<br>Food Kiosk that allows the sale of pizza, subs, soup, sandwiches and ice cream |                 |   |   |
| C1-10(H)         |                           |  |                 | Minimum Lot Area – 1,800 sq. m.<br>Minimum Lot Frontage – 31m<br>Maximum Lot Coverage – 30% | The Front Lot Line will be the eastern boundary line for the subject lands. |

**TABLE 10.4 – C2 EXCEPTIONS**

|                        | Column 1         | Column 2  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------------|------------------|---|---------------------|-----------------|--|--------------------------|
| 91-19 Exception Number | Exception Number | Additional Permitted Uses                             | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
| C2-1                   | C2-1             | Motor Vehicle Fuel Bar                                |                     |                 | Minimum Lot Area – 1,400 sq. m.<br>Minimum Lot Frontage – 20m<br>Minimum Required Front Yard– 10m<br>Minimum Required Northerly Side Yard – 7m<br>Minimum Required Southerly Side Yard – Nil<br>Minimum Required Rear Yard – 10m<br>Maximum Lot Coverage – 30% |                          |
| C2-3                   | C2-3             | Library<br>Dwelling Unit<br>Public Park and Accessory |                     |                 |  |                          |

|                        | Column 1         | Column 2   | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------------|------------------|--|---------------------|-----------------|---|--------------------------|
| 91-19 Exception Number | Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
|                        |                  | Structures<br>Public Docks                                       |                     |                 |   |                          |
| C2-4                   | C2-4             | A Maximum of 3 Dwelling Units are permitted on the Second Storey |                     |                 |   |                          |
| C2-5                   | C2-5             | Detached Dwelling<br>Accessory Parking Lot                       |                     |                 |   |                          |
| C2-6                   | C2-6             |  |                     |                 | Minimum Required Northerly Side Yard – 1m<br>Minimum Required Southerly Side Yard – Nil<br>Minimum Required Rear Yard – 3m<br>Maximum Lot Coverage – 90%<br>Minimum Open Space – Nil<br>Minimum Lot Area – 800 sq. m. |                          |
| C2-7                   | C2-7             |  |                     |                 | Minimum Required Front Yard – Nil<br>Minimum Required Interior Side Yard – 3m<br>Minimum Required Exterior Side Yard – Nil<br>Minimum Required Rear Yard – 5m<br>Maximum Lot  |                          |

|                        | Column 1         | Column 2   | Column 3            | Column 4        | Column 5   | Column 6   |
|------------------------|------------------|--|---------------------|-----------------|--|--|
| 91-19 Exception Number | Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
|                        |                  |  |                     |                 | Coverage – 60%<br>Minimum Open Space – Nil<br>Minimum Lot Area – 2,000 sq. m.<br>Maximum Building Height – 10m<br>Parking Spaces Required – 10   |  |
| C2-8                   | C2-8             |  |                     |                 | Minimum Required Front Yard – 15m  |  |
| C2-9                   | C2-9             | Bed and Breakfast Establishment Dwelling, Apartment                          |                     |                 | Maximum Number of Apartment Dwellings – 1<br>Apartment dwelling must be located on the ground floor and to the rear of the commercial use.   |  |
| C2-10                  |                  | Cottage Property Maintenance and Service Business<br>Accessory dwelling unit |                     |                 | Minimum Required Lot Area - 1,822 m <sup>2</sup> (Existing)<br>Minimum Required Lot Frontage - 12m (Existing)<br>Maximum Permitted Lot Coverage - 292m <sup>2</sup> (16.03%) (Existing)<br>Minimum Required Interior Side Yard Setbacks to a dock-NIL<br>Maximum Permitted | <p>a) there shall be no outdoor storage of refuse, building materials, recycled material or storage or transport of bulk fuel tanks and no utility equipment, such as all-terrain vehicles and utility task vehicles, in excess of 450 kg shall be used in association with permissible uses on-site nor shall such utility equipment be loaded onto vessels docked on-site. For the purposes of the amending zoning by-law, all loading/unloading shall be conducted from a dock;</p> <p>b) construction barges shall not be permitted to be docked on-site;</p> <p>c) the maximum length of any marine vessel (barges prohibited) to be docked on the property shall not exceed 7.32 metres (24.0 feet);</p> |

|                        | Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6  |
|------------------------|------------------|---------------------------|---------------------|-----------------|--|---|
| 91-19 Exception Number | Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
|                        |                  |                           |                     |                 | <p>Length of a dock (including ramp) - 29.26m</p> <p>Minimum Required Boat Parking Space Size 4m (length) X 2m (width)</p> | <p>d) the maximum number of marine vessels (barges prohibited) to be docked on the property shall not exceed six (6) at any one time and permitted marine vessels shall be secured directly to a dock structure;</p> <p>e) the exterior display and sale of outdoor furniture and accessories shall only be permitted in the front yard abutting Honey Harbour Road;</p> <p>f) there shall be no tree removal (unless they are a safety hazard) and no expansion to existing storage buildings and structures located on-site. If trees are identified as safety hazards, removal should not occur between May 1 to July 31, as this time corresponds to the peak roosting period for the majority of bat species at risk;</p> <p>g) all lands in the Restricted Commercial Type Two Exception Ten (C2-10) Zone shall be subject to site plan control approval;</p> <p>h) vegetation within 20.0 metres of the shoreline be maintained in a natural state, with the exception of a pathway to the shoreline;</p> <p>i) in the event that future development applications propose additional buildings on the lot, an updated EIS scoped to address potential impacts to Endangered and Threatened Species should be completed;</p> <p>j) parking facilities on the subject property to be limited to the extent possible, to reduce the potential mortality of individual endangered and threatened species from vehicular collisions; and,</p> |

|                              | Column 1            | Column 2                     | Column 3               | Column 4           | Column 5                     | Column 6  |
|------------------------------|---------------------|------------------------------|------------------------|--------------------|------------------------------|---|
| 91-19<br>Exception<br>Number | Exception<br>Number | Additional<br>Permitted Uses | Only Uses<br>Permitted | Uses<br>Prohibited | Special Zone<br>Requirements | Other Special Provisions  |
|                              |                     |                              |                        |                    |                              | k) an accessory dwelling unit may be located on the main floor of an existing detached dwelling |

**TABLE 10.5 – C3 EXCEPTIONS**

| Column 1         | Column 2   | Column 3  | Column 4        | Column 5  | Column 6  |
|------------------|--|---|-----------------|---|---|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted   | Uses Prohibited | Special Zone Requirements   | Other Special Provisions  |
| C3-1             |  | Video<br>Cassette<br>Sales and<br>Rental<br><br>Bait and<br>Tackle Shop<br><br>Furniture<br>Sales Outlet<br>Gift Shop |                 |   |   |
| C3-2             |  |   | Restaurant      |   |   |
| C3-4             | Construction Trailer<br>Camp   |   |                 | Maximum Size of Trailer Camp – 10,000 sq.<br>m.<br>Minimum Required Front Yard – 60m<br>Minimum Required Side Yard – 30m  |   |
| C3-5             | Public Self Storage<br>Facility  |   |                 | Minimum Required Front Yard – 20m<br>Minimum Required Side Yard – 9m<br>Minimum Required Rear Yard – 9m   |   |
| C3-6             | Drive-in Restaurant  |   |                 |   |   |
| C3-8             | Marine Vessel Sales<br>and Service<br>Establishment<br><br>Public Self Storage<br>Facility |   |                 | Minimum Required Front Yard – 14m   |   |
| C3-9             | Clinic<br>Office   |   |                 |   |   |
| C3-10            | Public Self Storage<br>Facility<br><br>Bulk Fuel Depot<br><br>Outdoor Storage              |   |                 | Public Self Storage Facility:<br>Minimum Required Front Yard Setback –<br>20m<br>Minimum Required Interior Side Yard<br>Setback – 10m<br>Minimum Required Exterior Side Yard<br>Setback – 20m | Definitions:<br><br>Bulk Fuel Depot<br>For the purposes of this by-law shall<br>mean lands used for the bulk storage,<br>distribution<br>and sale of propane for commercial |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6   |
|------------------|---------------------------|---------------------|-----------------|--|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions   |
|                  |                           |                     |                 | <p>Minimum Required Rear Yard Setback – 10m</p> <p>Bulk Fuel Depot:<br/> Minimum Front Yard Setback – 27m<br/> Minimum Interior Side Yard Setback- 10m<br/> Minimum Exterior Side Yard Setback- 30m<br/> Minimum Rear Yard Setback- 10m</p> <p>Outdoor Storage:<br/> Minimum Front Yard Setback – 30m<br/> Minimum Interior Side Yard Setback -10m<br/> Minimum Exterior Side Yard Setback - 30m<br/> Minimum Rear Yard Setback- 10m</p> <p>Location Requirements for Outdoor Storage:<br/> a) Outdoor storage is behind the front or exterior wall of the main building facing any road;<br/> b) Such outdoor storage does not cover more than 15% of the lot area; and,<br/> c)Any portion of a lot used for outdoor storage is screened from adjacent uses and roads adjoining the lot, by a building, existing natural vegetation and/or landscaping strip of at least 3.0 metres in width and/or fence of at least 2.0 metres in height as measured from the ground and abutting the Residential Zone to the south.Ingress and Egress Provisions:<br/> a) Ingress and egress to and from the required parking spaces and areas shall be provided by means of unobstructed driveways with a maximum permitted width of 9.0</p> | <p>purposes but does not include retail sales to the general public.</p> <p>Outdoor Storage<br/> For the purposes of this by-law shall mean a principal use on a property and may include, but not be limited to, the storage of vehicles, travel trailers, recreational vehicles, camper trailers, accessory items for heavy equipment and boats, but shall not include uses requiring the storage of hazardous or noxious materials.</p> |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
|                  |                           |                     |                 | metres.<br>b) The minimum width of an aisle providing access to a parking area shall be 9.0 metres. |                          |
| C3-11            | Clinic Office             |                     |                 | Minimum Interior Side Yard Setback from southerly property line will be 9m.                         |                          |



---



---

**SECTION 11**  
**TOURIST COMMERCIAL ZONES**

---



---

**11.1 GENERAL PROHIBITION**

No person shall, within any Tourist Commercial (CT) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**11.2 PERMITTED USES**

Uses permitted in a Tourist Commercial (CT) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 11.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 11.1.

The Tourist Commercial (CT) Zones established by the By-law are as follows:

- CT1 Tourist Commercial Type One
- CT2 Tourist Commercial Type Two

Table 11.1

| Column 1  | Column 2     | Column 3 |
|---|--------------|----------|
|   | <b>ZONES</b> |          |
| <b>USE</b>                                      | CT1          | CT2      |
| Dwelling, Accessory                             | √            |          |
| Apartment Dwelling Unit, Accessory              |              | √        |
| Accessory Marina                                |              | √        |
| Accessory Retail Store                          | √            | √        |
| Assembly Hall                                   | √            |          |
| Cottage Establishment                           | √            | √        |
| Existing Camping Establishments                 | √            |          |
| Existing Trailer or Recreational Vehicle Park   |              | √ (1)    |
| Hotel   | √            |          |
| Motel   | √            |          |
| Marina  | √            |          |
| Resort  | √ (2)        |          |
| Restaurant                                      | √            |          |
| Service Shops                                   | √            |          |
| Staff Accommodation Facilities                  | √            | √        |
| Travel Trailer and Recreational Vehicle Storage |              | √        |

**Footnotes for Table 11.1**

- (1) Park model homes are a permitted use in existing trailer or recreational vehicle parks.
- (2) New Resorts are only permitted if on municipal sewage and municipal water services. Resorts that existed on December 31, 2012 are permitted, and are permitted to expand.

**11.3 ZONE REQUIREMENTS**

No person shall, within any Tourist Commercial (CT) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional zone requirement. These additional standards are listed in the Footnotes at the end of each table.

TABLE 11.2

| Column 1                        | Column 2   | Column 3  |
|---------------------------------|--|---|
| REQUIREMENTS                    | ZONES  |   |
|                                 | CT1  | CT2   |
| Lot Area (Minimum)              | 1.0 ha   | 4.0 ha  |
| Lot Frontage (Minimum)          | 75 m   | 100 m   |
| Required Yards (Minimum)        |  |   |
| Front Yard                      | 20 m   | 20 m  |
| Exterior Side Yard              | 20 m   | 20 m  |
| Rear Yard                       | 10 m   | 20 m  |
| Interior Side Yard              | 10 m   | 20 m  |
| Lot Coverage(Maximum) (1)       | 20%  | 10%   |
| Landscaped Open Space (Minimum) | 20%  | 30%   |
| Building Height (Maximum)       | 10 m   | 5 m   |
| Maximum Number of Camp Sites    | As legally existed on the date of the passing of this By-law | N/A   |
| Maximum number of Boat Slips    | N/A  | 0.5 per site or rental cabin  |
| Required Services               | N/A  | Where lands are used to provide sites for recreational vehicles, a licensed sewage pump-out facility must also be provided. |

**Footnotes for Table 11.2**

- (1) Within the Tourist Commercial (CT) Zones, maximum lot coverage shall be calculated based on the lot area within the Commercial Zone.

TABLE 11.3 – Regulations for Individual Sites within a Trailer or Recreational Vehicle Park

| Column 1   | Column 2   |
|--|--|
| <b>REQUIREMENTS</b>  | <b>ZONES</b>   |
|  | CT2  |
| Site Area (Minimum)  | 186 m <sup>2</sup>   |
| Site Frontage (Minimum)  | 12 m   |
| Setbacks and Separation Distances for Individual Sites (Minimum)               |  |
| Setback from Interior Road   | 5 m  |
| Separation distance from other tent or trailers, or similar, on adjacent sites | 6 m  |
| Site Coverage (Maximum)  | 25%  |
| Maximum Number of Tent or Trailer Campsites                                    | As legally existed on the date of the passing of this By-law |
| Maximum number of Boat Slips   | 0.5 per site or rental cabin                                 |

#### **11.4 TOURIST COMMERCIAL (CT) ZONES – EXCEPTIONS**

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 11.4 to Table 11.5 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 11.4 – CT1 EXCEPTIONS**

| Column 1         | Column 2   | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|--|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
| CT1-2            | Dwelling, Accessory<br>Accessory Retail Sales<br>Hotel and Motel<br>Accessory Restaurant<br>Staff Accommodation Facilities |                     |                 | Maximum Number of Accommodation Units – 25<br>Maximum Number of Boat Slips – 12<br>Maximum Lot Coverage – 4%                                     |                          |
| CT1-3            | Dwelling, Accessory<br>Accessory Retail Sales<br>Hotel and Motel<br>Accessory Restaurant<br>Staff Accommodation Facilities |                     |                 | Maximum Number of Accommodation Units – 90<br>Maximum Number of Boat Slips – 50<br>Maximum Lot Coverage – 20%                                    |                          |
| CT1-4            | Cottage Establishment<br>Dwelling Unit, Accessory  |                     |                 | Maximum Number of Boat Slips – 16<br>Maximum Lot Coverage – 4%<br>Maximum Number of Cottages – 4   |                          |
| CT1-5            | Cottage Establishment<br>Dwelling Unit, Accessory  |                     |                 | Maximum Number of Boat Slips – 13<br>Maximum Lot Coverage – 5%<br>Maximum Number of Cottages – 4   |                          |
| CT1-6            | Dwelling Unit, Accessory<br>Cottage Establishment<br>Motel<br>Accessory Convenience Store<br>Golf Course                   |                     |                 | Minimum Opening Elevation for all Buildings – 178.3 CGD<br>Maximum Number of Cottages – 8<br>Maximum Number of Motel Units – 12                  |                          |
| CT1-7            |  |                     |                 | Minimum Required Front Yard – 3m   |                          |
| CT1-8            |  |                     |                 | Regulations / setbacks for a restaurant:<br>Minimum Water Setback – Nil<br>Minimum Required Front Yard – 6 m<br>Minimum Required Side Yard – 5 m |                          |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
|                  |                           |                     |                 | Minimum Required Rear Yard – 10 m<br>Minimum Parking Requirement – 12 spaces per 10 m <sup>2</sup> |                          |

**TABLE 11.5 – CT2 EXCEPTIONS**

| Column 1         | Column 2  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses   | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| CT2-1            | Camp Sites<br>Cottage Establishment<br>Accessory Recreational Vehicle Storage<br>Accessory Retail Sales<br>Accessory Boat Slips |                     |                 | Maximum Lot Coverage – 1.5%<br>Maximum Number of Campsites – 6<br>Maximum Number of Rental Cottages – 8<br>Maximum Number of Boat Slips – 35  |                          |
| CT2-5            | 245 Tent and Trailer Sites  |                     |                 | Minimum Site Area – 150 sq. M<br>Minimum Site Frontage – 10 m<br>Minimum Separation Distance from other tent or trailers, or similar, on adjacent sites – 3 m<br>Minimum Setback from Interior Road – 3 m<br>Maximum Site Coverage – 35%<br>Minimum Separation Distance for sheds from sheds on adjacent sites – 0.9 m<br>Minimum Separation Distance for free-standing decks from other free-standing decks on adjacent sites – 1.8 m<br><br>All new sites will be required to have a 20m setback from any Lake, Channel, or Lagoon.<br><br>All new sites will be required to have a 3m vegetated buffer between the water and the site. |                          |

---



---

**SECTION 12  
MARINE COMMERCIAL ZONES**

---



---

**12.1 GENERAL PROHIBITION**

No person shall, within any Marine Commercial (CM & ML) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**12.2 PERMITTED USES**

Uses permitted in a Marine Commercial (CM & ML) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 12.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 12.1.

The Marine Commercial (CM & ML) Zones established by the By-law are as follows:

- CM1 Marine Commercial Type One
- CM2 Marine Commercial Type Two
- CM3 Marine Commercial Type Three
- CM4 Marine Commercial Type Four
- ML Marine Landing

Table 12.1

| Column 1                                      | Column 2     | Column 3 | Column 4 | Column 5 | Column 6 |
|---|--------------|----------|----------|----------|----------|
|   | <b>ZONES</b> |          |          |          |          |
| <b>USE</b>                                    | CM1          | CM2      | CM3      | CM4      | ML       |
| Dwelling Unit, Accessory                      | √ (1)        | √        | √        | √        |          |
| Apartment Dwelling Unit, Accessory            | √ (1)        |          |          | √        |          |
| Staff Accommodation Facilities                | √            | √        |          |          |          |
| Accessory Restaurant                          |              | √        |          |          |          |
| Accessory Retail Store                        | √            | √        | √        | √        |          |
| Barge Services                                |              |          | √        |          |          |
| Marine Vessel Storage                         | √            | √        | √        | √        |          |
| Commercial Mooring Facility                   |              | √        |          |          |          |
| Contractor's Yard                             |              |          | √        |          |          |
| Marina  | √            | √        |          |          |          |
| Marine Facilities                             | √            |          | √        |          | √        |
| Marine Vessel Sales, Service and Construction |              |          | √        | √        |          |

| Column 1  | Column 2     | Column 3 | Column 4 | Column 5 | Column 6 |
|---|--------------|----------|----------|----------|----------|
|   | <b>ZONES</b> |          |          |          |          |
| USE   | CM1          | CM2      | CM3      | CM4      | ML       |
| Parking Lot                                     |              |          |          |          | √        |
| Residential Mooring Facility                    | √            | √        | √        |          | √        |
| Service Shop                                    |              |          | √        |          |          |
| Travel Trailer and Recreational Vehicle Storage |              |          |          | √        |          |

**Footnotes for Table 12.1**

- (1) Where an Accessory Dwelling and Accessory Dwelling Unit Apartment is a permitted use, only one of an Accessory Dwelling or Accessory Dwelling Unit Apartment shall be permitted.

**12.3 ZONE REQUIREMENTS**

No person shall, within any Marine Commercial (CM & ML) Zone, use any lot or erect, alter, use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional zone requirement. These additional standards are listed in the Footnotes at the end of each table.

**TABLE 12.2**

| Column 1                        | Column 2     | Column 3 | Column 4 | Column 5 | Column 6 |
|---------------------------------|--------------|----------|----------|----------|----------|
|                                 | <b>ZONES</b> |          |          |          |          |
| REQUIREMENTS                    | CM1          | CM2      | CM3      | CM4      | ML       |
| Lot Area (Minimum)              | 1.0 ha       | 1.0 ha   | 0.4 ha   | 0.4 ha   | 0.4 ha   |
| Lot Frontage (Minimum)          | 120 m        | 120 m    | 60 m     | 60 m     | 40 m     |
| Required Yards (Minimum)        |              |          |          |          |          |
| Front Yard                      | Nil          | Nil      | 20 m     | 20 m     | 20 m     |
| Exterior Side Yard              | 10 m         | 10 m     | 10 m     | 10 m     | 10 m     |
| Rear Yard                       | 5 m          | 5 m      | 10 m     | 10 m     | 10 m     |
| Interior Side Yard              | 5 m          | 5 m      | 5 m      | 5 m      | 5 m      |
| From Municipal Road             | 8 m          | N/A      | N/A      | N/A      | N/A      |
| Building Height (Maximum)       | 10 m         | 11 m     | 11 m     | 11 m     | 10 m     |
| Lot Coverage (Maximum)          | 30%(1)       | 20%(1)   | 30%(1)   | 30%(1)   | 4%(1)    |
| Landscaped Open Space (Minimum) | 20%          | N/A      | 20%      | 20%      | 20%      |
| Maximum Number of Boat Slips    | N/A          | N/A      | N/A      | N/A      | 8        |

**Footnotes for Table 12.2**

- (1) Within the Marine Commercial (CM & ML) Zones maximum lot coverage shall be calculated based on the lot area within the Marine Commercial (CM & ML) Zone.



## 12.4 MARINE COMMERCIAL (CM & ML) ZONES – EXCEPTIONS

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 12.3 to Table 12.7 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 12.3 – CM1 EXCEPTIONS**

| Column 1         | Column 2   | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|--|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| CM1-1            |  |                     |                 | Maximum Number of Boat Slips – 60 per hectare of land in the zone<br><br>Maximum Lot Coverage – 8.0 %   |                          |
| CM1-2            |  |                     |                 | Maximum Number of Boat Slips – 80<br>Maximum Lot Coverage – 6%  |                          |
| CM1-3            | Cottage Establishment<br>Accessory Building Material Sales<br>Accessory Real Estate Office<br>Residential Mooring Facility<br>Commercial Mooring Facility<br>Marina<br>Accessory Retail Stores |                     |                 | Maximum Number of Boat Slips (Residential Mooring) – 140<br>Maximum Number of Boat Slips (Commercial Mooring) – 10<br>Maximum Lot Coverage – 8%<br>Maximum Number of Cottages – 5 |                          |
| CM1-4            |  |                     |                 | Maximum Number of Boat Slips – 60 per hectare of land in the zone<br>Maximum Lot Coverage – 4%  |                          |
| CM1-7            | Accessory Restaurant   |                     |                 | Maximum Number of Boat Slips – 60<br>Maximum Lot Coverage – 50%<br>Maximum Building Height – 11m  |                          |

**TABLE 12.4 – CM2 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4   | Column 5  | Column 6                 |
|------------------|---------------------------|---------------------|--|---|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited  | Special Zone Requirements   | Other Special Provisions |
| CM2-2            |                           |                     | No Swimming Pools shall be permitted as an accessory use | Maximum Number of Commercial Mooring Boat Slips – 129   |                          |
| CM2-3            |                           |                     |  | Minimum Lot Area – 5,000 sq. m.<br>Minimum Lot Frontage – 45m<br>Minimum Required Interior Side Yard– 2 m |                          |

**TABLE 12.5 – CM3 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                  |                           |                     |                 |                           |                          |

**TABLE 12.6 – CM4 EXCEPTIONS**

| Column 1         | Column 2   | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|--|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| CM4-1            | Dwelling Unit<br>Marine Vessel Storage<br>Public Self Storage Facilities |                     |                 | Maximum Area for Outdoor Storage – 600 sq. m.<br>Minimum Required Front Yard – 30m<br>Minimum Required Rear Yard – 15m<br>Minimum Required Side Yard– 15m |                          |

**TABLE 12.7 – ML EXCEPTIONS**

| Column 1         | Column 2  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|---|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses   | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
| ML-1             | Dwelling, Accessory<br>Marine Facilities<br>Residential Mooring Facility<br>Parking Lot   |                     |                 | Maximum Number of Boat Parking Spaces – 16   |                          |
| ML-2             |   |                     |                 | Maximum Number of Boat Slips – 11  |                          |
| ML-4             |   |                     |                 | Minimum Setback for Parking Lot and Buildings other than Marine Facilities – 30m<br>Maximum Number of Boat Slips – 16  |                          |
| ML-5             | Private Residential Mooring Facilities for Properties Involved with the Moore Point Cooperative Inc.<br>Gazebo<br>Accessory Structure for Storage Related to Mooring Facilities |                     |                 | Maximum Floor Area of Gazebo – 15 sq. m.<br>Maximum Floor Area of Accessory Structure for Storage Related to Mooring Facilities – 20 sq. m.<br>Maximum Number of Boat Slips – 32 |                          |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|--|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions |
| ML-6             |                           |                     |                 | Minimum Lot Area – 3,000 sq. m.<br>Maximum Number of Boat Slips – 72 |                          |

---



---

**SECTION 13  
INDUSTRIAL ZONES**

---



---

**13.1 GENERAL PROHIBITION**

No person shall, within any Industrial (M, MX & WD) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**13.2 PERMITTED USES**

Uses permitted in an Industrial (M, MX & WD) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 13.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 13.1.

The Industrial (M, MX & WD) Zones established by this By-law are as follows:

- M Industrial
- MX Extractive Industrial
- WD Waste Disposal

Table 13.1

| Column 1   | Column 2     | Column 3 | Column 4 |
|--|--------------|----------|----------|
|  | <b>ZONES</b> |          |          |
| <b>USE</b>                                       | M            | MX       | WD       |
| Contractor's Yard                                | √            |          |          |
| Equipment Storage Building                       | √            | √        | √        |
| Heavy Equipment Sales and Services               | √            |          |          |
| Light Manufacturing                              | √            |          |          |
| Maintenance Garage, Accessory                    | √            | √        |          |
| Motor Vehicle Repair Garage                      | √            |          |          |
| Office, Accessory                                | √            |          |          |
| Open Storage Area                                | √            | √        |          |
| Outdoor Storage                                  | √            |          |          |
| Pit  |              | √        |          |
| Portable Processing Plant                        |              | √        |          |
| Public Works Yard                                | √            |          |          |
| Quarry   |              | √        |          |
| Sewage Lagoon                                    |              |          | √        |
| Solid Waste Disposal Site or Management Facility |              |          | √ (1)    |
| Transportation Depot                             | √            |          |          |

| Column 1              | Column 2     | Column 3 | Column 4 |
|-----------------------|--------------|----------|----------|
|                       | <b>ZONES</b> |          |          |
| <b>USE</b>            | M            | MX       | WD       |
| Warehouse             | √            |          |          |
| Wayside Pit or Quarry |              | √        |          |

**Footnotes for Table 13.1**

- (1) Within the WD Zone, only legal waste disposal uses that were in existence on the date of passing of this By-law shall be permitted.

### 13.3 ZONE REQUIREMENTS

No person shall, within any Industrial (M, MX & WD) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional zone requirement. These additional standards are listed in the Footnotes at the end of each table.

Table 13.2

| Column 1                               | Column 2     | Column 3 | Column 4 |
|--|--------------|----------|----------|
|  | <b>ZONES</b> |          |          |
| <b>STANDARD</b>                        | M            | MX       | WD       |
| Lot Area (Minimum)                     | 1.0 ha       | 2.0 ha   | 1.0 ha   |
| Lot Frontage (Minimum)                 | 60 m         | 120 m    | 60 m     |
| Required Yards (Minimum):              |              |          |          |
| Front Yard                             | 30 m         | 30 m     | 30 m     |
| Exterior Side Yard                     | 30 m         | 30 m     | 30 m     |
| Rear Yard                              | 10 m         | 30 m     | 20 m     |
| Interior Side Yard                     | 10 m         | 30 m     | 20 m     |
| Building Height (Maximum)              | 10 m         | 10 m     | 10 m     |
| Lot Coverage (Maximum)                 | 50%          | 5%       | 50%      |
| Landscaped Open Space (Minimum)        | 20%          | 10%      | 20%      |
| Minimum Setback from a Residential Lot | N/A          | 90 m     | N/A      |

#### **13.4 INDUSTRIAL (M, MX & WD) ZONES – EXCEPTIONS**

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 13.3 to Table 13.5 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 13.3 – M EXCEPTIONS**

| Column 1         | Column 2                         | Column 3  | Column 4        | Column 5  | Column 6                 |
|------------------|----------------------------------|---|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses        | Only Uses Permitted   | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| M-1              |                                  | Light Manufacturing<br>Warehouse  |                 |   |                          |
| M-2              |                                  | Bulk Fuel Depot   |                 |   |                          |
| M-3              |                                  | Antenna Tower<br>Hydro Sub-station<br>Generating Station  |                 |   |                          |
| M-5              | Storage Building<br>Open Storage |   |                 |   |                          |
| M-7              | Contractor's Yard                |   |                 | Minimum Lot Area – 1,150 sq. m.<br>Minimum Lot Frontage (Road) – 21m<br>Minimum Lot Frontage (Water) – 25m<br>Minimum Required Front Yard – 15m<br>Minimum Required Interior Side Yard – 5m<br>No Dock Shall be Permitted |                          |
| M-8              |                                  | Contractor's Yard<br>Retail Office<br>Accessory Dwelling Unit<br>Real Estate Office<br>Enclosed and Open Commercial/Residential Storage<br>Manufacturing and Fabricating of Docks, Boathouses and Shoreline Accessories |                 |   |                          |



**TABLE 13.4 – MX EXCEPTIONS**

|                        | Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------------|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| 91-19 Exception Number | Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                        |                  |                           |                     |                 |                           |                          |

**TABLE 13.5 – WD EXCEPTIONS**

|                        | Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------------|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| 91-19 Exception Number | Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                        |                  |                           |                     |                 |                           |                          |

---



---

**SECTION 14  
INSTITUTIONAL**

---



---

**14.1 GENERAL PROHIBITION**

No person shall, within any Institutional (I) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**14.2 PERMITTED USES**

Uses permitted in an Institutional (I) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 14.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 14.1.

The Institutional (I) Zones established by this By-law are as follows:

I Institutional

Table 14.1

| Column 1                   | Column 2     |
|----------------------------|--------------|
| USE                        | <b>ZONES</b> |
|                            | I            |
| Arena                      | √            |
| Cemetery                   | √            |
| Clinic                     | √            |
| Community Centre           | √            |
| Day Nursery                | √            |
| Emergency Service Facility | √            |
| Library                    | √            |
| Municipal Office           | √            |
| Museum                     | √            |
| Nursing Home               | √            |
| Place of Worship           | √            |
| School                     | √            |
| Wellness Centre            | √            |

**14.3 ZONE REQUIREMENTS**

No person shall, within any Institutional (I) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional zone requirement. These additional standards are listed at the end of each table.

Table 14.2

| Column 1                   | Column 2     |
|----------------------------|--------------|
|                            | <b>ZONES</b> |
| <b>STANDARD</b>            | I            |
| Lot Area (Minimum)         | 0.4 ha       |
| Lot Frontage (Minimum)     | 40 m         |
| Required Yards (Minimum):  |              |
| Front Yard                 | 7.5 m (1)    |
| Exterior Side Yard         | 2 m          |
| Rear Yard                  | 7.5 m        |
| Interior Side Yard         | 2 m          |
| Building Height (Maximum)  | 10 m         |
| Lot Coverage (Maximum)     | 30%          |
| Landscaping Area (Minimum) | 10%          |

**Footnotes for table 14.2**

- (1) Except where a front yard abuts a navigable waterway, in which case, the minimum front yard setback shall be 20 metres.

#### **14.4 INSTITUTIONAL (I) ZONE – EXCEPTIONS**

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 14.3 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 14.3 – I EXCEPTIONS**

| Column 1         | Column 2   | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|--|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| I-5              | Place of Worship<br>Conservation<br>Passive Outdoor Recreation<br>Private Park<br>Accessory Structures |                     |                 | Minimum Lot Area – Legally Existing<br>Minimum Lot Frontage – Legally Existing<br>Minimum Required Front Yard – 20m<br>Minimum Required Interior Side Yard – 5m<br>Minimum Required Exterior Side Yard – 8m<br>Minimum Required Rear Yard – 10m<br>Maximum Lot Coverage – 5%<br>Minimum Landscaped Open Space – 75%<br>Maximum Building Height – 7m |                          |

---



---

**SECTION 15  
RURAL ZONES**

---



---

**15.1 GENERAL PROHIBITION**

No person shall, within any Rural (RU) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**15.2 PERMITTED USES**

Uses permitted in a Rural (RU) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 15.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 15.1.

The Rural (RU) Zones established by this By-law are as follows:

RU Rural

Table 15.1

| Column 1                         | Column 2     |
|----------------------------------|--------------|
|                                  | <b>ZONES</b> |
| <b>USE</b>                       | <b>RU</b>    |
| Dwelling, Detached               | √            |
| Secondary Dwelling Unit          | √            |
| Agriculture                      | √            |
| Bed and Breakfast Establishment  | √            |
| Forestry                         | √            |
| Home Industry                    | √            |
| Home Occupation                  | √            |
| Hunt Camp                        | √            |
| Portable Saw Mill                | √            |
| Riding School or Boarding Stable | √            |
| Wayside Pit or Quarry            | √            |

**Footnotes for Table 15.1**

**15.3 ZONE REQUIREMENTS**

No person shall, within any Rural (RU) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional Zone requirement. These additional standards are listed at the end of each table.

Table 15.2

| Column 1                        | Column 2     |
|---------------------------------|--------------|
|                                 | <b>ZONES</b> |
| <b>STANDARD</b>                 | RU           |
| Lot Area (Minimum)              | 10.0 ha      |
| Lot Frontage (Minimum):         |              |
| District Class 'A' Road         | 150 m        |
| District Class 'B' Road         | 135 m        |
| Other Road                      | 120 m        |
| Required Yards (Minimum):       |              |
| Front Yard                      | 20 m         |
| Exterior Side Yard              | 20 m         |
| Interior Side Yard              | 5 m          |
| Rear Yard                       | 7.5 m        |
| Building Height (Maximum)       | 10 m         |
| Lot Coverage (Maximum)          | 20%          |
| Landscaped Open Space (Minimum) | 20%          |

**Footnotes for Table 15.2**

## 15.4 RURAL (RU) ZONES – EXCEPTIONS

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 15.3 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.



TABLE 15.3 – RU EXCEPTIONS

| Column 1         | Column 2   | Column 3  | Column 4        | Column 5  | Column 6   |
|------------------|--|---|-----------------|---|--|
| Exception Number | Additional Permitted Uses  | Only Uses Permitted   | Uses Prohibited | Special Zone Requirements   | Other Special Provisions   |
| RU-1             |  |   |                 | Minimum Lot Frontage – 97m  |  |
| RU-2             |  | Motor Vehicle Inspection and Diagnostic Centre<br>Outdoor Storage |                 | Minimum Required Front Yard – 30m<br>Minimum Required Rear Yard – 15m<br>Minimum Required Side Yard – 7.5m<br>Maximum Number of Vehicles – 10   | Serviced vehicles may only be parked in the rear yard<br><b>Motor Vehicle Inspection and Diagnostic Garage</b> – means a building or structure where diagnostic services and motor vehicle inspections are performed or executed on motor vehicles, and minor mechanical repairs are done, but shall not include any other motor vehicle establishment defined in this By-law.                                     |
| RU-3             |  |   |                 | Minimum Required Rear Yard – 285m   |  |
| RU-4             | Parking and Storage of Vehicular Equipment and Material Storage Area |   |                 | Minimum Required Front Yard – 10m<br>Minimum Required Side Yard – 20m<br>Minimum Required Rear Yard – 5m<br>Maximum Lot Coverage – 12%  | Accessory structures may be constructed prior to the construction of the main principle building.  |
| RU-5             | A Dwelling Unit<br>Accessory Buildings and Structures<br>Hobby Farm  |   |                 | Minimum Required Front Yard from Silversands Lake Road – 75 m<br>Minimum Required Front Yard from Clifton Lane – 30 m<br>Maximum Dwelling Unit Gross Floor Area – 325 sq.m<br>Maximum Accessory Building and Structure Floor Area – 185.8 sq. m<br>Maximum Cumulative Gross Floor Area and Floor Area for All Buildings and Structures – 882 sq.m | Accessory buildings and structures may be constructed prior to the construction of the dwelling unit.<br><br><b>Definitions:</b><br><br><b>Hobby Farm</b> means a parcel of land which includes the principle residence and bards, sheds, pens and similar accessory buildings which are used for the sole purpose of the persons residing at the residence and are not used for commercial agricultural purposes. |

**SECTION 16  
OPEN SPACE ZONES**

**16.1 GENERAL PROHIBITION**

No person shall, within any Open Space (OS, CL & LS) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**16.2 PERMITTED USES**

Uses permitted in an Open Space (OS, CL & LS) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 16.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 16.1.

The Open Space (OS, CL & LS) Zones established by this By-law are as follows:

- OS1 Open Space
- OS2 Golf Course
- CL Crown Land
- LS Lakeside Zone

Table 16.1

| Column 1                              | Column 2     | Column 3 | Column 4 | Column 5 |
|---------------------------------------|--------------|----------|----------|----------|
|                                       | <b>ZONES</b> |          |          |          |
| <b>USE</b>                            | OS1          | OS2      | CL       | LS       |
| Conservation                          | √            |          | √        |          |
| Existing Accessory Docks              |              |          | √        |          |
| Passive outdoor recreation            | √            |          |          |          |
| Public parks and accessory structures | √            |          |          |          |
| Golf Course                           |              | √        |          |          |
| Private parks                         | √            |          |          |          |
| Conservation Education                | √            |          |          |          |
| In-Water Boathouse                    |              |          |          | √(1)     |
| Boatport                              |              |          |          | √(1)     |
| Dock                                  |              |          |          | √(1)     |
| Boat Lift                             |              |          |          | √(1)     |
| Marine Railway                        |              |          |          | √(1)     |
| Boat Launching Ramp                   |              |          |          | √(1)     |

**Footnotes for Table 16.1**

(1) In-water Boathouses, Boatports, Docks, Boat Lifts, Marine Railways and Launching Ramps are the only permitted uses in the LS Zone, and are only permitted in accordance with the regulations of this By-law.

**16.3 ZONE REQUIREMENTS**

No person shall, within any Open Space (OS, CL & LS) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional zone requirement. These additional standards are listed at the end of each table.

Table 16.2

| Column 1                      | Column 2           | Column 3 | Column 4   |
|-------------------------------|--------------------|----------|--|
|                               | <b>ZONES</b>       |          |  |
| <b>STANDARD</b>               | OS1 <sup>(1)</sup> | OS2      | CL   |
| Lot Area (Minimum)            | 1 ha               | 2 ha     | As existed on the date of passing of this By-law |
| Lot Frontage (Minimum)        | 60 m               | 150 m    | As existed on the date of passing of this By-law |
| Required Yards (Minimum):     |                    |          |  |
| Front Yard                    | 20 m               | 20 m     | 20 m   |
| Exterior Side Yard            | 20 m               | 20 m     | 8 m  |
| Rear Yard                     | 10 m               | 10 m     | 10 m   |
| Interior Side Yard            | 5 m                | 5 m      | 5 m  |
| Building Height (Maximum)     | 5 m                | 10 m     | 10 m   |
| Lot Coverage (Maximum)        | 5%                 | 5%       | 5%   |
| Minimum Landscaped Open Space | 95%                | 50 %     | 50%  |

**Footnotes for Table 16.2**

(1) These standards apply only to Public Park and accessory structure, and private park uses, as buildings and structures are not permitted for Conservation, Passive Recreation or Conservation Education uses.

## 16.4 OPEN SPACE (OS, CL & LS) ZONES – EXCEPTIONS

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 16.3 to Table 16.6 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 16.3 – OS1 EXCEPTIONS**

| Column 1         | Column 2                                   | Column 3  | Column 4        | Column 5   | Column 6  |
|------------------|--|---|-----------------|--|---|
| Exception Number | Additional Permitted Uses                  | Only Uses Permitted   | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
| OS1-1            |  | Conservation<br>Outdoor Education Facility<br>Passive Outdoor Recreation<br>Private Parks Excluding Buildings or Structures   |                 |  |   |
| OS1-3            | Conservation<br>Passive Outdoor Recreation |   |                 |  |   |
| OS1-4            | One Dock<br>One Storage Building           |   |                 | Maximum Dock Length – 1.5m<br>Maximum Dock Width – 6m<br>Maximum Number Docks– 1<br>Minimum Required Front Yard (Storage Building) – 15m<br>Minimum Required Rear Yard S (Storage Building – 5m<br>Minimum Required Side Yard (Storage Building) – 5m<br>Maximum Floor Area (Storage Building) – 10 sq. m. |   |
| OS1-5            | Golf Course                                |   |                 |  |   |
| OS1-7            |  | Passive Natural Trails  |                 |  |   |
| OS1-8(H)         |  | Golf Course<br>Golf Course Accessory Building and/or Structures, including but not limited to: <ul style="list-style-type: none"> <li>• Clubhouse</li> <li>• Maintenance Building</li> </ul> Accessory Recreation amenities including but not limited to tennis courts, swimming pool, walking trails |                 |  | All development shall be subject to site plan control pursuant to Section 41 of the Planning Act. |

| Column 1         | Column 2  | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses   | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions |
| OS1-9(H)         | Parking Lot   |                     |                 |   |                          |
| OS1-10           | Common Docking Facilities<br>Common Parking Facilities<br>Boardwalk<br>Private Park<br>Accessory Structures |                     |                 |   |                          |
| OS1-11           |   | Provincial Camp     |                 | In the OS1-11 Zone, a Provincial Camp shall be a facility containing cabins and a dining hall, existing docks and recreational areas.   |                          |
| OS1-12           | Detached Dwelling   |                     |                 | Minimum setback from EP-W Zone is 30 metres<br>Minimum setback from the centre line of road is 15 metres<br>A detached dwelling shall be subject to the zone requirements of Table 15.2 (rural zone), with the exception that the maximum permitted height shall be 8 metres. |                          |

**TABLE 16.4 – OS2 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                  |                           |                     |                 |                           |                          |

**TABLE 16.5 – CL EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
|                  |                           |                     |                 |                           |                          |

**TABLE 16.6 – LS EXCEPTIONS**

| Column 1         | Column 2                  | Column 3  | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted   | Uses Prohibited | Special Zone Requirements | Other Special Provisions |
| LS-1             |                           | Conservation<br>Outdoor Education Facility<br>Passive Outdoor Recreation<br>Private Parks Excluding Buildings or Structures |                 |                           |                          |

---



---

**SECTION 17**  
**ENVIRONMENTAL PROTECTION ZONES**

---



---

**17.1 GENERAL PROHIBITION**

No person shall, within any Environmental Protection (EP, FH, NSC & NSI) Zone, use any land, or erect, alter or use any building or structure except in accordance with the following provisions.

**17.2 PERMITTED USES**

Uses permitted in an Environmental Protection (EP, FH, NSC & NSI) Zone are noted by the symbol '√' in the column applicable to that Zone and corresponding with the row for a specific permitted use in Table 17.1. A number(s) following the symbol '√', zone heading or identified permitted use, indicates that one or more conditions apply to the use noted or, in some cases, to the entire Zone. Special Conditions are listed in the Footnotes below the Permitted Use Table, Table 17.1.

The Environmental (EP, FH NSC & NSI) Zones established by this By-law are as follows:

|        |   |
|--------|---|
| EP1    | Environmental Protection One                                |
| EP2    | Environmental Protection Two                                |
| EP-W   | Environmental Protection – Wetland                          |
| EP-PSW | Environmental Protection – Provincially Significant Wetland |
| FH1    | Fish Habitat – Type One                                     |
| NSC    | Natural State Conservation                                  |
| NSI    | Natural State Island  |

Table 17.1

| Column 1                     | Column 2   | Column 3 | Column 4 | Column 5 | Column 6 | Column 7 |
|------------------------------|------------|----------|----------|----------|----------|----------|
| USE                          | ZONE       |          |          |          |          |          |
|                              | EP1 / EP-W | EP2      | EP-PSW   | FH1      | NSC      | NSI      |
| Conservation                 | √          | √        | √        | √        | √(2)     | √        |
| Accessory In-Water Boathouse |            | √(1)     |          |          |          |          |
| Accessory Docks              | √(1)       | √(1)     |          |          |          |          |
| Accessory Structures         |            | √        |          |          |          |          |
| Conservation Education       | √          | √        | √        |          | √(3)     |          |

**Footnotes for Table 17.1**

- 1) A dock meeting the requirements of the Department of Fisheries and Oceans or the requirements of other authorities having jurisdiction shall be permitted in an EP1, EP-W or EP2 Zone where the dock is accessory to a permitted use on the appertaining lands and meets the requirements of Section 4.1.13.2.



- 2) The NSC Zone shall only apply to lands owned by or subject to easements held be a Conservation Land Trust.
- 3) Only conservation education uses that respect and do not alter the natural state of the land shall be permitted.

### 17.3 ZONE REQUIREMENTS

No person shall, within any Environmental Protection (EP, FH, NSC & NSI) Zone, use any lot or erect, alter, or use any building or structure except in accordance with the following zone provisions. A number(s) following the zone requirement, zone heading or description of the standard, indicates an additional Zone requirement. These additional standards are listed in the Footnotes at the end of each table.

Table 17.2

| Column 1                        | Column 2                         | Column 3                         | Column 4                         | Column 5                         | Column 6 | Column 7 |
|---------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|
| <b>ZONES</b>                    |                                  |                                  |                                  |                                  |          |          |
| <b>STANDARDS</b>                | EP1 / EP-W                       | EP2                              | EP-PSW                           | FH1                              | NSC      | NSI      |
| Lot Area (Minimum)              | As required by the abutting Zone | As required by the abutting Zone | As required by the abutting Zone | As required by the abutting Zone | N/A      | N/A      |
| Lot Frontage (Minimum)          | As required by the abutting Zone | As required by the abutting Zone | As required by the abutting Zone | As required by the abutting Zone | N/A      | N/A      |
| Building Setbacks (Minimum):    |                                  |                                  |                                  |                                  | N/A      | N/A      |
| Front Yard                      | 20 m                             | 20 m                             | N/A                              | N/A                              | N/A      | N/A      |
| Exterior Side Yard              | 8 m                              | 8 m                              | N/A                              | N/A                              | N/A      | N/A      |
| Interior Side Yard              | 5 m                              | 5 m                              | N/A                              | N/A                              | N/A      | N/A      |
| Rear Yard                       | 10 m                             | 10 m                             | N/A                              | N/A                              | N/A      | N/A      |
| Building Height (Maximum)       | As required by the abutting Zone | As required by the abutting Zone | N/A                              | N/A                              | N/A      | N/A      |
| Lot Coverage (Maximum)          | As required by the abutting Zone | As required by the abutting Zone | N/A                              | N/A                              | N/A      | N/A      |
| Landscaped Open Space (Minimum) | As required by the abutting Zone | As required by the abutting Zone | N/A                              | N/A                              | N/A      | N/A      |

#### **17.4 ENVIRONMENTAL PROTECTION (EP, FH1, NSC & NSI) ZONES - EXCEPTIONS**

The exception provisions apply to those lands that are zoned with an exception on the accompanying zone maps to this By-law. Exception provisions to this Zone are modified as set out in Table 17.3 to Table 17.4 below.

- Column 1 sets out the exception number of each zone exception which corresponds to an area of the Township identified on the Zoning Schedules by the same number and zone, preceded by a dash and the number, denoting an exception. (i.e. SR-88)
- Column 2 sets out the additional uses permitted in the zone exception, if applicable.
- Column 3 sets out the only uses permitted in the zone exception, if applicable.
- Column 4 sets out the prohibited uses in the zone exception, if applicable.
- Column 5 sets out the new or modified standards for the zone exception, if applicable.
- Column 6 sets out any additional provisions for the zone exception, if applicable.

All other provisions of the zone, unless specifically modified or amended by this Section, continue to apply to the lands subject to this Section.

**TABLE 17.3 – EP1 EXCEPTIONS**

| Column 1         | Column 2                                    | Column 3                         | Column 4                      | Column 5   | Column 6   |
|------------------|---|----------------------------------|-------------------------------|--|--|
| Exception Number | Additional Permitted Uses                   | Only Uses Permitted              | Uses Prohibited               | Special Zone Requirements  | Other Special Provisions   |
| EP1-1            |   |                                  | All buildings and structures. |  |  |
| EP1-6            | Passive Nature Trails<br>Accessory Building |                                  |                               | Maximum Floor Area (Accessory Building) – 15 sq. m.  |  |
| EP1-7            |   | Stormwater Management Facilities |                               |  |  |
| EP1-8            |   |                                  |                               | Webber Island<br>Notwithstanding the requirements of Section 4.5, on lands within the EP1-8 Zone, all development shall be setback a minimum 5 metres from the limits of the EP1-8 Zone. | A dock shall be a permitted use on and appurtenant to Lot 14 within the EP1-8 or FH1 zone in accordance with the site specific EIS completed for the property. |
| EP1-9            |   |                                  |                               | Development and site alteration shall not occur and is prohibited.   |  |
| EP1-10           |   | Conservation Use                 |                               | Minimum Lot Frontage - NIL   | Development and site alteration shall not occur and is prohibited  |

**TABLE 17.4 – EP2 EXCEPTIONS**

| Column 1         | Column 2                                    | Column 3            | Column 4        | Column 5  | Column 6                 |
|------------------|---|---------------------|-----------------|---|--------------------------|
| Exception Number | Additional Permitted Uses                   | Only Uses Permitted | Uses Prohibited | Special Zone Requirements                           | Other Special Provisions |
| EP2-1            | Passive Nature Trails<br>Accessory Building |                     | Boathouse       | Maximum Floor Area (Accessory Building) – 15 sq. m. |                          |

**TABLE 17.5 – NSI EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6                 |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--------------------------|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6   |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions   |
| NSI-1            |                           |                     |                 |                           | Maximum size of existing buildings and structures shall be as legally existed and legally constructed. |

**TABLE 17.6 – FH1 EXCEPTIONS**

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6   |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions   |
| FH1-1            |                           |                     |                 |                           | <ul style="list-style-type: none"> <li>a) When the native soil is exposed, sediment and erosion control works, in the form of heavy-duty sediment fencing, be positioned along the downgradient edge of any construction envelopes adjacent to water bodies, wetlands, or watercourses.</li> <li>b) Temporary storage locations of aggregate material be set back from water bodies, wetlands or watercourses by no less than 30.0 metres and be contained by heavy-duty sediment fencing.</li> <li>c) The sediment fencing must be constructed of heavy material and solid posts to ensure its integrity, and be properly installed (trenched in) to maintain its integrity during inclement weather events.</li> <li>d) Additional sediment fencing and appropriate control measures (i.e. straw bales) be available on site so that any breach can be immediately repaired through construction of check dams.</li> <li>e) Regular inspection and monitoring will be necessary to ensure that the structural integrity and continued functioning of the sediment control measures is maintained (i.e. proper installation is not the only action necessary to satisfy the mitigation requirements).</li> <li>f) Inspections of sediment and erosion control measures be completed within 24 hours of the onset of the storm event.</li> <li>g) Sediment control measures be maintained in good working order until vegetation has been established on the exposed soils.</li> </ul> |

| Column 1         | Column 2                                      | Column 3            | Column 4        | Column 5  | Column 6   |
|------------------|---|---------------------|-----------------|---|--|
| Exception Number | Additional Permitted Uses                     | Only Uses Permitted | Uses Prohibited | Special Zone Requirements   | Other Special Provisions   |
|                  |   |                     |                 |   | <p>h) The offloading/loading of aggregate be undertaken during fair weather conditions and with care not to allow any of this material to enter the water.</p> <p>i) All new septic systems be set back 30.0 metres from the high water mark and all new development, excluding secondary shoreline structures, be set back a minimum of 20.0 metres from the high water mark.</p> <p>j) All new septic systems, docking facilities, and the development of the primary residence/cottage be located within the envelopes shown on Figure 4 to the River Stone Environmental Solutions Inc. Environmental</p> <p>k) Vegetation within 20.0 metres of the shoreline be left to naturalize, with the exception of a pathway to the shoreline for each lot. The path will have a maximum width of 2.0 metres, meander, and be constructed of permeable substances (i.e. clean gravel, mulch) where required. Trees will not be cut within the setback unless they are a safety hazard and debris from clearing or materials to be used in construction will not be placed within the setback.</p> <p>l) No new docking envelopes are to be created over and above those currently in existence.</p> |
| FH1-2            | One (1) dock on each of 127 & 131 Osprey Way” |                     |                 | Minimum Required Setback to a Fish Habitat Type One Exception Two (FH1-2) Zone: NIL | <p>a) Utilize a dock design that has a small footprint on the lakebed, such as a floating, cantilever or pole supported dock. If a larger footprint is used (i.e. cribs), then the cribs should be constructed in an open faced manner and filled with large rocks to provide accessible crevices for fish and other small organisms. Cribs should be spaced 2.0 metres and located at least 2.0 metres from the high water mark to allow nearshore water to circulate.</p> <p>b) Implement a timing window of March 15th to July 15th to protect spring spawning species, that is dock construction should be completed outside of that timing window.</p> <p>c) Develop and implement an Erosion and Sediment Control Plan for the site that minimizes risk of sedimentation of the waterbody during all phases of the project. For dock construction, this includes:</p> <ul style="list-style-type: none"> <li>• Installation of effective erosion and sediment control measures before starting work to prevent sediment from entering the water</li> </ul>   |

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5   | Column 6  |
|------------------|---------------------------|---------------------|-----------------|--|---|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements  | Other Special Provisions  |
|                  |                           |                     |                 |  | <p>body.</p> <ul style="list-style-type: none"> <li>• Isolating the area where the dock will be installed with a silt curtain to contain suspended sediment.</li> </ul> <p>d) Clearing of riparian vegetation should be kept to a minimum.</p> <p>e) Minimize the removal of natural woody debris, rocks, sand or other materials from the banks, the shoreline or the bed of the waterbody below the ordinary high water mark. If material is removed from the waterbody, set it aside and return it to the original location once construction activities are completed.</p> <p>f) Immediately stabilize shoreline or banks disturbed by any activity associated with the project to prevent erosion and/or sedimentation, preferably, through revegetation with native species suitable for the site.</p> <p>g) Restore bed and banks of the waterbody to their original contour and gradient; if the original gradient cannot be restored due to instability, a stable gradient that does not obstruct fish passage should be restored.</p> <p>h) If replacement rock reinforcement/armouring is required to stabilize eroding or exposed areas, then ensure that appropriately-sized, clean rock is used and that rock is installed at a similar slope to maintain a uniform bank/shoreline and natural stream/shoreline alignment.</p> <p>i) Remove all construction materials from site upon project completion.</p> <p>j) Ensure that all in-water activities, or associated in-water structures do not interfere with fish passage, constrict the channel width, or reduce flows."</p> |
| FH1-3            |                           | One (1) dock        |                 | <p>Minimum Required Setback to a Fish Habitat Type One Exception Three (FH 1-3) Zone- NIL</p> <p>Minimum Required Interior Side Yard Setback to a dock and ramp in a Fish Habitat Type One Exception Three (FHI-3) Zone – 5m</p> | Site Plan Control Approval is required prior to the site alteration or development of these lands, implementing the recommended mitigation measures for lot and dock development, pursuant to the Environmental Impact, as prepared by Michalski Nielsen Associates Limited (September 2015)  |

TABLE 17.7 – EP-W EXCEPTIONS

| Column 1         | Column 2                  | Column 3            | Column 4        | Column 5                  | Column 6   |
|------------------|---------------------------|---------------------|-----------------|---------------------------|--|
| Exception Number | Additional Permitted Uses | Only Uses Permitted | Uses Prohibited | Special Zone Requirements | Other Special Provisions   |
| EP-W-1           |                           |                     |                 |                           | Temporary storage locations of aggregate material be set back from water bodies, wetlands or watercourses by no less than 30.0 metres and be contained by heavy-duty sediment fencing. |

**SECTION 18  
HOLD ZONES, TEMPORARY USE ZONES**

**18.1 HOLDING PROVISIONS**

Notwithstanding any other provision in this By-law, where a Zone symbol is followed by the letter "H" and a number (for example M2-(H1) or R1-(H2)) no person shall use the land to which the letter (H) applies for any use other than the use which existed on the date this By-law was passed, nor construct any new buildings or structures, until the (H) is removed in accordance with the policies of the Official Plan and the Planning Act, as amended.

Council may pass a By-law pursuant to Section 36 of the Planning Act to remove the Holding (H) Symbol, thereby placing the lands in the zone indicated by the zone symbol, when all of the applicable requirements have been met.

Zones with Holding Provisions are identified in Table 18.1 below in this Section.

**18.1.2 List of Holding Provisions**

The following holding provisions apply to lots in the Township of Georgian Bay:

**TABLE 18.1**

| Column 1    | Column 2   | Column 3   |
|-------------|--|--|
| <b>Zone</b> | <b>Property/Legal Description</b>  | <b>Condition for Removal</b>   |
| ____ (H)    | As identified on Schedule A of this By-law.  | <ul style="list-style-type: none"> <li>• A Site Plan Agreement between the Township and the Owner has been completed.</li> </ul>   |
| ____ (H1)   | All properties located within 500 metres of a WD Zone  | <ul style="list-style-type: none"> <li>• The lifting of the Holding provision permitting the development of any new use or new or expanded buildings and structures shall not occur until Council is satisfied that all of the studies required by the Township and District have been completed in accordance with Section I.2.4 of the Official Plan.</li> </ul>             |
| ____ (H2)   | All vacant patent lots on Islands not zoned Natural State Island (NSI) or Natural State Conservation (NSC) | <ul style="list-style-type: none"> <li>• Completion of a survey to confirm the lot area above the specified contour and to confirm the location of the high water mark.</li> </ul>   |
| ____(H3)    | As identified on Schedule A of this By-law.  | <ul style="list-style-type: none"> <li>• The holding provision may be removed and development may proceed upon Council being satisfied that:               <ul style="list-style-type: none"> <li>a) Site plan agreements are entered into to maintain significant soil, vegetation and tree cover prior to an after development and to ensure that the</li> </ul> </li> </ul> |



| Column 1  | Column 2                                    | Column 3  |
|-----------|---|---|
| Zone      | Property/Legal Description                  | Condition for Removal   |
|           |   | <p>structures are set on the lot/land appropriately to fit the character of the immediate neighbourhood.</p> <p>b) That an environmental evaluation has been carried out to determine what remedial measures may be required to protect Type 1 or unknown fish habitat.</p>   |
| ____(H4)  | As identified on Schedule A of this By-law. | <ul style="list-style-type: none"> <li>Existing buildings and structures are permitted to be reconstructed and expanded subject to Site Plan Approval supported by an Environmental Impact Assessment in accordance with the policies for the underlying Residential designation. The removal of the Holding Symbol shall occur upon completion of an Environmental Impact Assessment and Site Plan Agreement.</li> </ul>   |
| ____(H5)  | As identified on Schedule A of this By-law. | <ul style="list-style-type: none"> <li>All permitted uses must be connected to water and sewer services.</li> </ul>   |
| ____(H6)  | As identified on Schedule A of this By-law. | <ul style="list-style-type: none"> <li>A servicing agreement providing for the availability and construction of the water and sanitary sewage works necessary to provide such services between the Owner and the District of Muskoka has been completed.</li> </ul>   |
| ____(H7)  | As identified on Schedule A of this By-law. | <ul style="list-style-type: none"> <li>A Site Plan Agreement between the Township and the Owner that incorporates an integrated Pest Management and Golf Course Management Plan and a Stormwater Management Plan has been completed; and</li> <li>Documentation that the policies of the Provincial Policy Statement and the municipality with respect to species at risk have been satisfied on the subject lands.</li> </ul>  |
| ____(H8)  | As identified on Schedule A of this By-law. | <ul style="list-style-type: none"> <li>A Site Plan Agreement between the Township and the Owner that incorporates a Golf Course Management Plan, Best Practice Guidelines for Golf Course Construction and a Stormwater Management Plan has been completed; and</li> <li>Documentation that the policies of the Provincial Policy Statement and the municipality with respect to species at risk as identified in the Environmental Impact Study – Phases 2 &amp; 3 by Michalski Nielson and Associates Ltd., dated January, 2010, have been satisfied on the subject lands.</li> </ul>     |
| ____(H9)  | As identified on Schedule A of this By-law. | <ul style="list-style-type: none"> <li>An ecologist review to determine the extent of the building envelopes on each lot shall be required.</li> </ul>  |
| ____(H10) |   | <ul style="list-style-type: none"> <li>The Holding (H10) Symbol may be removed and the establishment of new in-water buildings or structures or the expansion of existing in-water buildings and structures may proceed upon Council being satisfied that approvals have been obtained by the appropriate authority for the registration of an easement on the lands subject to the Holding (H10) Symbol. The Council approval by By-law, pursuant to Section 36 of the Planning Act will be required prior to the removal of the Holding (H10) Symbol on the applicable lands."</li> </ul> |

## **18.2 TEMPORARY USE ZONES**

Where on Schedules to this By-law, a zone symbol is preceded by the letter "T" and a dash, and followed by a zone designation and a number (for example T-SR3-1), one or more additional uses are permitted on the lands noted until the permission granted by the Site Specific Temporary Use By-law expires. Table 18.2 identifies the Temporary Use Zones within the Township.

**18.2.1 List of Temporary Use Zones**

TABLE 18.2

| Column 1                | Column 2   | Column 3   | Column 4            | Column 5            |
|-------------------------|--|--|---------------------|---------------------|
| <b>Zone Designation</b> | <b>Property/Legal Description</b>  | <b>Temporary Uses</b>  | <b>Date Enacted</b> | <b>Date Expires</b> |
| N/A                     | Properties with shoreline frontage on Georgian Bay located within or south of the Honey Harbour Coastal Waterfront Community, as delineated on Schedule A of this By-law | <p>Notwithstanding Section 4.1.13.2 f), to ensure adequate water depth for the mooring and docking of boats, properties with shoreline frontage on Georgian Bay located within or south of the Honey Harbour Coastal Waterfront Community, as delineated on Schedule A of this By-law may be permitted to extend the length of one existing permitted dock per property to a maximum length where the depth of water, measured from the lake bed to the surface water on a calm, light air day, does not exceed 1.22 metres at the end of the dock or to a maximum length of 40 metres, whichever is less. The dock beyond the first 20 metres must be floating and shall include a minimum of 72 square inches of reflective marking on all three sides of the end of the dock.</p> <p>Notwithstanding Section 4.1.13.2 b), no dock shall be located closer than 5 metres to the side lot line including the straight line extension of the side lot line, 20 metres into the water measured from the existing water's edge of Georgian Bay. The right to construct and use a dock permitted by this temporary use by-law shall only be permitted provided that the mean water level for Lakes Michigan-Huron as measured by the US Army Corp of Engineers on May 1<sup>st</sup> of each year, is less than 175.92 metres. The right to construct and use a dock permitted by this temporary use by-law shall expire on November 30<sup>th</sup>, 2015. Any component of a dock constructed under this temporary use by-law shall be removed on or before November 30<sup>th</sup>, 2015.</p> | August 14, 2013     | November 30, 2015   |

---

---

**SECTION 19  
DEFINITIONS**

---

---

**Access Ramp** means a sloped driveway used to access an elevated or underground parking area or parking lot.

**Accessory** means a use, separate building or structure, which is incidental, subordinate, exclusively devoted to and located on the same lot as the principal use, building or structure.

**Accommodation Units** means any room or group of rooms designed to provide accommodation to the traveling or recreational public including a room in a hotel, motel, resort, cottage establishment, or cabin or a tent or trailer site.

**Addition** means a new room or section which is appended to a building or structure.

**Adjacent** means next to or beside.

**Agriculture** means general farming and shall include:

- a) the breeding and rearing of livestock, poultry, fowl and fur-bearing animals;
- b) the general cultivation of land and associated production, processing and storing of field crops, fruits, and vegetables;
- c) agro-forestry and maple syrup production;
- d) tree nurseries;
- e) any other use customarily carried on in the field of general agriculture;
- f) the sale on the premises of produce grown or raised on the premises; and
- g) shall not include a livestock operation of more than 300 animals or nutrient units or specialized agricultural uses as defined herein.

**Agriculture Building** means any building or structure customarily used in connection with a farm other than a residence.

**Air Conditioner Duct** means a channel or tube used to deliver air.

**Aisle** means that part of a parking area which provides onsite access to parking spaces, but does not include a driveway.

**Alter** when used in reference to a building, structure or part thereof, means:

- a) to change any one or more of the external dimensions of such building or structure; or
- b) to change the type of construction of the exterior walls or roof of such building or structure; or
- c) to change the use of such building or structure; or
- d) to change the number of uses or dwelling units contained therein.

**“Alter”**, when used in reference to a lot, means:

- a) to change the boundary of such lot with respect to a road or lane; or
- b) to change any dimension or area, relating to such lot, which is covered herein by a zone provision; or
- c) to change the use of such lot; or
- d) to change the number of uses located thereon.

“Altered” and “alteration” shall have corresponding meanings.

**Antenna Tower** means a structure designed to support antennas used to transmit or receive radio or television signals

**Archaeological Resources** means artifacts, sites and marine archaeological sites, which are identified and evaluated through archaeological fieldwork undertaken in accordance with the *Ontario Heritage Act*.

**Arena** means a building housing ice making equipment and infrastructure capable of enclosing an artificial ice surface intended for year round recreational use and may include uses such as special events and competitions, circuses, concerts, conventions, weddings/banquets/ anniversaries, auctions, restaurants, flea markets and trade shows or exhibits with a retail component.

**Assembly Hall** means a building, or part of a building, in which facilities are provided for such purposes as meetings for civic, educational, political, religious or social purposes and may include a banquet hall, private club or fraternal organization.

**Attached** means a building otherwise complete in itself, which depends, for structural support or complete enclosure, upon a division wall or walls shared in common with adjacent building or buildings.

**Attached Landing Platform** means the platform of an inclinuator, which is elevated.

**Auction Sales Facility** means a building or structure or lands used for the storage of goods and materials which are to be sold on the premises by public auction, and for the sale of the said goods and materials by public auction on an occasional basis.

**Auditorium** means a building or part of a building, in which facilities are provided for athletic, civic, educational, political, religious or social purposes and shall include an arena or similar facility or use.

**Balcony** means a raised platform or structure projecting above finished grade from the main building, not supported by the ground, with or without steps to provide access to the ground.

**Banquet Hall** means a building or part thereof which contains kitchen facilities and is used for the gathering of groups of people for a specific function which may include the consumption of food and drink.

**Barge** means a large marine vessel that has a flat bottom and is used to carry goods.

**Barge Services** means the provision of barges for use in transporting freight or passengers.

**Basement** means that portion of a building which has at least one-half of its height, from finished floor to finished ceiling or to the undersides of the floor joists of the storey next above, as the case may be, above the adjacent average finished grade level adjacent to the exterior walls of the building.

**Bay Window** means a window or set of windows jutting out from the wall of a building and forming an alcove within.

**Bed and Breakfast Establishment** means a home occupation within a single family dwelling wherein not more than two rooms are rented and meals are served to overnight guests for commercial purposes.

**Belfry** means a bell tower or steeple housing bells.

**Belt Course** means a horizontal band or course of stone projecting beyond or flush with the face of a building.

**Boarding or Lodging House** means a dwelling in which lodging with or without meals is supplied for gain to three or more persons other than the lessee, tenant or owner, or any members of his / her family, but does not mean a bed and breakfast establishment, cottage establishment, hotel, motel, hospital or similar commercial or institutional use.

**Boardwalk** means an elevated structure that is completely separated from and independent to the natural grade for distances of at least 5 metres at a time, typically constructed of wood, and used to provide access to buildings, structures or features, or to provide for a recreational viewing opportunity.

**Boat Launching Ramp** means a facility used for the launching or boats or vessels into a waterbody

**Boat Lift** means a structure located in a waterbody that is used to elevate a boat or vessel and is attached to the lands under water.

**Boat, Live-aboard** means a marine vessel with a head and kitchen facilities, which is used as a dwelling unit over a permanent or temporary period.

**Boat Slip** means a single parking space for boats or other marine vessels forming part of a dock, boathouse or other mooring facilities.

**Boathouse, In-Water** means an accessory building used for the storage of marine vessels or other forms of watercraft and boating equipment that is directly accessible by water at all times, but shall not include living space for human habitation or sleeping space.

**Boathouse, Dryland** means an accessory building used for the storage of marine vessels, other forms of watercraft and boating equipment, all-terrain vehicles and snowmobiles, which is not located within, nor does have water access to a waterbody. A dryland boathouse shall not include living space for human habitation or sleeping space.

**Boatport** means an accessory building or structure, which is not enclosed by any walls, and is designed and used only for the sheltering of marine vessels or other forms of water craft.

**Bowling Alley** means a building or part thereof consisting of bowling lanes which may also include additional activities and / or a restaurant operated in conjunction with and subordinate to the bowling lanes.

**Breezeway** means a walkway structure ) with a roof and no walls and not screened that connects two buildings. Breezeway height shall be measured based on the building height definition.

**Building** means a structure consisting of any combination of walls, roof and floor or any structural system serving the function thereof, including all associated plumbing, works, fixtures, service systems and carports but not including tents and awnings.

**Building, Accessory** means a detached building located on the same lot as the main building, the use of which is incidental or secondary to that of the main building and includes a sleeping cabin, a detached garage, a boathouse, a tool shed, a storage building, a gazebo, and a sauna.

**Building, Apartment** means a building consisting of four (4) or more dwelling units which have a common entrance from street level and which have the right to use common halls, stairs, elevators and yards, where applicable.

**Building Height** means the vertical distance between the average natural grade at the front of the building, and:

- a) the highest point of the roof surface of a flat or domed roof, or any other roof with a cupola except in the case of a boathouse or boatport;  
or
- b) the deck line of a mansard roof; or
- c) the midpoint between the eaves and the peak for any roof structure that has a peak.

When applied to in-water boathouses and boatports, height shall be measured from the high water level to the midpoint between the eaves and the peak.

When applied to in-water boathouses and boatports on Georgian Bay, height shall be measured from the top of the dock to the midpoint between the eaves and the peak.

When applied to a detached garage, height shall be the measurement on each side of the building from the average finished grade to the midpoint between the eaves and the peak. Building height shall be the average between the height measured on each side of the building.

***Building Permit*** means a building permit issued by the Chief Building Official of the Corporation of the Township of Georgian Bay.

***Building Supply and Lumber Outlet*** means a building or structure in which building or construction and home improvement materials are offered or kept for sale at retail and may include the fabrication of certain materials related to home improvements.

***Bulk Fuel Depot*** means lands used for the bulk storage, distribution and sale of fuel for commercial purposes but does not include retail sales to the general public.

***Camping Establishment*** Land used for the parking and temporary use for more than five (5) campsites occupied by tents, trailer, motor homes, truck campers and recreational vehicles and accessory uses and facilities such as administrative offices, sanitary facilities accessory marina and an accessory convenience store, but does not include a mobile home park.

***Camp Site*** means a parcel of land within a camping establishment that is maintained as a site for the location and temporary occupation of a tent, travel trailer, motor home, recreational vehicle or truck camper, but not a mobile home dwelling.

***Canopy*** means a covering, usually of cloth, suspended over support posts or poles.

***Carport*** means a building or structure which is not wholly enclosed, and is used for the parking or storage of one or more motor vehicles.

***Ceiling*** means the upper interior surface of a room or storey in a building or structure.

***Cellar*** means that portion of a building which has more than one-half of its height, from finished floor to finished ceiling or to the underside of the floor joists of the storey next above, as the case may be, below the average finished grade level adjacent the exterior walls of the building.



**Cemetery** means land that is set apart or used for the interment of human remains or in which human bodies have been buried and may include a columbarium or mausoleum but does not include any building for public assembly.

**Chimney** means a structure, usually vertical, containing a passage or flue by which the smoke, gases, etc. of a fire or furnace are carried off.

**Church Spire** means a tapering conical or pyramidal structure on top of a church tower.

**Clinic** means An establishment used by two or more qualified health practitioners including physicians, dentists, chiropractors, physiotherapists and their staff for the purposes of consultation, diagnosis and office treatment but does not include a public or private hospital or office located in the medical professional's residence.

**Clinic, Veterinary** means the premises of a veterinary surgeon where animals are treated or kept.

**Clothes Pole** means an upright pole and suspension system used to hang clothing.

**Commercial Club** means a private, for-profit organization which provides social, cultural, athletic and/or recreational activities.

**Community Centre** means any tract of land or building, or buildings or any part of any buildings used for community activities whether used for commercial purposes or not, the control of which is vested in the Municipality, a local board or agent thereof.

**Comply** means that a use, building, structure or other feature meets the provisions of this By-law.

**Concrete Batching Plant** means an industrial facility used for the production of concrete, or concrete products, used in building or construction, and includes facilities for the administration or management of the business, the stockpiling of bulk materials used in the production process or of finished products manufactured on the premises and the storage and maintenance of required equipment, but does not include the retail sale of finished concrete products.

**Conservation** means the preservation and protection of the natural environment. No building or structures including docks shall be permitted, with the exception of accessory docks permitted in accordance with Table 17.1 of this By-law.

**Conservation Education** means an area of land used for Conservation and for the purposes of educating the public on Conservation matters.

**Construct** means to build, erect, place, reconstruct or relocate and may include:  
a) any preliminary operation such as excavating, filling or draining; or

- b) altering any existing building or structure by an addition, expansion, extension or other structural change; or
- c) any work which requires a building permit.

“Constructed” and “construction” shall have corresponding meanings.

**Contractor’s Yard** means a yard of any general contractor or builder where equipment and materials are stored or where a contractor performs shop or assembly work but does not include any other yard or establishment otherwise defined or classified herein.

**Convenience Store** means a retail commercial establishment, not exceeding 180 square metres of gross floor area, supplying groceries and other daily household necessities to the surrounding area, whether or not such store is open for business seven (7) days a week or not.

**Cooking Facilities** means equipment used to prepare or cook food.

**Cornice** means horizontal decorative molding that crowns or completes a building or wall.

**Corporation** means the Corporation of the Township of Georgian Bay.

**Cottage Establishment** means an establishment comprising of two (2) or more cottages owned, rented or leased by the same person.

**Cottage Property Maintenance and Service Business** means a business providing property maintenance services such as grass cutting, painting, building and dock repair, project management, brush/refuse removal, landscaping, furniture and appliance removal/delivery and general services including cleaning, fall closure and spring opening of recreational properties. Uses associated with a Cottage Property Maintenance and Service Business shall be limited to internal storage of landscaping, garden and property maintenance equipment and supplies and all-terrain vehicles as well as employee parking, a business office, accessory retail of outdoor furniture, accessories and products serving recreational and cottage needs, and an accessory residence.

**Council** means the Council of The Corporation of the Township of Georgian Bay.

**Covered Entrance** means a roofed structure (having a maximum area of 6 m<sup>2</sup> measured from the exterior edges of the roof’s overhang to the exterior wall of the building) that is located over a building entrance and projects from the building, and that is open on three sides. For the purposes of this By-law, a covered entrance shall not include a porch or screened porch.

**Cupola** means a rounded dome forming or adorning a roof or ceiling.

**Current Water Mark** means the location where the current water level of a lake or river meets the land.

***Current Water Level*** means the water level at a given point in time.

***Day Nursery*** means a premise where more than 5 pre-school age children are provided with temporary care and/or guidance for a continuous period not exceeding 24 hours and are licensed in accordance with the Day Nurseries Act, R.S.O., 1980, c. 111 as amended.

***Deck*** means an open, non-roofed and unenclosed accessory structure which is designed for lounging or sunbathing and is attached to a building.

***Deck, Free-standing*** means an open, non-roofed accessory structure which is designed for lounging or sunbathing and is not attached to a building, with the exception that a Gazebo may be erected on a Free-standing Deck, only where a Gazebo is a permitted structure.

***Density*** means the ratio of dwelling units to 1 net hectare of lot area.

***Detached*** when used in reference to a building, means a building which is not dependent on any other building for structural support or enclosure.

***Dish Antenna*** means a device used to transmit or receive radio or television signals that consists of a reflector shaped like a shallow dish.

***Dock*** means a structure for the mooring of boats, attached to or forming part of the mainland or used in conjunction with a use on the mainland or attached to, touching or forming part of a ramp.

***Dock, Main*** means the portion of a dock projecting into the water from the current water mark, in the case of a dock with one or more fingers.

***Dock Projection*** means the distance a dock, or combination of a ramp and dock extends into the water as measured from the current water mark.

***Drive-Through Service Facility*** means a building or structure or part thereof where goods and/or services are offered to the public within a parked or stationery vehicle by way of a service window or kiosk, where goods, money or materials are exchanged. Kiosks within a parking garage or associated with a surface parking area are not considered to be drive-through service uses.

***Driveway*** means a defined area providing access for motor vehicles from a municipally maintained road or private road or a lane to facilities such as a parking area, parking lot, loading space, private garage, building or structure.

***Driving Range*** means a public or private area operated for the purpose of developing golfing techniques, including miniature golf courses, but excluding golf courses.

**Dry Cleaners Establishment** means a building or part of a building used for the business of dry cleaning, dry dyeing, cleaning, spotting, stain removal or pressing of articles and / or goods of fabric, through the use of only non-combustible and non-flammable solvents which emit no odours or fumes.

**Drop Awning** means a roof-like shelter of canvas or other material extending over a doorway in order to provide protection from the sun.

**Dwelling** means a building or part of a building occupied or capable of being occupied, in whole or in part as the home, residence or sleeping place of one or more persons either continuously, permanently, temporarily or transiently.

**Dwelling, Accessory** means a use, separate building, or structure, which is usually incidental, subordinate, exclusively devoted to and located on the same lot as the principal use, building or structure but not including a building or structure which is used as a dwelling unless specifically permitted.

**Dwelling, Apartment** means a separate building containing three or more dwelling units, which is not a Triplex Dwelling or a Fourplex Dwelling.

**Dwelling, Attached** means a self-contained dwelling, which is attached to another building.

**Dwelling, Converted** means a building originally constructed as a single detached dwelling of at least 225 sq.m. of gross floor area, which has been converted by partition and/or the addition of sanitary and cooking facilities into not more than three, dwelling units.

**Dwelling, Detached** means a detached building containing only one dwelling unit, unless otherwise specified in this By-law.

**Dwelling, Duplex** means a dwelling divided horizontally into two separate dwelling units, each such dwelling unit having an independent entrance either directly from outside the building or through a common vestibule.

**Dwelling, Fourplex** means the whole of a building divided horizontally or a combination of vertically and horizontally into four separate dwelling units, each of which has an independent entrance either directly or through a common vestibule.

**Dwelling, Mobile Home** means any dwelling that is designed to be mobile, and constructed or manufactured to provide a permanent residence for one or more persons in accordance with C.S.A. Standard Z240 or Z241, but does not include a travel trailer or tent trailer or trailer otherwise designed.

**Dwelling, Semi-detached** means a building divided vertically by a common wall above finished grade into two separate dwelling units, each such dwelling unit having an independent entrance either directly from outside the building or through a common vestibule.

***Dwelling, Townhouse*** means a building divided vertically both above and below grade into no less than three nor more than eight separate dwelling unit attached by common walls extended from the base of the foundation to the roof line, with each such dwelling unit having two independent entrances at grade directly from outside the building.

***Dwelling, Triplex*** means the whole of a building divided horizontally into three separate dwelling units, each of which has an independent entrance either directly or through a common vestibule.

***Dwelling Unit*** means a room or rooms which function as a housekeeping unit used or intended to be used as a domicile by one or more persons, in which only one kitchen, living quarters and sanitary facilities are provided for the exclusive use of the residents and with a private entrance from outside the building or from a common hallway or stairway.

***Dwelling Unit, Accessory*** means a separate dwelling unit, which is contained in a building, which was originally designed as a single-family dwelling and continues to be occupied by the owner.

***Dwelling Unit, Secondary*** means a secondary dwelling unit located within an existing detached, semi-detached or townhouse dwelling, which is clearly accessory or subordinate to the main dwelling unit.

***Eave*** means the part of a roof, on any and all sides of a building or structure, that meets or overhangs the walls or supports of a building or structure.

***Eave Projection*** means the distance from the wall or support of a building or structure to the fascia of a roof, or edge of the roof where there is no fascia.

***Emergency Service Facility*** shall mean a building that houses emergency personnel, their supplies and vehicles and may include an ambulance response facility, fire station or police station.

***Equipment and Material Storage Area*** means a specifically designated area where the owner/operator stores equipment used for the day-to-day operations of a construction business including such items as tools, forms and general non-vehicular construction equipment. This does not include a transfer area for lumber, sand, gravel or aggregate materials.

***Equipment Sales / Rental Establishment*** means a building or part thereof where residential, commercial and industrial equipment is kept for rental or sale to the general public and includes such items as lawn and garden tools, floor cleaning equipment, masonry tools, painting and decorating equipment, moving tools, plumbing tools, power tools and other similar items.

***Equipment Storage Building*** means a building or buildings used for individuals for the purpose of equipment storage.

**Erect** means to build, construct, reconstruct, alter or relocate including any preliminary physical operation such as excavating, grading, piling, cribbing, filling or draining, or structurally altering any existing building or structure by an addition, deletion, or expansion.

**Existing** means existing, being a reality or an actuality as of the date of passing of this By-law.

**Expand** means:

- a) to increase the area or height of a building or structure; or
- b) to increase the capacity of a septic system.

"Expanded" and "Expansion" shall have corresponding meanings.

**Fascia** means a wooden board or other flat piece of material covering the end of the rafters that compose part of a roof structure.

**Fence** means a barrier enclosing or bordering a field, yard, lot, Etc. which is used to prevent entrance, to confine or to mark a boundary.

**Financial Institution** means a premises where financial services are offered to the public and may include an automated banking machine.

**Finished Grade** means the average elevation of the finished ground level adjacent to the wall or walls in question, which is determined by taking the arithmetic mean of the levels of the finished ground surface at every location of change of grade.

**Flag Pole** means a staff or pole on which a flag is or can be displayed.

**Floor** means the lower interior surface of a room in a building or structure on which one stands.

**Floor, Ground** means the first floor of a building that is not a basement or cellar.

**Floor Area means** the area of the floor of a building measured from the exterior of the exterior walls.

***Floor Area, Gross*** means the aggregate of the area of all floors measured between the exterior of the exterior walls which shall include the area of the lowest floor of a dwelling, including a basement or cellar where the floor to ceiling height is greater than 1.8 metres, the entire area of the main floor or first floor, and the entire area of the second floor or any higher floor where the floor to ceiling height is greater than 1.4 metres. Included in Gross Floor Area are porches, screened porches, sunrooms, and any attached structure or any area under a roof overhang where the eave projection is greater than 1.2 metres from the exterior wall. Breezeways are excluded from Gross Floor Area. In an area of a building with exposed joists or rafters, floor to ceiling height shall be measured from the top of the floor to the bottom of the joists or rafters.

**Cognashene Coastal Waterfront Community, Wah Wah Taysee Coastal Waterfront Community and Go Home Bay Coastal Waterfront Community, as delineated on Schedule A of this By-law – Definition of Floor Area, Gross:**

***Floor Area, Gross*** means the total aggregate of the area of all floors measured between the exterior of the exterior walls, and includes without limitation, the entire area of the main floor or first floor, the entire area of the second floor or any higher floor and in the case of a basement or cellar, the area where the floor to ceiling height is greater than 1.8 metres. Included in Gross Floor Area are porches, screened porches, sunrooms, and any attached structure or any area under a roof overhang where the eave projection is greater than 1.2 metres from the exterior wall. Breezeways are included in Gross Floor Area to the point at which the breezeway connects to an accessory building. In an area of a basement or cellar with exposed joists or rafters, floor to ceiling height shall be measured from the top of the floor to the bottom of the joists or rafters.

***Floor Area, Ground*** means the Floor Area of the Ground Floor of a building.

***Forestry*** means the raising and/or harvesting of timber for the purpose of producing commercial or non-commercial wood products but shall not include the manufacturing or processing of such products.

***Free-standing*** means a structure that is unenclosed and not attached to a dwelling or other building.

***Frontage*** means the straight-line distance between the intersection of the side lot lines and the front lot line, except as follows:

- a) where there are no side lot lines, such as a peninsula, the greatest distance between any point on the front lot line and any point on the rear lot line.
- b) where there are no side lot lines and no rear lot lines, such as on an island, the greatest distance between any two points.

**Garage, Attached** means a structure attached to a dwelling which is used for the sheltering of private motor vehicles and storage of household equipment incidental to the residential occupancy and which is fully enclosed and roofed.

**Garage, Detached** means a detached accessory building or portion of a dwelling house which is designed or used for the sheltering of private motor vehicles and storage of household equipment incidental to the residential occupancy and which is fully enclosed and roofed and excludes a carport or other open shelter.

**Garden Trellis** means a structure of thin strips of materials, crossing each other in an open pattern on which vines or other creeping plants are trained.

**Gazebo** means a free-standing, roofed accessory structure that is open, screened or glassed and which is utilized for recreational purposes in conjunction with the main building, but not including a sauna.

**Golf Course** means a public or private premises which is used for the purpose of playing golf. This definition may include a par-3 golf course, a driving range, a miniature golf course or any similar use and may include maintenance buildings, pro shop, accessory retail, clubhouse, restaurant and banquet hall as accessory uses.

**Group Home** means a single housekeeping unit in a residential dwelling in which 3 to 6 unrelated residents excluding staff or receiving family, live as a family under responsible supervision consistent with the requirements of its residents. The home is licensed or approved under the Provincial statute in compliance with municipal by-laws.

**Gutter** means a shallow trough fixed beneath the edge of a roof for carrying off rainwater.

**Heavy Equipment Sales and Services** means a building or part of a building or structure in which heavy machinery and equipment are offered or kept for sale, rent, lease or hire under agreement for compensation, but shall not include any other establishment defined or classified in this By-law.

**Height** means the vertical distance between the average natural grade at the front of the structure or feature, and the top of the structure or feature. Building Height is defined separately.

**High Water Mark** means the location where the high water level of a lake or river meets the land. For Georgian Bay, this level shall be measured as 177.4 C.G.D.

**High Water Level** means the highest normal or controlled water level on inland lakes and 177.4 C.G.D. on Georgian Bay.

**Highly Sensitive Waterbodies** means waterbodies that are classified as having high sensitivity to phosphorus by the Official Plan of the Muskoka Planning Area (District of Muskoka Official Plan).



***Holding Tank*** means a tank designed to totally retain all sanitary sewage discharged into it and requiring periodic emptying. A holding tank is not a pump chamber.

***Home Industry*** means any occupation conducted entirely within a building or part of a building accessory to a single detached dwelling or agricultural operation. A home industry does not include a motor vehicle repair shop.

***Home Occupation*** means an occupation carried on by the occupant of a dwelling on his premises as an accessory use in connection with which there is no display, no stock in trade nor commodity sold upon the premises and which is clearly subordinate or incidental to the principal use of the dwelling for residential purposes.

***Hot Tub or Whirlpool*** means a structure which is designed to contain water, is used in conjunction with high velocity water recirculation systems or air injection, and is generally not emptied after each individual use.

***Hotel*** means a premises in which temporary lodging or sleeping accommodation are provided to the general public and may include accessory services such as restaurants, meeting facilities, recreation facilities, convention, banquet facilities and staff accommodations; and includes a hostel.

***Human Habitation*** means a place occupied by humans designed for living and including but not limited to, sleeping, eating or food preparation, including a den, library, sewing-room, exercise room, hobby room, or enclosed sunroom.

***Hunt Camp*** means a building or structure occupied on a temporary basis for the purpose of conducting activities related to hunting and/or fishing.

***Individual On-site Sewage System*** means individual, autonomous sewage system within the meaning of s. 8.1.2, O.Reg. 403/97, under the Building Code Act, 1992 that are owned, operated and managed by the owner of the property upon which the system is located.

***Inclinators*** means a device which elevates an attached landing platform, enclosed by a guard, along a surface rail system, and is designed to transport people, materials or goods up an inclined surface.

***Inland Lake*** means a lake which is not considered a part of the Georgian Bay waterbody.

***Kennel*** means an establishment where dogs, cats or other small domestic animals or household pets are bred or raised primarily for the purpose of sale, or are trained or boarded for gain or profit, but does not include a veterinary clinic.

***Kitchen*** means a room or part of a room where food is stored, prepared or cooked or which has cooking appliances and a sink.

***Lake*** means a natural or man-made body of water surrounded by land.

**Land-based** means a building or structure which does not encroach onto the bed of a waterbody.

**Landing** means the floor area or platform at the bottom of a flight of stairs or between two flights of stairs.

**Landscaped Open Space** means the open space at grade on a lot accessible by walking and which is suitable for the growth and maintenance of grass, flowers, trees, bushes, natural vegetation and other landscaping and includes any surfaced walk or similar area but does not include any driveway or ramp, whether surfaced or not, any curb, retaining wall, parking area or any open space beneath or within any building or structure.

**Landscaping Strip** means an open space free of buildings or structures which is used for the growing and maintenance of grass, flowers, shrubs or other landscaping or natural vegetation.

**Lane** means a public thoroughfare, whether or not improved for use, and which affords only a secondary means of access for vehicular traffic to abutting lots and which is not intended for general traffic circulation.

**Laundromat** means a building or structure where the service or coin-operated laundry machines, using only water, detergents and additives, are made available to the public for the purpose of laundry cleaning.

**Leaching Bed** (note: Sewage Service Bed means the same as Leaching Bed) means an absorption system constructed as absorption trenches or as a filter bed, located wholly in ground or raised or partly raised above ground, as required by local conditions, to which effluent from a treatment unit is applied for treatment and disposal and that is composed of:

- a) the soil, as defined in Part 8 of Division B of the Ontario Building Code, leaching bed fill or other filter media that is contained between the surface on which the sanitary sewage is applied and the bottom of the bed;
- b) The distribution pipe and the stone or gravel layer in which the distribution pipe is located; and
- c) The backfill above the distribution pipe, including the topsoil and sodding or other anti-erosion measure, and the side slopes of any portion elevated above the natural ground elevation.

**Legal** means as legally existing at the date of adoption of this Zoning By-law.

**Legally** means as legally existing at the date of adoption of this Zoning By-law.

**Length** or **Building Length** means the cumulative length of the part of a building or structure perpendicular to its width.

**Library** shall mean a building containing printed, electronic and pictorial material for public use for purposes of study, reference and recreation.

**Loading Space** means an off-street space on the same lot as the building, or contiguous to a group of buildings, for the temporary parking of a commercial vehicle while loading or unloading merchandise or materials, and which abuts upon a road, lane or other appropriate means of access.

**Loft** means a storage area within a sloping roof. If the area is used for any purpose other than storage, the area within the sloping roof shall be considered a storey.

**Lot** means a parcel or tract of land described in a deed or other legal document which is legally capable of conveying title and:

- a) Which is a whole lot within a Registered Plan of Subdivision, or lot within a Plan of Condominium other than a Registered Plan of Subdivision which has been deemed not to be a Registered Plan of Subdivision under a By-law passed pursuant to Section 49 of The Planning Act, S.O., 1983, C.1, as amended; or
- b) Which is a legally separated parcel of land in existence on the date of passing of this By-law without the owner holding the fee or the equity or redemption in, or power or right to grant, assign or exercise a power of appointment with respect to any abutting land; or
- c) The description of which is the same as in a deed which has received final consent to a conveyance pursuant to Section 49 of The Planning Act, S.O., 1983, c.1, as amended.
- d) Which is the whole remnant remaining to an owner or owners after a conveyance is made with final consent pursuant to Section 40 of The Planning Act, S.O., 1983, c.1, as amended, but for the purpose of this paragraph no parcel or tract of land ceases to be a lot by reason only of the fact that a part or parts of it has or have been conveyed to or acquired by the Township of Georgian Bay, The District Municipality of Muskoka, Her Majesty in the Right of Ontario or Her Majesty in the Right of Canada; or
- e) Which is the subject of an order of The Minister of Municipal Affairs pursuant to the provisions of Section 56 of The Planning Act., S.O., 1983, c.1, as amended.

**Lot, Corner** means a lot situated at the intersection of two or more roads, or at the intersection of a road and a railway right-of-way, or a lot abutting on one or more parts of the same road, in which an interior angle of less than one hundred and thirty-five (135) degrees is contained, between the front and side lot lines abutting by the said road or roads.

**Lot, Existing** means a lot which existed as of the date of the passing of this By-law.

**Lot, Interior** means a lot, other than a corner lot or a through lot.

**Lot, Through** means a lot bounded on opposite sides by roads or opposite sides by navigable waterways.

**Lot, Waterfront** means a lot which has direct frontage or access to a waterbody, including where a lot is separated from a waterbody by a shore road allowance.

**Lot Area** means the total horizontal area within the lot lines of a lot or island above the normal high water mark. On Georgian Bay, an elevation of 177.4 m Canadian Geodetic Datum shall be used as the normal high water mark. A shore road allowance in front of a lot that is not stopped up and closed can be included as lot area.

Where an island lot has multiple areas above the high water mark, separated by areas below the high water mark, each such area shall be considered separately, and not cumulatively, for the purposes of calculating lot area.

**Lot Coverage** means the percentage of the lot area covered by all principal and accessory buildings or structures excluding parking areas, driveways, docks, and decks and walkways less than 1.2 metre in height from the finished grade to the top of the decking, measured on the side of the deck or walkway that is closest to the water, but including structures and buildings constructed appertaining to the lot.

**Lot Frontage** means the straight-line distance between the intersection of the side lot lines and the front lot line, except as follows:

- a) Where there are no side lot lines, such as a peninsula, the greatest distance between any point on the front lot line and any point on the rear lot line.
- b) Where there are no side lot lines and no rear lot lines, such as on an island, the greatest distance between any two points.
- c) Where a lot abuts a shore road allowance that has not been closed and purchased, the lot frontage shall be measured as the straight-line distance at the intersection of the extension of the side lot lines and the shore road allowance lot line closest to the water.
- d) Where a lot has multiple front lot lines, lot frontage shall be calculated independently for each front lot line.

**Lot Line** means any boundary of a lot or the straight-line projection thereof into the water.

**Lot Line, Exterior Side** means any lot line other than a front or rear lot line which is also a road line.

***Lot Line, Front*** means:

- a) the lot line that abuts the road, but in the case of any lot abutting a navigable waterway, or an unopened shore road allowance, the front lot line shall be the high water mark of the navigable waterway or the lakeward side of the open shore road allowance, whichever is higher in elevation.
- b) in the case of a through lot abutting a navigable waterway or an unopened shore road allowance, on two or more sides, all lot lines described in accordance with paragraph (a), shall be the front lot line.
- c) in the case of a corner lot or through lot, the shorter lot line that abuts a road shall be deemed to be the front lot line and the longer lot line that abuts a road shall be deemed an exterior side lot line, but,
- d) in the case of a corner lot or through lot with two lot lines of equal length abutting roads, the lot line that abuts the wider road shall be deemed to be the front lot line, but where the roads are of equal width, the lot line which abuts a Provincial Highway shall be deemed to be the front lot line, and in the case of both roads being under the same jurisdiction and of the same width, the owner of the lot may designate which road line shall be the front lot line.
- e) in the case where a lot abuts only a road cul-de-sac, all of the frontage on the road cul-de-sac shall be deemed to be the front lot line.
- f) on unsubdivided islands the front lot line shall be the entire shoreline of the island surrounded by water.

***Lot Line, Interior Side*** means a lot line other than a front or rear lot line which is not a road line.

***Lot Line, Rear*** means the lot line farthest from or opposite to the front lot line or in the case of a triangular lot the intersection of the two side lot lines shall be the point from which the minimum rear yard requirement is measured.

***Maintenance Garage, Accessory*** means a premises where vehicles are repaired or maintained, and is an accessory use to the main use on the property.

***Maintenance or Works Depot*** means a building or facility where maintenance or works equipment is stored.

***Manufacturing*** means the use of land, buildings or structures for the assembly or development of a product.

***Manufacturing, Light*** means the assembly or repair or fabrication of goods and materials utilizing materials which have been manufactured in another location and

which does not produce waste water in excess of 4500 liters per day or chemical by-products.

**Marina** means a commercial establishment or premises, containing docking facilities, mooring or launching facilities where boats or boat accessories are berthed, stored, serviced, repaired, constructed or kept for sale or rent and where facilities for the sale of marine fuels or lubricants, accessory retail sales and a taxi and/or barging service are provided and where waste water pumping facilities may be provided. For the purposes of this definition, launching facilities include marine facilities and marine railways.

**Marine Facility** means accessory building or structure, which is used to take boats into or out of a navigable waterway, or to moor boats. This definition includes a launching ramp, boatlift, or dock but does not include any building used for human habitation.

**Marine Railway** means a railed structure that contains a carriage used to pull boats or vessels onto shore from the water.

**Marine Vessel** means a craft designed to float on the water including a boat, a barge or a ship.

**Marine Vessel Sales & Service Establishment** means buildings, lands, or structures or part thereof used for the sale and service of Marine Vessels.

**Marine Vessel Sales, Service and Construction** means a premises where boats, marine vessels and boat accessories are built, stored, serviced, repaired or kept for sale, or where facilities for the servicing of boats and other marine watercraft are provided.

**Marine Vessel Storage** means a building used for the storage of marine vessels.

**Minimum Opening Elevation** means the minimum elevation below which no doors, windows or other openings in building or structures shall be permitted.

**Mobile Eating Establishment** means any vehicle, trailer, cart or other structure not placed on a permanent foundation which is equipped for cartage, storage and the preparation of food stuffs, beverages, confections and such items are offered directly for consumption to the general public, and includes a chip wagon, mobile canteen and other refreshment vehicles.

**Mobile Home Park** means land which has been provided and designed for the location of two or more occupied mobile home dwellings.

**Model Home** means a dwelling which is part of a newly or partially constructed development and is furnished and decorated to be shown to prospective purchasers.

**Mooring Facility, Commercial** means a marine facility which is used to provide parking and/or mooring or docking facilities and services for the traveling public or on

a seasonal basis for recreational boating or for boats or vessels which contain cooking and washroom facilities and exceed 7.5 metres.

**Mooring Facility, Residential** means a marine facility which is used to provide parking and/or mooring facilities for residential water access properties for boats or vessels not exceeding 7.5 metres.

**Motel** means a premises used to provide temporary accommodation to the travelling public with the rooms containing individual interior sanitary conveniences and being accessed from the outside, including motor course or tourist courts. Such premises may include accessory services such as restaurants, meeting facilities, recreation facilities, banquet facilities and accommodation for staff. All required parking is at grade and direct access is available from the parking area to the individual rooms.

**Motor Home** means a motor vehicle with permanently attached living quarters, engine and chassis, used for temporary accommodation.

**Motor Vehicle Body Shop** means a building or structure used for the painting or repairing of motor vehicle bodies, exterior and undercarriage, and in conjunction with which there may be towing service and motor vehicle rentals for customers while the motor vehicle is under repair, but shall not include any other establishment otherwise defined or classified in this By-law.

**Motor Vehicle Dealership** means a building or structure where a franchised dealer displays motor vehicles for sale or rent and in conjunction with which there may be used motor vehicle sales or rentals, a motor vehicle repair garage, a motor vehicle service station, a motor vehicle gasoline bar or a motor vehicle body shop, but shall not include any other establishment otherwise defined or classified in this By-law.

**Motor Vehicle Fuel Bar** means a premises containing one or more pump islands, each consisting of one or more motor vehicle fuel pumps, and a shelter, which shall include the sale of oils, antifreeze, gasoline additives, propane, natural gas and small accessories required for the operation of motor vehicles, boats and snowmobiles and shall not be used for repairs, oil changes or greasing. A Motor Vehicle Fuel Bar may also contain facilities for washing vehicles by production line methods which may include a conveyor system or similar mechanical devices.

**Motor Vehicle Repair Garage** means a building or structure where the exclusive service performed or executed on motor vehicles for compensation shall include the installation of exhaust system, repair of the electrical system, transmission repair, brake repair, radiator repair, tire repair and installation, rust-proofing, motor vehicle diagnostic center, major and minor mechanical repairs or similar use and in conjunction with which there may be a towing service, a motor vehicle service station and motor vehicle rentals for the convenience of the customer while the motor vehicle is being repaired, but shall not include any other establishment otherwise defined or classified in this By-law.

**Motor Vehicle Service Station** means a building or structure where gasoline, propane, natural gas, oil, grease, antifreeze, tires, tubes, tire accessories, electric light bulbs, spark plugs, batteries and automotive accessories for motor vehicles and new retail goods are stored or kept for sale to the general public, or where motor vehicles may be oiled, greased or washed, or have their ignition adjusted, tires inflated or batteries charged, and where mechanical or running repairs essential to the actual operation of motor vehicles are executed or performed. Such establishments shall require public washrooms.

**Motor Vehicle Washing Establishment** means an establishment having facilities for washing vehicles by production line methods which may include a conveyor system or similar mechanical devices. This definition may also include a self-service operation.

**Municipal Office** means an office used by the Corporation of the Township of Georgian Bay.

**Municipal Sewage Services** means sewage services provided by the District of Muskoka.

**Municipal Water Services** means water services provided by the District of Muskoka.

**Museum** means a building or buildings used, or to be used for the preservation of a collection of paintings or other works of art, or of objects of natural history, or of mechanical, scientific or philosophical inventions, instruments, models or designs, and dedicated to the recreation of the public, together with any libraries, reading rooms, laboratories and other offices and premises used or to be used in connection therewith.

**Natural Grade** means the original, natural and un-altered grade of land.

**Natural State** means the natural, un-altered landscape, topography and vegetation of an area.

**Natural Shoreline** means the un-altered shoreline along a waterbody.

**Natural State Shoreline Area** means lands within 15 metres of the high water mark on all lots in any Shoreline Residential (SR) or Shoreline Residential Island (SRI) zone, in which the natural, un-altered landscape, topography and vegetation shall be maintained.

**Navigable Waterway** means a natural or man-made waterbody capable of carrying a marine vessel and that can provide access to a lot without basting or dredging.

**Non-Complying** means a lot, building or structure that does not fulfill the zone requirements for the zone in which the lot, building, structure is located.

**Non-Conforming** means an existing use or activity of any land, building or structure which does not conform with the permitted uses or activities, of this By-



law for the Zone in which such existing land, building or structure is located, so long as it continues to be used for that purpose.

**Noxious Use** means a use which, from its nature or operation, creates a nuisance or is liable to become a nuisance or offensive by the creation of noise or vibration, or by reason of the emission of gas, fumes, dust or objectionable odour, or by reason of the matter, waste or other material generated by the use, and shall include any uses which may be declared to be a noxious or offensive trade or business under the Public Health and Promotion Act, as amended.

**Nursery or Greenhouse, Commercial** means a building or structure, and lands associated therewith, for the growing of flowers, fruits, vegetables, plants, shrubs, trees or similar vegetation together with gardening tools and implements which are sold at retail from such building or lot to the general public.

**Nursing Home** means any premises maintained and operated for persons requiring nursing care, and which is licensed under The Nursing Homes Act, R.S.O., 1980, c.302, as amended.

**Office** means a premises used for conducting the affairs of businesses, professions, services, industries, governments, or like activities, in which the chief product of labour is the processing and/or storage of information rather than the production and distribution of goods.

**Open Storage Area** means land used for the outside storage of equipment, goods or materials in conjunction with a non-residential use located on the same lot. This definition shall not include a parking area, a delivery space or a loading space or any use otherwise defined in this By-law.

**Ornamental Roof Structure** means a decorative addition to the roof of a building or structure which does not provide additional internal space in the building or structure.

**Outside Display or Sales Area** means an outdoor open space area where product or merchandise is displayed and/or sold and/or where services are provided in conjunction with a business located within a building or structure on the same lot.

**Outdoor Storage** means any accessory storage outside of a principal or main building or structure on the lot.

**Over Threshold Waterbodies** means waterbodies with phosphorus loading exceeding 50% of the undeveloped phosphorus load, as identified by the Official Plan of the Muskoka Planning Area (District of Muskoka Official Plan).

**Park, Private** means an open space or recreational area, other than a public park, operated on a commercial and/or private member basis, and which includes one or more of the following facilities or activities:

- a) Areas for walking, riding and cross-country skiing, snowmobiling, but does not include the racing of animals, motor vehicles, motor cycles or snowmobiles;
- b) Accessory recreational or playground areas such as picnic areas, tennis courts, lawn bowling greens, outdoor skating rinks, athletic fields;
- c) Parking lots accessory to the foregoing.

**Park, Public** means any open space or recreational area, owned or controlled by the Corporation or by any Board, Commission or other Authority established under any statute of the Province of Ontario and may include therein neighborhood, community, regional and special parks or areas and may include one or more athletic fields, field houses, community centers, bleachers, swimming pools, greenhouses, botanical gardens, zoological gardens, bandstands, skating rinks, tennis courts, bowling greens, bathing stations, curling rinks, refreshment rooms, fair grounds, arenas, or similar uses.

**Parking Area** means an area or areas of land or a building or part thereof which is provided and maintained upon the same lot or lots upon which the principal use is located for the purpose of storing motor vehicles, but shall not include any area where motor vehicles for sale or repair are kept or stored.

**Parking Garage** means a building or part thereof that is used as a parking area.

**Parking Lot** means a Parking Area forming the principal use of a lot.

**Parking Space** means an area or areas of land or a building or part thereof which is provided and maintained upon the same lot or lots upon which the principal use is located for the purpose of storing motor vehicles.

**Peak** means the highest point of a roof other than a flat roof.

**Pergola** means a structure consisting of parallel colonnades supporting an open roof of girders and cross rafters.

**Personal Service Establishment** means a building or part of a building in which persons are employed in furnishing services and otherwise administering to individual and personal needs of patrons such as barber shops, beauty parlours, hair dressing shops, and shoe repair shops.

**Pilaster** means a rectangular column projecting from a wall that is used for decoration and / or support.

**Pit** means a place where unconsolidated gravel, stone, sand, earth, clay, fill or other material is being or has been removed by means of an excavation to supply materials for construction, industrial or manufacturing purposes, but does not include a wayside pit. This definition shall not include:

- a) any excavation incidental to the construction of a building or structure for which a building permit has been issued; or
- b) any asphalt plant, cement manufacturing plant or concrete batching plant; or
- c) any wayside pit.

**Place of Entertainment** shall mean a premises where entertainment is offered for gain or profit such as a motion picture or other theatre, arena, auditorium, public hall, billiard or pool room, bowling alley, ice or roller skating rink, exhibition grounds, golf driving range, miniature golf course, batting cage, archery range, shooting gallery, arcade or similar activity for the enjoyment of the general public but shall not include body-rub parlours or an adult entertainment parlour, or any place of entertainment otherwise defined by this By-law.

**Place of Worship** means premises used by one or more religious groups for the practice of religious services.

**Porch** means a roofed structure that is attached to a building and is open along one or more sides. For the purpose of this By-law, a Porch may include entrances to a building but shall not constitute a covered entrance.

**Porch, Screened** means a porch that is enclosed on one or more sides by insect-screening.

**Portable Processing Plant** means any equipment for the crushing, screening or washing of sand and gravel aggregate materials, but not including a concrete batching plant or an asphalt plant, which equipment is capable of being readily drawn or readily propelled by a motor vehicle and which equipment is not considered permanently affixed to the site.

**Portable Saw Mill** means any equipment for the cutting or sawing of timber to finished lumber, but does not include any other form of wood processing equipment.

**Post Office** means a premise used to provide the service of receiving, conveying and delivering the mail and related components by Canada Post.

**Prefabricated Housing Sales Establishment** means a premises where prefabricated dwellings are displayed and kept for sale.

**Premises** shall mean the area of a building and/or lot occupied by a business or enterprise. In a multiple tenancy building occupied by more than one business, each business area shall be considered a separate premises.

**Principal or Main Building** means any building, which is carried on, the principal purpose for which the building lot is used and shall include a barn or silo used in conjunction with a farm.

**Principal Use** means the primary use for which a lot building or structure is used, or is intended to be used.

**Private Communal Sewage Services** means sewage works within the meaning of Section 1 of the Ontario Water Resources Act but that serves more than one lot or private residences and are not owned by the Township of Georgian Bay.

**Private Club** means a non-profit, non-commercial organization, which carries on social, cultural, athletic and/or recreational activities.

**Private Home Day Care** means the provision of temporary care and custody to not more than five children under the age of ten years old, for reward or compensation in a dwelling unit for a continuous period not exceeding twenty four hours in accordance with the *Day Nurseries Act* RSO 1990 as amended from time to time.

**Privy** means a latrine consisting of an excavation in the ground or a removable receptacle for human waste, surmounted by a superstructure.

**Provincial Highway** means a public improved road under the jurisdiction of the Ministry of Transportation.

**Public Authority** means any Federal, Provincial, District or Municipal agencies, and includes any commission, board, authority or department established by such agency and shall include Hydro One Networks and Ontario Power Generation Inc.

**Public Self Storage Facility** means a premises where individual, indoor storage areas are made available to the public for the temporary storage or keeping of goods.

**Public Use** means any use of land, buildings or structures by or on behalf of a public authority.

**Public Works Yard** means any land, building and/or structure owned by a public agency and used for the storage, maintenance and/or repair of material, equipment, machinery and/or motor vehicle used in connection with civic works.

**Pumphouse** means a building used to house a water pump and pressure

**Quarry** means a place where consolidated rock has been or is being removed by means of an open excavation and processed to supply material for construction, industrial or manufacturing purpose but does not include a wayside quarry or open pit mine.

**Queuing Lane** means an area of land that is used exclusively for motor vehicles whose occupants are waiting to be provided with goods, materials or services.

**Ramp** means a structure for the sole purposes of providing access to a dock from the mainland or free-standing deck, which is attached to, touching or forms part of the mainland or free-standing deck and is also attached to, touching or forms part of the dock, and shall not be used for the mooring of boats.

**Reconstruct** means to repair, restore, renovate or replace a building or structure, to be used for the same purpose.

"Reconstruction" and "Reconstructing" shall have corresponding meanings.

**Recreation, Passive Outdoor** means an activity or use of land carried out for recreational purposes. No buildings or structures including docks shall be permitted. The uses shall be limited to conservation areas and trail systems. Generally, these areas have environmental features and shall be preserved in their natural state.

**Recreational Vehicles** means a vehicle designed to provide temporary living accommodation but does not include a mobile home dwellings, travel trailer, or other vehicle defined herein.

**Recreational Vehicle Sales and Service Operation** means buildings, lands, or structures or part thereof used for the sale and service of recreation vehicles including snowmobiles, boats and all terrain vehicles.

**Rental Cabin** means a separate building designed to provide only sleeping accommodation for the travelling or vacationing public and shall not include cooking facilities or washroom facilities.

**Resort** means an establishment, including a lodge that provides accommodation and services, which can include facilities for meals, liquor, entertainment, docking, meetings and conventions as well as various other recreational facilities. These include, but are not limited to, equipment rentals, supplies, and services in conjunction with recreational activities.

**Restaurant** means premises in which the principal business is the preparation and serving of food and refreshments to the public for consumption at tables within or outside the building and which may include the preparation of food in a ready-to-consume state for consumption off the premises.

**Restaurant, Drive-In** means an eating establishment where facilities are available to serve meals to the customer for consumption in the customer's motor vehicle, parked in an area designed for that purpose.

**Retail Store** means a building or area where goods, wares, merchandise, substances or articles, are offered or kept for sale at retail and includes storage on or about the store premises of limited quantities of such goods, wares, merchandise, substances, or articles sufficient only to service such stores but does not include any retail outlet otherwise classified or defined in this By-law.

**Retaining Wall** means a feature that retains material, such as earth, and prevents it from sliding or eroding away.

**Riding School or Boarding Stable** means an area of land, which is used as an educational centre for horse training, handling, care, or for the lodging of horses.

**River** means a large natural stream of water flowing in a channel to a lake or other such river.

**Road** means a highway as defined under The Highway Traffic Act, or the Municipal Act that is open and is maintained by the Corporation of the Township of Georgian Bay. This definition shall not include a lane or a private right-of-way. "Road allowance" shall have a corresponding meaning, unless specifically defined.

**Road, Municipally Maintained** means a thoroughfare for vehicular traffic, which may also include provisions for pedestrian traffic, under the jurisdiction of and maintained by the Township of Georgian Bay, District of Muskoka or Province of Ontario.

**Road, Private** means a legal private right-of-way over private property or Crown Land which affords access to abutting lots and is not maintained by a public body.

**Road Allowance, Shore** means an allowance around a lake laid out as part of an original Township survey.

**Road Allowance, Township** means an allowance for a road laid out as part of an original Township survey, that is not a shore road allowance.

**Road Line** means the limit of the road or road allowance and is the dividing line between a lot and road.

**Roof** means the exterior surface and its supporting structures on the top of a building or structure.

**Roof, Flat** means a roof which has no pitch.

**Roof, Gambrel** means a symmetrical two-sided roof with two slopes on each side. The upper slope is positioned at a shallow angle, with the lower slope is steep.

**Roof, Mansard** means a roof that has four sloping sides, each of which becomes steeper halfway down.

**Satellite Dish** means a bowl-shaped antenna from which signals are transmitted to or received from a communications satellite.

**Sauna** means an accessory building or structure wherein facilities are provided for the purpose of a sauna bath, either dry or wet and may include a change/relaxation room, storage areas and a washroom but not a kitchen or sleeping facilities.

**Scaffold** means a temporary structure for holding workers and materials during the erection or repair of a building or structure.

**School** means a Provincially approved institution for academic instruction and may include a public, private or separate school, a vocational school, or a post secondary school such as a college or university.

**Septic System** means:

- a) a leaching bed system; or
- b) A tertiary treatment system, with a treatment unit as defined by the Ontario Building Code, which meets the Treatment Unit Effluent Quality Criteria of Table 8.6.2.2 of the Ontario Building Code.

**Service Shop** means a building or part of a building, not otherwise defined or classified in this By-law, for the servicing or repairing of articles, goods or materials, as well as facilities for accessory retail sales.

**Setback** means the horizontal distance from the centerline of the road right-of-way or lot line, measured at right angles to such centerline, to the nearest part of any building or structure on the lot.

For setbacks from waterbodies, means the horizontal distance measured at right angles from the high water mark, to the nearest part of any building or structure on the lot.

**Sewage Lagoon** means a licensed open facility for the treatment of sewage.

**Shoreline** means the same as the high water mark.

**Shoreline Activity Area** means an area of land in the front yard of a lot that abuts the shoreline that provides access to the shoreline. This area may contain accessory structures where permitted, pathways, and native vegetation.

**Shoreline Frontage** means the frontage of a lot measured along the front lot line.

**Shoreline Structure** means a structure that is located in the front yard, or projects into the water.

**Sight Triangle** means the triangular space on a lot formed by two intersecting road lines and a line drawn from a point in one road line across such lot to a point in the other road line, each such point being the specified distance from the point of intersection of the road lines (measured along the road lines). Where the two road lines do not intersect at a point, the point of intersection of the road lines shall be deemed to be the intersection of the projection of the road lines or the intersection of the tangent to the road lines.

**Sign** means a visual medium and its supporting structure and component parts, used or capable of being used to draw interest for identification, information, advertising, service, activity, business, good, etc.

**Sill** means the horizontal piece beneath a window, door or other opening.

**Silo** means a tall tower or pit on a farm used to store grain.

**Sleeping Area** means the upper half storey of a one and one half storey detached garage, used for sleeping, that does not contain any cooking facilities or an area for the preparation or servicing of food, and shall not contain any cooking or warming devices, fridges, ovens, stoves, or any other cooking related appliances.

**Sleeping Cabin** means an accessory building used for sleeping that does not contain any cooking facilities or an area for the preparation or serving of food and shall not contain any cooking or warming devices, fridges, ovens, stoves, or any other cooking related appliances. sleeping cabins shall not be permitted to have a loft, basement or cellar. A sleeping cabin is not a dwelling unit.

**Solid Waste Disposal or Management Facility** means a landfill site where garbage, refuse, domestic or industrial waste, exclusive of liquid industrial waste, is disposed of or dumped.

**Special Event** means an event or activity that is out of the ordinary and may include such events as a wedding, festival, concert, or other celebration.

**Stairs** means an uncovered structure which provides access to a Deck, Porch or Building entrance not located at grade.

**Staff Accommodation Facilities** means building or portion of a building used to provide accommodation for persons employed on the property.

**Storage Container** means the trailer portion of a tractor-trailer unit or transport truck without the running gear, or a rail or seaway container which is traditionally used for the shipping and transportation of goods and materials.

**Storey** means a storey is that part of a building between the surface of one floor and the ceiling above. However, a cellar does not count as a storey.

**Storey, Attic** means that portion of a building that is enclosed and situated wholly or partly within the roof but which is not a one-half storey.

**Storey, Basement** means any storey below the first storey which is at least 50% above finished grade along wall face at the front of the building.

**Storey, Cellar** means any storey below the first storey which is more than 50% below finished grade (measured from finished floor to finished ceiling).



**Storey, First** means the storey with its floor closest to finished grade and having its ceiling at least 1.5 metres above finished grade, but is not a basement.

**Storey, Half** means that portion of a building situated above the first storey that is wholly or in part within the roof and when used with reference to a one and one half storey boathouse, means that portion of the boathouse situated between a sloping roof and a floor above the first storey below, of a boathouse.

**Straight Line Projection** means the projection of a side lot line over the water.

**Structure** means anything that is erected, built or constructed of parts joined together with a fixed location on the ground or attached to something having a fixed location on or in the ground and shall include buildings, walls or any sign, but does not include fences, which do not exceed six feet in height or utilities. This definition shall include septic systems swimming pools, hot tubs, and whirlpools.

For Open Space (OS, CL & LS) zones means anything that is erected, built or constructed of parts joined together that is located on the ground or attached to something having a fixed location on or in the ground and shall include buildings, walls, signs exceeding 0.25 square metres in area, fences, docks, and / or pit privies.

For the Natural State Island (NSI) zone, means anything that is erected, built or constructed or parts joined together than is located on the ground or attached to something having a fixed location on or in the ground and shall include buildings, walls, signs exceeding 0.25 square metres in area, fences, decks, docks, and / or pit privies.

**Summer Camp** means a camp which is privately owned and operated, or a camp which is operated by a charitable corporation approved under The Charitable Institutions Act, R.S.O., 1980, c.64, as amended, or a camp within the meaning of the regulations made under The Public Health Act, R.S.O., 1980, c.409, as amended.

**Sunroom** means a roofed structure that is attached to a building and enclosed by four walls.

**Swimming Pool** means a structure other than a hot tub, which holds water exceeding 91 cm in depth at any point and is used for recreational purposes.

**Tavern** means an establishment licensed under the *Liquor Control Act*, R.S.O. 1990, c.L. 18, the principle business of which is to serve any sort of alcoholic beverage to the public for consumption on the premises.

**Temporary Sales Structure** means a temporary structure or building which is used for the sale, rental or lease of dwellings, dwelling units or non-residential building or structures that have been / are to be constructed as part of the same development.

**Temporary Structure** means a structure intended for removal or demolition within a prescribed time.

**Tent** means a structure or other fabric, or synthetic materials supported by a pole or poles, rope or other device.

**Tertiary Treatment System** means an individual on-site sewage system designed to produce tertiary treatment effluent.

**Trailer or Recreational Vehicle Park Site** means a site where tent trailers, travel trailers, tents, recreational vehicles or other temporary structures used for temporary habitation are located.

**Tool Shed** means a building used for the storage of household or construction tools.

**Tourist Establishment** means any premises operated to provide sleeping accommodation for the traveling public or sleeping accommodation for the use of the public engaging in recreational activities, and includes the services and facilities in connection with which sleeping accommodation is provided, but does not include:

- a) A camp operated by a charitable corporation approved under The Charitable Institutions Act, R.S.O., 1980, c.64, as amended;
- b) A summer camp within the meaning of the regulations made under The Health Protection and Promotion Act, S.O., 1983, as amended;
- c) A club owned by its own members and operated without profit or gain; or
- d) A tent and trailer park.

**Trailer** means a vehicle that is at any time drawn upon a highway by a motor vehicle, another motor vehicle or any device or apparatus not designed to transport persons or property, temporarily drawn, propelled or moved upon such highway, and except a side car attached to a motorcycle, and shall be considered a separate vehicle and not part of the motor vehicle by which it is drawn and, for the purposes of this By-law, does not include a mobile home dwelling.

**Trailer, Construction** means a Trailer used for the coordination of construction activities, storage of construction materials, or temporary accommodation for individuals engaged in construction activities.

**Trailer or Recreational Vehicle Park** means lands used for occupancy by travel or tent trailers, tents, recreational vehicles or other temporary structures used for temporary habitation.

**Trailer, Travel or Tent** means any trailer which is designed to be temporarily utilized for living, shelter and sleeping accommodation, with or without cooking

facilities and which has running gear and towing equipment permanently attached and a current license and is not permanently affixed to the ground.

**Transportation Depot** means any building or land where buses, trucks or tractor-trailers are rented, leased, kept for hire, stored or parked for commercial purposes.

**Travel Trailer and Recreational Vehicle Storage** means a building used for the storage of I Travel Trailers and Recreational Vehicles.

**Truck Camper** means an add-on living quarter which is temporarily attached to a motor vehicle.

**Undisturbed Open Space** means that portion of a lot predominantly unaltered and maintained in its natural pre-development state, with vegetation and landscape reflective of the natural character of the area.

**Unsubdivided Island** means an island that has not been subdivided and is comprised of only one lot.

**Use** means:

- a) Any purpose for which a building or other structure or a parcel of land may be designed, arranged, intended, maintained, or occupied; or,
- b) Any activity, occupation, business or operation carried on, or intended to be carried on, in a building or other structure or on a parcel of land.

**Use, Accessory** means a use which is incidental, subordinate and exclusively devoted to a main building or main use and located on the same lot therewith.

**Vehicle** means a motor vehicle, trailer, traction engine, farm tractor, road building machine and any vehicle drawn, propelled or driven by any kind of power, including muscular power, but does not include the cars of electric or steam railways running only upon rails.

**Vehicle, Motor** means an automobile, truck, motorcycle, and any other vehicle propelled or driven otherwise than by muscular power, but does not include the cars of electric or steam railways, or other motor vehicles running only upon rails, or a motorized snow vehicle, traction engine, farm tractor or road building machine within the meaning of The Highway Traffic Act, R.S.O., 1980, c.198, as amended.

**Vehicle, Recreational** means a vehicle designed to provide temporary living accommodation but does not include a mobile home dwelling, travel trailer or other vehicle defined herein.

**Walkway** means a passage or path used for walking or accessibility purposes which provides access to and from buildings, structures or features, and / or which provides for ease of access over uneven terrain or unsafe areas.

**Wall** means an upright structure that encloses or divides an area or land, or an area within a building or structure.

**Wall, Front** means the wall of a building that is closest to the front lot line.

**Warehouse** means a building or part of a building used for the storage and distribution of goods, wares, merchandise, substances or articles and may include facilities for a wholesale or retail commercial outlet, provided that they do not exceed 10 per cent of the gross floor area, but shall not include a truck or transport terminal or yard.

**Water Access Lot** means a lot that has frontage on a waterbody and is not capable of obtaining access from a Provincial highway, road, or private road.

**Water-Based** means a building or structure which encroaches onto or over the bed of a waterbody.

**Waterbody** means a natural or artificial body of water, but does not include water confined within a structure or building.

**Waterbody Width** means the shortest distance from high water mark to high water mark across a waterbody.

**Water Tank** means a container used for the outdoor storage of water.

**Watercourse** means a water body or the natural channel for a perennial or intermittent stream of water including a river or stream.

**Wayside Pit or Quarry** means a temporary pit or quarry opened and used by or for a public authority solely for the purpose of a particular project or contract of road construction and not located on the road right-of-way.

**Wellness Centre** means a premises used to improve beauty and wellness through styling, cutting or chemical treatment of hair and through skin and body treatments, including pedicures, manicures, facials, microdermabrasion, waxing, laser, hydrotherapy, anti-aging, skin rejuvenation therapy, aromatherapy, stone therapy massage and relaxation massage.

**Width, Dwelling** means the greatest distance between any two points on the exterior walls of a building or structure, that can intersect straight lines from the front lot line.

**Workshop** means a building or structure where manufacturing is performed by tradesmen requiring manual or mechanical skills and may include a carpenter's shop, a locksmith's shop, a gunsmith's shop, a tinsmith's shop, a commercial welder's shop, or similar uses.

**Wrecking or Salvage Yard** means a place where motor vehicles are wrecked or disassembled and resold, a place where second-hand goods, including waste paper,

bottles, automobile tires, clothing, other scrap materials and salvage are collected to be sorted and a place where used lumber and used building materials are stored for sale or resale.

**Yard** means an open, uncovered space on a lot, appurtenant to a building or structure and unoccupied by buildings or structures except as specifically permitted in this By-law.

**Yard, Exterior Side** means the yard of a corner lot extending from the exterior side lot line to the nearest side wall of the main building or structure on the lot but does not include any portion of the front or rear yards.

**Yard, Front** means a yard extending across the full width of the lot between the front lot line and the nearest front wall of the main building or structure on the lot for which the yard is required. On islands where there is only one lot, all yards shall be considered as the front yard.

**Yard, Interior Side** means a yard extending from the front yard to the rear yard between the interior side lot line and the nearest side wall of the main building or structure on the lot for which the yard is required, but does not include any portion of the front or rear yards.

**Yard, Required** means the minimum yard required by the provisions of this By-law.

**Yard, Rear** means a yard extending across the full width of the lot between the rear lot line and the nearest rear wall of the main building or structure on the lot for which the yard is required.

**Zone** means the category of use or activity of land, buildings, structures or activities permitted by this By-law.

**Zone Boundary** means the limits of a zone.

---

---

**SECTION 20  
ENACTMENT**

---

---

**20.1      FORCE AND EFFECT**

This By-law shall come into force and effect on the date it is passed by the Council of the Corporation of the Township of Georgian Bay subject to the applicable provisions of the Planning Act, R.S.O. 1990, c.P. 13 as amended.

**20.2      READINGS BY COUNCIL**

This By-law read and passed on the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_.

MAYOR: \_\_\_\_\_

(Municipal Seal)

CLERK: \_\_\_\_\_

**20.3      CERTIFICATION**

I hereby certify that the foregoing is a true copy of Zoning By-law No. 2014-75 as enacted by the Council of the Corporation of the Township of Georgian Bay, on the \_\_\_\_\_ day of \_\_\_\_\_, 2014.

CLERK: \_\_\_\_\_